DISTRIBUTION LIMITED TO DOD REFER OTHER REQUESTS TO THE CS MANAGER

Equipment Maintenance

DEPOT MAINTENANCE MATERIAL SUPPORT SYSTEM G005M USERS MANUAL

This manual contains procedures for organic depot maintenance material support at the Air Logistics Centers (ALCs). This publication does not apply to the US Air Force Reserve or Air National Guard units and members.

Page

Table

Attachments

Chapter 1

GENERAL

1-1. Purpose. The purpose of this users manual is to provide information necessary to effectively use the G005M Depot Maintenance Material Support System. This manual is to be used in conjunction with policies established in AFMCR 66-53 and AFMCR 66-61; and procedures in AFM 67-1 Vol I, Part 1, and Vol III, Part 2; and the System Operations Manual AFMCM 171-152.

1-2.   Terms/Abbreviations.   Glossary of terms/ abbreviations is contained in Attachment 5 of this manual.

1-3. Security. End Items (EI) that are designated as classified, as well as associated technical data (i.e., technical orders (T.O.), blue prints, etc.) designated as Confidential, Secret, or Top Secret will not be entered as part of the G005M Bill of Material (BOM) data base.

Chapter 2

GENERAL SYSTEM DESCRIPTION

2-1. System Overview: The G005M system is used to identify material that must be pre-positioned to support maintenance workloads. The system is also a source for identifying costs associated with depot repair. The system is processed at all ALCs and is intended to increase the effectiveness of material standards. To accomplish these objectives the system has been designed to satisfy the following requirements:

(1) Allow for daily manual update and retrieval of material standards.

(2) Allow for on-line query/data retrieval by users.

(3) Compute material supportability.

(4) Compute material requirements.

(5) Allow for non-standard Bills of Material (BOM).

(6) Maintain total ALC visibility of interchangeable and substitutable (I&S) data, plus part number/item source to stock number data.

(7) Perform mechanized file maintenance of standards by utilizing data from interfacing systems (D071, D035K, H036B, etc.)

(8) Perform interchange with the Requirements Data Bank (D200).

(9) Perform usage analysis (standard updates).

(10) Maintain data integrity between G005M and interfacing systems, and maintain predefined data relationships within G005M.

(11) Mechanically compensate for issue posting errors.

2-2. System Operation:

a. System Functions.

(1) Bill of Material (BOM). BOMs are developed by maintenance planners, and identify material requirements for each production number. The G005M system will not pass indirect material (cost code L, MCC I) requirements to D035K during the quarterly parts projection. The BOM file is the composite data base that identifies material required for end item repair, provides

for mechanized material projection, and provides data for determination of material supportability and standard material costs. Procedures for developing BOMs via the G005M are contained in Chapter 3 of this manual. The D200 Applications, Programs and Indentures (API) module in the Requirements Data Bank (RDB) system may be used to establish new BOMs.

(2) Material Projections. The BOM Master file enables the material support system to develop total material requirements in support of maintenance workload(s) for a specific time period.

(3) Driven Requirements. Appropriate BOMs are expanded by the quantity of the projected end item workload for a quarter. The results of this function determine the total material requirements by workload precedence. These requirements are processed automatically to the D035K system once a quarter to determine material shortages and establish due-ins to supply for those shortages.

(4) Supportability. The driven requirements are compared to the on-hand balances of the local supply accounts. Supportability reports are produced for the scheduler and shortage reports are produced for prime item managers, supply class clerks, supply item manager specialist, and material control personnel. Driven requirements are not established for indirect material. However, the supportability report (G005M151) shows quantities of the required indirect material that are available in depot supply.

b. System Processing.

(1) Every quarter, the G019C Management of Item Subject to Repair (MISTR) system, passes total end items driven for the quarterly time frame, by precedence, NSN, and production number to the G005M. Based on this input, G005M expands the appropriate BOM by the end item driven requirements. Units per assembly, occurrence factors, and standard replacement factors are considered during this process. The summarized projected material requirement is passed to the D035K, AFMC Retail Stock Control and Distribution System, by precedence. Shortages are reported to the prime source as priority "06" (military standard requisitioning and issue procedures (MILSTRIP) priority) for precedence 1 and 2 requirements, and to the Air Logistics Center (ALC) for replenishment priority 13 for precedence 3 and 4. Precedence 5 requirement identifies future workloads and is only used to retain material within depot supply. The G005M uses the individual requirements identified in the

projection process to allocate material during development of supportability products. Aircraft and missile workload requirements are projected for investment items to support 10-day workloads for precedence 1 and 2 workloads and no support for precedence 3 workloads.

(2)   File Maintenance of the BOMs is done by inputs to G005M (reference Chapter 3). G005M BOMs contain two types of records - standard records, used to project material requirements and develop a direct material cost; and non-standard records, included in the BOM for identification only and not to compute material requirements or effect material cost computations. BOMs are of two types - high volume (exceeds 99 EI per year) and low volume (less than 99 EI per year). Worksheets extracted from D200 with a J exemption code are not entered into the G005M. Properly planned BOMs contain Inter changeability and Substitutability (I&S) data to reflect least preferred to most preferred component data IAW AFR 67-1.

(3)   The G005M Depot Maintenance Material Support System uses an Automated Data Review (ADR) Datacom/DB to store and retrieve data. The Material Data Base (G005MMC) stores, updates, and retrieves data on Standard BOMs. The Validation Data Base (G005M-MV) stores, updates, and retrieves validation data obtained from the G004L system. The ADR Datacom/DB provides the users with access to this data on a demand basis (reference Chapter 5).

2-3. System Performance:

a.   Input/Output. System input/output is provided by file maintenance transactions and system interfaces.

(1)   File maintenance transactions are detailed in Chapter 3 of this manual.

(2)   Output products are detailed in Chapters 4 and 6 and attachment 6 of this manual.

(3)   The following interfaces have been established between G005M and other systems:

(a)   Daily:

D035K - Back Order release data.

D071   - Stock Number User Directory (SNUD).

D035K - Updates the projected material shortage subsystem.

(b)   Weekly:

D200 - Applications Programs Indenture.

G004L - Validation and production data.

(c)   Biweekly:

D035K - Stock number master interchangeability and substitution (I&S) data.

D035K - Due-in status.

D035K - Management of Items Subject to Repair (MISTR data).

D035K - DMSC table data.

G019C - End item requirement.

Note: Biweekly supportability run builds a new shortage data base.

(d)   Monthly:

H036B - Unit repair cost data.

G004H - Usage history.

G004L - Production history.

G072A - Market basket items.

D071 - SNUD.

b.   Environment.

(1)   IBM 370 Computer

(2)   MVS/XA Operating System

(3)   Key-to-Disk via G005M Remote Network

(4)   Key-to-Disk via KTD Computer equipment.

c.   Users. Primary users of the G005M system are the maintenance planning technicians; secondary users include maintenance schedulers, supply personnel, and End Item Managers.

Chapter 3

BILL OF MATERIAL DEVELOPMENT AND REFINEMENT

3-1. BOM File Maintenance Transactions:

a. File Maintenance Requests for BOM. G005M has two key-to-disk options available to the user for file maintenance.

    (1) Key-to-disk utilizing KTD equipment.

    (2) Key-to-disk utilizing the G005M remote network.

b. Input. Input options are Add, Change, or Delete EI's or component items; Alter Replacement Percentages; Change Unit of Issue (UIs); and Update BOM data in the G005M system. When transactions are input and processed, the Daily G005M Transaction Register, G005M061, is produced which shows all valid transactions for the day (figure 4-10). If errors are present in the transaction, an Error Notification Report, G005M001 (figure 4-1) is produced showing invalid transactions for correction. The combination of these two listings negates the requirement to maintain a manual file of FM actions verifying that input transactions are processed. When an error appears in the Error Notification Report, the correction may be processed immediately.

NOTE: The G005M system uses a Data Base Management System (DBMS) that incorporates update capabilities. If an unusual situation occurs and a significant volume of individual transactions must be input, contact the G005M OPR to determine if changes can be made using DBMS capability. For example, if all BOM numbers within a specific FSC or RCC must be changed to a specific CC or MCC, this can be done via a single DBMS transaction, but would require multiple M04 transactions, input manually, to complete the task.

c. Procedures. Cataloging data for EI and component items is done automatically through interfaces with D035 and D071 system. Manual changes to this data may not be processed with a transaction code. If manual changes are required, delete and add transactions must be processed.

d. Formats/descriptions of G005M Add, Change, Delete and Request Input Transactions. All BOM FM input transactions for component items in established BOMs require a Reason for Change Code (Atch 2). Note: Inputs with BOM action code R (request) are not FM transactions and are excluded from this requirement.

3-2. Material Classification:

a. Material is classified as direct or indirect. Direct material refers to material required by and identifiable to a maintenance job order or E/I. Direct material may become part of an item undergoing maintenance, or may be consumed in the maintenance process (e.g. heat treat, plating, painting). Items that must be classified as direct material include: serial number controlled, exchange, or organically manufactured items; components for organic manufacture; items classified as direct material in the same cost center; and those items considered peculiar, critical or requiring increased control. Indirect material refers to material that is costed to an overhead control number (UXXXX) because it cannot be easily identified to a particular E/I or system (e.g. bolts, nuts, washers, common use paint etc.).

b. G005M is programmed to assign a material classification code (MCC), direct or indirect, and a cost code (CC). The G005M data base contains data required to establish both an MCC and a maintenance CC.

    (1) Material with expendability, recoverability, reparability category (ERRC) code C,T, or S established on a BOM is direct exchange material and is assigned a direct (D) MCC and an E cost code. This CC can be changed to an M, if applicable, by use of an M07C transaction.

    (2) Material with ERRC code N or P established on a BOM is direct expense material if the unit of issue (UI) is each (EA), pair (PR), or set (SE). This material is assigned a direct (D) MCC and A cost code. This CC can be changed to a Z (customer furnished material) where applicable, by use of an M07C transaction.

    (3) Material with ERRC code N or P established on a BOM is indirect expense material and is assigned an indirect (I) MCC if the UI is bulk (other than EA, PR or SE). This material is always assigned an L cost code.

c. G005M assigns an MCC and a CC based on the above criteria when a new component is assigned. However assigned MCC and CC can be overridden. File maintenance transaction (M04) allows user to enter data for proper E/I costing. An M04 is a mass change transaction to update the MCC for a stock number within an RCC. The Common Item Listing, G005M300, figure 4-35, identifies other users affected by the change. Planners are furnished a valid transaction register in the transaction process. NOTE: Processing an M04 transaction will not affect direct or indirect stockage policy within an RCC.

d.   MCCs are changed automatically when cataloging data changes (e.g. cost, UI, other SNUD data) warrant a corresponding change in MCC.

3-3. BOM Development:

a.   BOMs are developed to record all materials required to support the repair of specific E/Is and are basis for:

(1)   Identifying material required to make repairs.

(2)   Automatic projections of material requirements for repair programs.

(3)   Determining material supportability.

(4)   Compiling material standard cost which is an integral part of Depot Maintenance Service (DMS), Air Force Industrial Fund (AFIF).

(5)   Establishing the DMS,AFIF sales price.

b.   BOMs are developed as follow:

(1)   For aircraft engine overhaul, develop by mission, design and series (MDS), production number (PDN), and operation number. Air- craft engines not entered in the aircraft material standard at a replacement percent to support a repair program. Due to DMS, AFIF requirements, the cost for replacing aircraft engines will be charged to the owning activity through the centralized engine management system.

(2)   BOMs for aircraft projects are normally developed by MDS, production number, and operation number. If a family group of aircraft has a high commonalty of material and labor, the BOM may be established at the MDS level.

(3)   For other than aircraft and aircraft engines, BOMs are developed by end item, production number, and operation number.

c.   During initial development of the BOM, the following procedures apply:

(1)   When a NEW workload is identified during workload negotiations, the material planner inputs a BOM establish request (M28) to G005M, and for subsequent request to the D200.F, Requirements Data Bank Applications/Programs/Indenture (RDB/API). Request for BOM extracts from D200 are transmitted to D200 from G005M at each ALC. Requesting ALC codes in request (column 31) are as follows.

CODE	ALC
F	SM-ALC
G	OO-ALC
H	OC-ALC
L	WR-ALC
P	SA-ALC

(2)   In response to above request, D200 outputs an interface tape to G005M containing specific data concerning the EI and all components, both direct and indirect, required to support the repair of the EI.

(a)   If any components on the D200 output are identified as recoverable (ERRC code C, T, or S), the item will remain identified as a component item to the EI within the PDN cited; however, if breakdown data is required, a new input request for each recoverable component must be input to the G005M to obtain the breakdown data from D200, using each component NSN and assigned production number.

(b)   If D200 does not contain required data elements for an output, a negative response will be made to the requesting organization. This response will be in the same format as the G005M105 (figure 4-21), New Bill of Material Worksheet, which reflects EI data only, and the remark "Negative Response from D200." When a negative response is received, the planner manually develops a BOM, and forwards a request in writing to the appropriate equipment specialist to establish an indenture in the D200 system.

(c)   The G005M converts the positive response data from the D200 output to a BOM Worksheet, G005M105.   This worksheet is sent to the planner responsible for submitting the request input (M28). The planner reviews the worksheet against applicable technical data for correctness of D200 data and annotates the blank columns as required. The worksheet contains both direct and indirect material. The D200 data may be input as a standard record with the occurrence factor, units per assembly (UPA), and replacement percent fields filled, or as a nonstandard record with the occurrence factor and UPA fields filled but with a blank replacement percent field. The nonstandard record will remain on the BOM until manually deleted by the planner.   Nonstandard records are recognized on the BOM with a CC of L.

(3)   When the BOM worksheet is input to G005M and processed by the computer, a daily Transaction List or Error Notification Report is provided to the planner showing those items that were established on the BOM or rejected due to errors.

(4)   When the planner is required to manually develop a BOM, and each stock numbered part to be included has been determined, the computation of the

replacement percent for each part must be established. The formula for calculation of replacement percent is as follows:

Comp Rep Percent = (Reg Qty X 100 ^{NOTE1})/(E1 x OF x UPA)

Note1: Maximum times the operation can occur.

Comp Rep Percent = Component replacement percent.

Reg Qty = Quantity of identically stock numbered direct material items required at the supply UI (per operation).

100 = Number of times the operation can occur.

UPA = Units Per Assembly

OF = Occurrence Factor of the operation in relation to the EI workload.

EI = Number of end items.

(a) Recognizing that production count is taken by operation, the component replacement ratio represents the quantity of parts used in a specific operation. The product of the OF, replacement percent, and UPAs yield the number of parts needed per EI repaired. In the event the supply UI is other than each, the effect of this factor upon the replacement percent during establishment must be considered. In all cases, the replacement percent should be initially calculated on the basis that the UI is "each." If the UI is other than "each," the replacement percent must be divided by the UI (quantity). In the event the UI is changed an internal recalculation of replacement percent is made by the G005M.

(b) UPAs are normally considered to be the number of identical parts contained within the EI. However, since production count is taken by operations completed within an RCC, the UPA will be the number of identical parts within the production count operation.

(c) The OF is the number of times an operation is planned or occurs in relation to the maximum number of times it could occur per EI being worked. When production count is taken by EI or by EI or by RCC, an OF of 1.00 will be used for material standard purposes. The use of OF for designated operations is necessary when material is projected and earned by operation.

(d) The number of EI is the total quantity of aircraft, engines, generators, radar, etc., or related components, assemblies programmed for repair or overhaul, and for which parts are projected to do the repair.

(e) The following is an example of replacement percent computation. Assume that 200

identical parts were used to repair 400 EIs and each EI contained eight of these identical parts within that area of work encompassed by the considered operation. The operation occurs on the average of once for each two EIs repaired (OF of 0.50).

Comp Rep Percent = (200 X 100)/(400 X .50 X 8) = 12.5 Percent

(f) Calculations of component replacement percent according to the above criteria are based on UIs, of the required item, as listed in federal or Air Force stock catalogs or stocklists.

3-4. Preparation of MDS Allocation Data (Transaction M19). An additional G005MM input is required to establish a current table of material allocations to the actual series being supported in a group of aircraft. This allocation table will be used to prorate material used for interface with the D200 system. Percentages will be based on the previous quarter production. When the schedule changes by series, the allocation table must be revised to reflect this change. In establishing the allocation table, all series to be processed will be indicated on a percentage basis up to 100 percent for the total group.

3-5. Issue Consolidation Table:

a. Material issues are tracked through the G004H Actual Material Cost System by production number, operation number, and RCC. This provides data for costing and budgeting purposes. G005M uses this G004H issue data to compute the actual replacement percent when refining the BOM. In many cases, some workloads contain multiple labor operations in which material is consumed. In these situations, the issue is often coded with the labor operation number. This causes the issues against a production number to be fragmented over many operations. This results in the material standards not being responsive to material requirements. G005M has logic that, at management option, will roll up all issues against a particular production number to one operation per division, regardless of the operation posed to the issue. This roll up feature is activated by adding the production number in question to the Issue Consolidation Table by use of the M34 transaction. Entry of the required data into the table will then cause all issues against the production number to be posted to one operation per division. (NOTE: Entry of the M34 transaction only affects issues that will enter G005M in future G004H/G005M cycles).

b. The input used to build the table is an M34 with an A action code. Action codes C and D will be used to change or delete data on the table. The M34 transaction format is contained in chapter 3, Fig 3-17.

3-6. Refining BOMs. BOMs must be reviewed/refined continually by the planning technician to reflect changes in

workload, EI condition, changes in labor standards, organizational changes, etc., that affect the data in the BOM file. Particular attention should be given to increasing or decreasing usage trends between analysis periods. Material requisitioning and application awareness are the basis for refinement of replacement percentage between the quarterly usage analysis periods.

a. Usage data contained on the G005M data base should be deleted when:

(1) Issues are charged to the wrong production number.

(2) End item repair requirements have changed significantly.

(3) Reliability of components have changed significantly. When it is determined by the planner that issue (usage) data are to be deleted, an M07C transaction will be input using a special reason for change code (chapter 3, Fig 3-5).

b. A mechanized analysis of materiel usage is made quarterly, on those BOMs that have reached their production analysis quantity (PAQ), to enhance BOM refinement efforts. This operation analyzes the range and rate of material issue history versus projected usage in comparable time frames to update BOM data in the data base. Variances between planned and actual usage rates are tested to determine significance of variance.

c. The material usage analysis operation is automatically triggered at the end of the quarter, based upon the PAQ. The PAQ is that quantity of production for a given workload that, when reached, triggers the BOM analysis at the end of the quarter (the PAQ for most production numbers is 25). During analysis, the G005M mechanically changes "ACTUAL to STANDARD" (utilizing issues and production) based upon four or eight quarters of history (high or low volume). (NOTE: If production does not reach the PAQ, BOM analysis will occur 1 year from date of last usage analysis utilizing eight quarters of history).

d. Throughout the quarter, the computer stores data reflecting automatic and manual file maintenance changes to the BOM. (NOTE: During analysis, the computer will attempt to compute an actual replacement percentage based on issues and production. If the UPA is blank, it will default to one and show one as the UPA). If an actual replacement percent of one or more is computed, that stock number will be added as a standard record (UPA of one and the computed actual replacement percent), with the following remarks: "Standard record established, planner should verify UPA."

e. The quarterly material usage analysis on active BOMs may result in computer-generated adjustments (adds, changes, or deletes) for a particular BOM. The adjustments will be shown on the Material Analysis Exception Report, G005M-097.

f. The quarterly analysis is also made on inactive BOMs to determine which dormant BOMs may be candidates for deletion. These BOMs coded for deletion are reported on the BOM Exception Worksheet and the Material Analysis Exception Report.

3-7. Programmed Analysis Criteria:

a. Production will be accumulated for standards or usage nonstandard records beginning with the quarter the first issue was recorded or from the date established if there were no issues.

b. Computations are automatically performed during the quarterly reporting period. History in the usage file will accumulate up to eight quarters.

c. Valid usage nonstandard records are component items ordered against an established production number and operation number. These records will be tracked and, when consumption warrants, the component will be recommended for an adjustment "add" to the BOM. Two consecutive quarters of issue history are required to recommend an "add".

d. When a usage nonstandard record containing a valid stock number (one that is established in the BOM under the proper production number) is ordered and the operation number is erroneous, the record will be combined automatically with the operation number on the BOM. If not possible, it will be dropped. (Reference Unplanned Issue Report, G005M-099, Fig. 4-20).

e. Deletion Criteria:

(1) Delete Nonstandard Record (NSR). NSR is a NSN with zero UPA and zero replacement percent. Records are deleted when there are two quarters of production history with no issues.

(2) Standard Record (SR). SR is a NSN with UPA and a replacement record. When usage compared to production (with eight quarters of history) is so low that G005M cannot compute a replacement factor of at least one percent, G005M will:

(a) Recommend deletion.

(b) Zero out the replacement percent thereby creating a nonstandard record.

(Note: This action occurs during quarterly analysis).

        (3) Stocklist Change.   During the stocklist change cycle, the following applies:

            (a)   If the AAC changes to V or X, G005M prints the message "Terminal Item, Substitute Required".

            (b)   If the AAC changes to Y, G005M will change the standard replacement percent to zero and delete the component during quarterly analysis.

(Note: Reference Analysis Error Messages, attachment 4-1).

        (4)   BOM Deletion.

            (a) If G004L has dropped a production number, during the quarter, G005M will delete the G005M monthly.

            (b) If a production number resides in G005M for five consecutive quarters with no production history, the EI data will appear on the G005M-097 Analysis Report with the remarks five quarters no production, scheduled for deletion next quarter".

(Note: Failure to submit an M05 transaction to change "Date Established" will result in a deletion during the sixth quarter analysis (regardless of repair group category).

Upon deletion, the M097 report will display message "six quarters no production, production number deleted".

        (5)   During analysis, when a standard record computes to a delete, the standard replacement percent (REP Percent) will be eliminated and the Rep Percent column on the COM will contain zeros. The UPA and OCC FAC columns will not change. These records will then be carried on the BOM until manually deleted by the planner.

3-8.   Connecting to RDB.   To enter G005M BOM transactions, the user must be connected to the Requirements Data Bank (RDB) system. Following are instructions for making that connection.

    a.   To call up RDB enter c rdb* and return.

    b.   Once a link is established to rdb, the ENTER TERMINAL TYPE prompt will appear. At this point type in: rdbz248, and return.

    c.   The next screen will require you to ENTER APPLICATION REQUEST. Enter rehprd at the cursor and return.

3-9. BOM Transactions. This section contains G005M transactions for BOM development and refinement.

PROMPT	CHAR TYPE	COL	FIELD	INSTRUCTIONS
TRANS CODE:	ALPHANUMERIC	3	1-3	MUST ENTER 'M01'
ACT CODE:	ALPHA	1	4	MUST ENTER 'A'
PLANNER:	ALPHANUMERIC	6	5-10	MUST ENTER
E/I IDENT:	ALPHANUMERIC	15	11-25	MUST ENTER
PROD NR:	ALPHANUMERIC	6	26-31	MUST ENTER
E/I DESC:	ALPHANUMERIC	18	32-49	PAI
ACC/SC:	ALPHANUMERIC	6	50-55	MUST ENTER
	SKIP	1	56	LEAVE BLANK
*DIV:	ALPHA	1	57	PAI
*ALC:	ALPHA	1	58	PAI
*EQ SP:	ALPHANUMERIC	2	59-61	PAI
*PM SP CO:	ALPHANUMERIC	2	61-62	PAI
RGC:	ALPHA	1	63	MUST ENTER
	SKIP	17	64-80	LEAVE BLANK

This transaction is used to establish an E/I identity or production number in the material data base (MC) to establish a BOM or accumulating direct material usage history. Production number must be opened in the G004L before this transaction is input.

* Note: These fields may be omitted. Data will be overlayed from mechanized interfaces with other systems.

Figure 3-1. M01 - End Item Establish.

PROMPT	CHAR TYPE	COL	FIELD	INSTRUCTIONS
TRANS CODE:	ALPHANUMERIC	3	1-3	MUST ENTER 'M03'
ACT CODE:	ALPHA	1	4	MUST ENTER 'A'
PLANNER:	ALPHANUMERIC	6	5-10	MUST ENTER
	SKIP	15	11-25	LEAVE BLANK
PROD NR:	ALPHANUMERIC	6	26-31	MUST ENTER
OPER NR:	ALPHANUMERIC	5	32-36	MUST ENTER
C/I NSN:	ALPHANUMERIC	15	37-51	MUST ENTER
OCC FAC:	NUMERIC	3	52-54	MUST ENTER
UPA:	NUMERIC	4	55-58	MUST ENTER
STD REP %:	NUMERIC	3	59-61	MUST ENTER
DIST CODE:	ALPHANUMERIC	2	62-63	PAI
	SKIP	1	64	LEAVE BLANK
U/I:	ALPHA	2	65-66	PAI
ERC:	ALPHA	1	67	PAI
PSN:	ALPHA	1	68	PAI
CC OVERRIDE:	ALPHA	1	69	PAI
COST CODE:	ALPHA	1	70	PAI
UTL:	ALPHANUMERIC	1	71	PAI
MATL CLASS:	ALPHA	1	72	PAI
ANALYSIS SUPP:	ALPHA	1	73	PAI
RCC/SC:	ALPHA	6	74-79	MUST ENTER
RSN:	ALPHA	1	80	MUST ENTER

Catalog data input will not be accepted if the NSN is already on file. The option of establishing indirect material with a M03 transaction may be used by placing an X in cost code override, and MCC D or I in Matl Class.

Figure 3-2. M03 - Component Item Establish.

PROMPT	CHAR TYPE	COL	FIELD	INSTRUCTIONS
TRANS CODE:	ALPHANUMERIC	3	1-3	MUST ENTER 'M04'
ACTION CD:	ALPHA	1	4	MUST ENTER 'C'
PLANNER:	ALPHANUMERIC	6	5-10	MUST ENTER
C/I NSN:	ALPHANUMERIC	15	11-25	MUST ENTER
RCC/SD:	ALPHANUMERIC	6	26-31	MUST ENTER
MCC:	ALPHA	1	32	MUST ENTER (D OR I)
C/C:	ALPHA	1	33	PAI
	SKIP	47	34-80	LEAVE BLANK

The G005M system will establish an MCC (direct or indirect) and a CC for each item on the BOM, according to the criteria established in paragraph 3-2. Override capability is provided to the planner and material personnel. An M04 transaction will change the MCC and the CC when the NSN appears within the same RCC. If the NSN is stocked in the MIC or bench stocked but isn't established on any BOM, the M04 transaction will be returned as unmatched. This indicates the NSN isn't on the data base. The NSN will be assigned the new MCC. When the MCC is changed from direct to indirect, the CC will automatically be assigned L.

Figure 3-3. M04 - Material Classification Code.

PROMPT	CHAR TYPE	COL	FIELD	INSTRUCTIONS
* TRANS CODE:	ALPHANUMERIC	3	1-3	MUST ENTER 'M05'
* ACT CODE:	ALPHA	1	4	MUST ENTER 'C OR D'
PLANNER:	ALPHANUMERIC	6	5-10	MUST ENTER
E/I IDENT:	ALPHANUMERIC	15	11-25	(SKIP FOR C ACTION)
				MUST ENTER FOR D ACTION
* PROD NR:	ALPHANUMERIC	6	26-31	MUST ENTER
-----------------------END OF DELETE ACTION-------------------------				
	NOUN	18	32-49	PAI
ACC/SC:	ALPHANUMERIC	6	50-55	PAI
	SKIP	1	56	LEAVE BLANK
DIV:	ALPHA	1	57	PAI
ALC:	ALPHA	1	58	PAI
EQ SP:	ALPHANUMERIC	2	59-60	PAI
PM SP CD:	ALPHANUMERIC	2	61-62	PAI
RGC:	ALPHA	1	63	PAI
DATE:	NUMERIC	5	64-68	PAI
	SKIP	12	69-80	LEAVE BLANK

Figure 3-4. M05 - End Item F/M Transaction.

M05C. CHANGE EI RELATED DATA

Entries on this input, except control data, will overlay existing information in the data base. All fields left blank will result in data for the blank fields being retained as it exists in the data base.
* Note: These fields are control data and are required fields on the input transaction. These fields can't be changed with a C action code. Changes to these fields require a deletion of the old data and an addition of new data or an M11 mass change. All other fields will overlay new data. Fields left blank will retain old data.

M05D. DELETION OF EI IDENTITY BOM

Each ALC may restrict the input of this transaction by permitting only single source input. If this option is required, contact G005M OPR.

Deletion of EI data will also delete component items and all PDNs related to the EI. However, stocklist changes that automatically change the EI will not affect component item data.

PROMPT	CHAR TYPE	COL	FIELD	INSTRUCTIONS
TRANS CODE:	ALPHANUMERIC	3	1-3	MUST ENTER 'M07'
ACT CODE: 'C OR D'	ALPHA	1	4	MUST ENTER
PLANNER:	ALPHANUMERIC	6	5-10	MUST ENTER FOR C ACTION ONLY
	SKIP	15	11-25	LEAVE BLANK
PROD NR:	ALPHANUMERIC	6	26-31	MUST ENTER
OPER NR:	ALPHANUMERIC	5	32-36	MUST ENTER
C/I NSN:	ALPHANUMERIC	15	37-51	MUST ENTER
UPA:	NUMERIC	4	52-55	PAI (SKIP FOR DELETE)
STD REP %:	NUMERIC	3	56-58	PAI (SKIP FOR DELETE)
	SKIP	3	59-61	LEAVE BLANK
DIST CODE:	ALPHANUMERIC	2	62-63	PAI
	SKIP	1	64	LEAVE BLANK
C/C:	ALPHA	1	65	PAI (SKIP FOR DELETE)
ANALYSIS SUPP:	ALPHANUMERIC	1	66	PAI
UTL:	ALPHANUMERIC	1	67	PAI (SKIP FOR DELETE)
	SKIP	12	68-79	LEAVE BLANK
RSN:	ALPHA	1	80	MUST ENTER

Figure 3-5. M07 - Component Item NSN F/M.

M07C. BOM ADJUSTMENT - COMPONENT ITEM CHANGE

BOM adjustment to component NSN STD occurrence factor can't be updated with this transaction. Entries on this input, except control data, will overlay existing information in data base.

* Note: These fields are control data and are required fields on the input transaction. These fields can't be changed with a C action code. Changes to these fields require a deletion of the old data and an addition of new data. All other fields will overlay new data. Fields left blank will retain old data.

There are certain situations where data history contained on the G005M data base should be deleted.

   a. Issues charged to wrong production number.

b.   EI repair requirements have changed significantly.

c.   Reliability   of   components   has   changed significantly.

Instead of G005M tracking and projecting this erroneous issue data, the data should be deleted and correct standard replacement percentage and UPA entered.   When it is determined that issue (usage) data are to be deleted, an M07C with 'Reason for Change' code from list below:

B = Posted issues for this component in error.

C = Repair requirements (T.O.) changed.

D = Reliability of component modified.

E = Component actual usage not correctly reflected by issue data.

(For further explanation of Reason for Change codes, see Atch 2).

The M07C submitted to G005M must have both the UPA and STD REP %.

M07D. DELETE COMPONENT NSN STD FROM A SPECIFIC BOM

_____

PROMPT	CHAR TYPE	COL	FIELD	INSTRUCTIONS
TRANS CODE:	ALPHANUMERIC	3	1-3	MUST ENTER 'M08'
ACT CODE:	ALPHA	1	4	MUST ENTER 'A'
PLANNER:	ALPHANUMERIC	6	5-10	MUST ENTER
E/I IDENT:	ALPHANUMERIC	15	11-25	MUST ENTER
OLD PROD:	ALPHANUMERIC	6	26-31	MUST ENTER
NEW PROD:	ALPHANUMERIC	6	32-37	MUST ENTER
	SKIP	43	38-80	LEAVE BLANK

This transaction allows the planner to establish a BOM on new workloads similar to current workloads established on the G005M data base. When the planner inputs the new EI identity, new production number, and the current production number, G005M will automatically establish the EI and component items for the new BOM using the data from the current production number, leaving the current production number intact. A BOM master list for the new EI will be produced and a copy sent to the planner 2 days after input.

The production number must be open in G004L before this transaction is input.

Figure 3-6. M08 - Bill of Material Add.

PROMPT	CHAR TYPE	COL	FIELD	INSTRUCTIONS
TRANS CODE:	ALPHANUMERIC 'M10'	3	1-3	MUST ENTER
ACT CODE:	ALPHA	1	4	MUST ENTER 'A,C OR D'
PLANNER:	ALPHANUMERIC	6	5-10	MUST ENTER
NSN:	ALPHANUMERIC	15	11-25	MUST ENTER
SOURCE NO:	ALPHANUMERIC	15	26-40	MUST ENTER
FSCM:	ALPHANUMERIC	5	41-45	MUST ENTER
---------------------- END OF ADD OR DELETE ACTION ------------------				
SOURCE NO:	ALPHANUMERIC	15	46-60	PAI
FSCM:	ALPHANUMERIC	5	61-65	PAI
	SKIP	15	66-80	LEAVE BLANK

Figure 3-7. M10 - Item Source F/M Transactions.

M10A. Add an item source number (manufacturing production number) data to an existing stock number (EI or component item).

Item source number is a 15 position number assigned by the manufacturer to identify the product. This field must be an official number, not a noun, code name, etc. Multiple item source numbers may be used.

M10C. Change an item source number (manufacturing production number) FSCM data. If "new" item source or "new" FSCM are filled, the "old" fields must also be filled.

_____

PROMPT	CHAR TYPE	COL	FIELD	INSTRUCTIONS
_____

PROMPT	CHAR TYPE	COL	FIELD	INSTRUCTIONS
TRANS CODE:	ALPHANUMERIC	3	1-3	MUST ENTER 'M11'
ACT CODE:	ALPHA	1	4	MUST ENTER 'C OR D'
PLANNER:	ALPHANUMERIC	6	5-10	MUST ENTER
PROD NO:	ALPHANUMERIC	6	11-16	MUST ENTER
OPER NO:	ALPHANUMERIC	5	17-21	MUST ENTER
	SKIP	2	22-23	LEAVE BLANK
RCC/SD:	ALPHA	6	24-29	LEAVE BLANK (D ACTION)
	SKIP	1	30	LEAVE BLANK

------------------------ END OF DELETE ACTION ----------------------

PROMPT	CHAR TYPE	COL	FIELD	INSTRUCTIONS
PLANNER:	ALPHANUMERIC	6	31-36	PAI
PROD NO:	ALPHANUMERIC	6	37-42	PAI
OPER NO:	ALPHANUMERIC	5	43-47	PAI
	SKIP	2	48-49	LEAVE BLANK
RCC/SD:	ALPHA	6	50-55	PAI
	SKIP	25	56-80	LEAVE BLANK

Figure 3-8. M11 - Mass Control Data Change.

M11. CONTROL DATA CHANGES AND DELETIONS

These transactions will produce mass changes to related data within a specific production number or within a specific operation of a production number.

1. This transaction will produce mass changes to the data base. An M11 input will overlay the new data to the old data. Changes may be made to responsible engineering organization, operation, RCC, or scheduling designator.

2. Mass changes involving data for more than one production number will be made under the direction of G005M System OPR.

3. Mass changes are not possible on a component item stock number. To change component item NSN, submit a transaction to delete the old NSN (M07D) and then another transaction (M03A) to add the new component item NSN.

* NOTE: These fields are not edited to allow the engineer or planner a method of correcting data errors that exist on their BOMs. All other fields will be edited to eliminate erroneous entries. When columns in the "Current Data Field" require changes, the same columns in the "New Data Field" must be completed.

Specific mass change transactions (see Mass Change Matrix, (figure 3-1).

The field blocks refer to blocks on the M11 transaction format above. An M05 transaction must be submitted to change an ACC.

All M11 transactions must go through the G005M System OPR.

PROMPT	CHAR TYPE	COL	FIELD	INSTRUCTIONS
* TRANS CODE:	ALPHANUMERIC	3	1-3	MUST ENTER 'M07'
* ACT CODE:	ALPHA	1	4	MUST ENTER 'C OR D'
* REQ ORG:	ALPHANUMERIC	6	5-10	MUST ENTER 'R'
	SKIP	15	11-25	LEAVE BLANK
PROD NR:	ALPHANUMERIC	6	26-31	MUST ENTER
OPER NR:	ALPHANUMERIC	5	32-36	PAI
	SKIP	24	37-60	LEAVE BLANK
UTL:	NUMERIC	1	61	MUST ENTER '2' OR BLANK
	SKIP	19	62-80	LEAVE BLANK

This transaction is used to request a Planning BOM.

Specific field requirements (see BOM Request Matrix, figure 3-2).

A planner may request a Master BOM by production number or production number and operation number. It is possible to request mass printouts of BOMs by responsible engineering organization, branch, section, or specific planner. These requirements must be input by the G005M System OPR.

Figure 3-9. M15 - BOM Master Request.

PROMPT	CHAR TYPE	COL	FIELD	INSTRUCTIONS
TRANS CODE:	ALPHANUMERIC	3	1-3	MUST ENTER 'M16'
ACTION CODE:	ALPHA	1	4	MUST ENTER 'R'
REQ ORG:	ALPHANUMERIC	6	5-10	MUST ENTER
E/I IDENT:	ALPHANUMERIC	15	11-25	MUST ENTER
	SKIP	55	26-80	LEAVE BLANK

Displays E/I information.

Figure 3-10. M16 - Inquiry or BOM E/I Identity.

PROMPT	CHAR TYPE	COL	FIELD	INSTRUCTIONS
TRANS CODE:	ALPHANUMERIC	3	1-3	MUST ENTER 'M16'
ACT CODE:	ALPHA	1	4	MUST ENTER 'R'
REQ ORG:	ALPHANUMERIC	6	5-10	MUST ENTER
* NSN:	ALPHANUMERIC	15	11-25	PAI
	SKIP	13	26-38	LEAVE BLANK
FSCM	ALPHANUMERIC	5	39-43	PAI
	SKIP	11	44-54	LEAVE BLANK
*SOURCE NR:	ALPHANUMERIC	15	55-69	PAI
	SKIP	11	70-80	LEAVE BLANK

When requesting item source number/NSN cross reference data, input either the NSN or the item source number (part number).

Figure 3-11. M17 - Item Source NR/NSN C/R Request.

AFMCM21-5   6 July 1993   23

_____

PROMPT	CHAR TYPE	COL	FIELD	INSTRUCTIONS

_____

PROMPT	CHAR TYPE	COL	FIELD	INSTRUCTIONS
TRANS CODE:	ALPHANUMERIC	3	1-3	MUST ENTER '19'
ACTION CODE:	ALPHA	1	4	MUST ENTER 'A,C,D OR R'
RCC/SD:	ALPHANUMERIC	6	5-10	MUST ENTER
PROD NR:	ALPHANUMERIC	6	11-16	MUST ENTER FOR 'A,C OR D'

------------------ END OF DELETE OR REQUEST ACTIONS ------------------

MDS:	ALPHANUMERIC	15	17-31	MUST ENTER A ACT
MDS % FAC:	NUMERIC	3	32-34	MUST ENTER A,C ACT
	SKIP	46	35-80	LEAVE BLANK

Figure 3-12. M19 - MDS Allocation F/M Transactions.

M19A. ESTABLISH MDS ALLOCATION ACCOUNT TABLE

The total MDS percentage factor for all series of an MD must equal 100 percent. Separate transactions are required to establish a record for each MDS.

M19C. CHANGE MDS ALLOCATION ACCOUNT TABLE

To change the percentage factor of a particular series in the MDS Allocation Account Table.   The new MDS percentage factor will overlay the current factor.

M19U. DELETE AN MDS ALLOCATION ACCOUNT TABLE

To delete an MDS Allocation Account Table in its entirety.

M19R.   MDS ALLOCATION ACCOUNT TABLE PRINTOUT

If the production number field has enter, the MDS Allocation Account Table for the production number cited will be produced. When the production number field is blank, all MDS Allocation Account Tables within the AC or SD will be produced.

_____

PROMPT	CHAR TYPE	COL	FIELD	INSTRUCTIONS

_____

PROMPT	CHAR TYPE	COL	FIELD	INSTRUCTIONS
*TRANS CODE:	ALPHANUMERIC	3	1-3	MUST ENTER 'M20'
*ACTION CODE:	ALPHA	1	4	MUST ENTER 'A,C OR D
SUB ORG:	ALPHANUMERIC	6	5-10	MUST ENTER
* E/I IDENT:	ALPHANUMERIC	15	11-25	MUST ENTER

--------------------- END OF DELETE ACTION ------------------------

PROMPT	CHAR TYPE	COL	FIELD	INSTRUCTIONS
MGR CODE:	ALPHA	2	26-27	MUST ENTER A ACT
PHONE EXT:	NUMERIC	4	28-31	MUST ENTER A ACT
SIMS ORG:	ALPHANUMERIC	6	32-37	MUST ENTER A ACT EDIT FOR 'DS' COLS 32-33
	SKIP	43	38-80	LEAVE BLANK

Supply Item Manager Specialist (SIMs) Table File Maintenance. This transaction is used to establish, change, or delete data assigned to a SIMS. The SIMS code is input by the G005M System OPR from information supplied by the SIMS. This code is used by G005M to sort the Depot Supply Nonsupportability Report, (G005M152, figure 4-24), by MDS or FSC to the responsible SIMS. The SIMS uses the report to identify the component items which require priority upgrading or other expedite actions. A change action will overlay any data element on the SIMS table except for the EI identity. This is a control element and to change this data a delete (D) action to drop the old EI identity and add (A) action to establish the new EI identity would be required. These actions may be processed during the same file maintenance period.

* NOTE: These fields are required for deletions.

Figure 3-13. M20 - SIMS Table F/M Transactions.

PROMPT	CHAR TYPE	COL	FIELD	INSTRUCTIONS
* TRANS CODE:	ALPHANUMERIC	3	1-3	MUST ENTER 'M28'
* REQ ORG:	ALPHANUMERIC	6	4-9	MUST ENTER
* E/I IDENT:	ALPHANUMERIC	15	10-24	MUST ENTER
* PROD NR:	ALPHANUMERIC	6	25-30	MUST ENTER
* ALC:	ALPHA	1	31	MUST ENTER
* P/C	NUMERIC	1	32	MUST ENTER '0 OR 5'
	SKIP	48	33-80	LEAVE BLANK

Request for raw data to establish a BOM.

* NOTE: Required fields.

Figure 3-14. M28 - Request To Establish a BOM.

PROMPT	CHAR TYPE	COL	FIELD	INSTRUCTIONS
* TRANS CODE:	ALPHANUMERIC	3	1-3	MUST ENTER 'M29'
* REQ ORG:	ALPHANUMERIC	1	1	MUST ENTER 'A,C OR D'
* PLANNER:	ALPHANUMERIC	6	5-10	MUST ENTER
* PROD NR:	ALPHANUMERIC	6	11-16	MUST ENTER
* OPER NR:	ALPHANUMERIC	5	17-21	MUST ENTER
---------------------- END OF DELETE ACTION -----------------------				
ACC/SD:	ALPHANUMERIC	6	22-27	PAI
COST-EXP:	NUMERIC	9	28-36	PAI
COST-INV:	NUMERIC	9	37-45	PAI
	SKIP	35	46-80	LEAVE BLANK

This transaction will add, change or delete a record in the Low Volume BOM.

* NOTE: Required fields for deletions.

Figure 3-15. M29 - Low Volume Est Price F/M.

PROMPT	CHAR TYPE	COL	FIELD	INSTRUCTIONS
TRANS CODE:	ALPHANUMERIC	3	1-3	MUST ENTER 'M33'
	SKIP	1	4	LEAVE BLANK
ORIGINATOR:	ALPHANUMERIC	6	5-10	MUST ENTER= MTPWWD
STOCK HR:	ALPHANUMERIC	15	11-25	MUST ENTER
	SKIP	5	26-30	LEAVE BLANK
ASSET REV:	NUMERIC	5	31-35	MUST ENTER
	SKIP	45	36-80	LEAVE BLANK

SA-ALC ONLY

Figure 3-16. M33 - NOCM Asset Worksheet F/M

PROMPT	CHAR TYPE	COL	FIELD	INSTRUCTIONS
TRANS CODE:	ALPHANUMERIC	3	1-3	MUST ENTER 'M34'
ACT CODE:	ALPHA	1	4	MUST ENTER 'A,C, OR D'
REQ ORG:	ALPHANUMERIC	6	5-10	MUST ENTER
PROD NR:	ALPHANUMERIC	6	11-16	MUST ENTER
DIV:	ALPHA	2	17-18	MUST ENTER

--------------------- END OF DELETE ACTIONS ------------------------

PROMPT	CHAR TYPE	COL	FIELD	INSTRUCTIONS
* OPER NR:	ALPHANUMERIC	5	19-23	MUST ENTER A ACT
* PLANNER:	ALPHANUMERIC	6	24-29	PAI
* RCC/SD:	ALPHA	6	30-35	MUST ENTYER A ACT
	SKIP	45	36-80	LEAVE BLANK

ISSUE CONSOLIDATED TABLE

This transaction is used to establish, change or delete data on a production number when all material issues will be posted to one operation regardless of how many operations are on the production number.

* NOTE: Not required with action code D.

Figure 3-17. M34 - Issue Table Update.

Chapter 4

SYSTEM OUTPUT PRODUCTS

This section contains sample output products from the G005M system. These products are used by the Planner to verify production number data and by the PSF to verify component data. A description of each product and a sample product are contained in the chapter.

TITLE: G005M ERROR NOTIFICATION REPORT

PCN: A-G005M-001-DE-MFR

JOB: MMUDE /MMUMG

PREPARATION: DAILY

PRODUCT USE: This product serves as a notification to the user of those inputs which have been rejected. The error notification will be produced as a result of errors detected by the computer. All inputs will be edited. The list will show an image of the input as submitted, the date the error was detected, and a remarks column which will reflect error messages.

PRODUCT FORMAT: The format for this report will vary depending on the type of transaction being submitted. The following format information will be for the example shown.

    a.   Heading Elements.

       (1)   MANEFA. Responsible engineering organization. The activity and planners code assigned engineering/planning responsibility.

       (2)   DAILY G005M ERROR NOTIFICATION REPORT. Title

       (3)   09-03-91. Date. The day, month, and year this list was produced.

       (4)   A-G005M-0001-DE-MFR. The product control number assigned this report for tracking purposes.

       (5)   Pg. The consecutive page number within the report.

    b.   Column Data.

COLUMN 1-3: Transaction Code: A three position alphanumeric code used to identify the functional area to which an input is being made and the identity of the actual transaction. (M07)

COLUMN 4: Action Code: A one position alpha code that identifies the type of BOM file maintenance to be performed. A=add, C=change, D=delete

COLUMN 5-10: Responsible Engineering Organization: The activity and planners code assigned engineering/planning responsibility.

COLUMN 26-31: Production Number: A six position number assigned to each workload which is used to track labor and material costs, includes control number and job designator.

COLUMN 32-36: Operation Number: A five position field assigned to represent a block of work within a production number that can be accomplished by an individual Direct Labor Production Unit.

COLUMN 37-51: Component NSN: The National Stock Number assigned to the BOM component item.

COLUMN 56-58: Standard Replacement Percent: The percentage of times a component item is removed and replaced with serviceable items through supply (when compared to the number of times the component is removed as a candidate for repair).

PROCESSING DATE: Date transaction was processed.

PROCESSING TIME: Time transaction was processed.

REMARKS: This field contains the actual error message.

NOTE: The G005M ERROR NOTIFICATION REPORT will very depending on the type of transaction being processed. Contact the System OPR if you have specific questions.

Figure 4-1. A-G005M-001-DE-MFR - Error Notification Report/Daily.

TITLE: G005M ERROR NOTIFICATION LIST (MONTHLY/FICHE)

PCN: A-G005M-0001-DE-MFR

PREPARATION: MONTHLY/15th. CALANDAR DAY/1st WORK DAY

PRODUCT USE: This report is a monthly recap of all G005M transaction errors generated during the month. The report is generated in microfiche form.

PRODUCT FORMAT:

The Daily and Monthly Error List have the same format.

Figure 4-2. A-G005M-001-DE-MFR - Error Notification List/Monthly.

TITLE: G005M HIGH COST ITEMS

PCN: A-G005M-020-98-MBJ
                    A-G005M-021-98-MBK
                    A-G005M-022-98-MBL
                    A-G005M-023-98-MBE
                    A-G005M-024-98-MBF
                    A-G005M-025-98-MBM

JOB: MMU98

PREPARATION: QUARTERLY/END OF QUARTER/1st WORKDAY

 *** The G005M-020, 021, 022, 023, 024, and 025 are basically the same report the only difference being as follows:

                    A-G005M-020, TOTAL COST SEQUENCE
                    A-G005M-021, STOCK NUMBER SEQUENCE
                    A-G005M-022, ENGINEER/TOTAL COST SEQUENCE
                    A-G005M-023, RCC/TOTAL COST SEQUENCE
                    A-G005M-024, STOCK NUMBER/TOTAL COST SEQUENCE
                    A-G005M-025, TOTAL COST/STOCK NUMBER SEQUENCE

PRODUCT USE: These reports reflect total issue and total cost of component items, (when the total cost exceeds 5,000.00 dollars). They can be used to determine those component items which seem to have an excessive cost based on total issues against production. The planners can use these reports to verify the total cost of each BOM they are responsible for.

PRODUCT FORMAT:

   a.   Heading Elements.

      (1)   TITLE. G005M HIGH COST REPORT

      (2)   PCN. Product Control Number. The number assigned this report for tracking purposes.

      (3)   PAGE. The consecutive page number within the report.

   b.   Column Data.

      (1)   RCC. Resource Control Number. The cost center within maintenance responsible for controlling resources used in the repair of EIs.

      (2)   RESP ENGR. Responsible Engineer. The activity and planners code assigned engineering/planning responsibility.

      (3)   PROD NUMBER. Production Number. A six position number assigned to each workload which is used to track labor and material costs, includes control number and job designator.

      (4)   OPER NUMBER. Operation Number. A five position field assigned represent a block of work within a production number that can be accomplished by an individual Direct Labor Production Unit.

      (5)   COMPONENT NUMBER. The NSN of material that is used in the repair of an end item and is individually identified.

      (6)   ERRC. The designator signifying expendability, recoverability, repairability category code for a component item.

      (7)   UNIT PRICE. The stock list price of a component item.

(8)   QH. Quarters History. The number of quarters history used in preparing this report.

(9)   TOTAL ISSUES. Total components issued, based on the number of quarters history.

(10)   TOTAL COST. The total cost of component issues. Formula: Total Issues X Unit Price = Total Cost.

```
MAB          G O O 5 M  H I G H  C O S T  I T E M S      A-G005M-020-98-MBJ        PAGE    1
                       TOTAL COST SEQUENCE

           RESP    PROD    OPER    COMPONENT                 UNIT      Q   TOTAL       TOTAL
  RCC      ENGR   NUMBER  NUMBER    NUMBER        ERRC      PRICE     H   ISSUES       COST

 MBPAAA   MABEBD  44444C  70001  1560011195306BF    N      9803.00    7      220    2156660.00
 MBPAAA   MABEBD  44444C  70001  1560004375445BF    N      1473.39    8      217     319725.83
 MBPAAA   MABEBD  44444C  70001  1630002262374      P        53.89    8     5089     274246.21
 MBPAAA   MABEBD  44444C  70001  1560011741853BF    N      1204.20    5      193     232410.60
 MBPAAA   MABEBD  44444C  70001  1560011741654BF    N      1204.20    5      184     221572.80
 MBPAAA   MABEBD  44444C  70001  472000911:7780     N       297.73    8      708     210792.84
 MBPAAA   MABEBD  44444C  70001  6815010520422BF    P       998.93    8      187     185799.91
 MBPAAA   MABEBD  44444C  70001  1560008814359BF    N      2121.00    7       62     131502.00
 MBPAAA   MABEBD  44444C  70001  6815010520423BF    P       779.67    8      167     130204.89
 MBPAAA   MABEBD  44444C  70001  5305009186533      N       465.06    8      278     129286.68
 MBPAAA   MABEBD  44444C  70001  1560004445674BF    N       758.55    8      170     128353.50
 MBPAAA   MABEBD  44444C  70001  1650007906855BF    N      3297.00    5       39     128583.00
 MBPAAA   MABEBD  44444C  70001  15600075311828F    P       514.66    8      243     125062.33
 MBPAAA   MABEBD  44444C  70001  1630002262375      N        25.70    8     4620     118734.00
 MBPAAA   MABEBD  44444C  70001  1560P112920F       N      4398.30    8       26     114355.80
 MBPAAA   MABEBD  44444C  70001  1560009556384BF    N       335.85    8      337     113114.05
 MBPAAA   MABEBD  44444C  70001  5950009690223      N       517.58    8      214     110762.12
 MBPAAA   MABEBD  44444C  70001  6815010546075BF    P       779.67    8      139     108374.13
 MBPAAA   MABEBD  44444C  70001  1560000682239BF    N      7148.27    8       15     107224.05
```

Figure 4-3. A-G005M-020-98-MBJ - Total Cost Sequence.

```
MAB          G O O 5 M  H I G H  C O S T  I T E M S      A-G005M-021-98-MBK        PAGE    1
                  STOCK NUMBER/TOTAL COST SEQUENCE

           RESP    PROD    OPER    COMPONENT                 UNIT      Q   TOTAL       TOTAL
  RCC      ENGR   NUMBER  NUMBER    NUMBER        ERRC      PRICE     H   ISSUES       COST

 MBPAAA   MABEBD  44444C  70001  1095000053688BF    P      5868.20    8        8      45945.60
 MBPAAA   MABEBD  44444C  70001  1095011253410BF    P      7282.52    4        3      21847.56
 MBPAAA   MABEBD  44444C  70001  1270000831951      N       202.25    7       33       6674.25
 MBPAAA   MABEBD  44444C  70001  1377002380552      N       145.23    8       82      11905.86
 MBPAAA   MABEBD  44444C  70001  1377004123205      N        86.00    8       72       6192.00
 MBPAAA   MABEBD  44444C  70001  1377009938592      N       372.30    8       64      23827.20
 MBPAAA   MABEBD  44444C  70001  1430000857828AB    N      1870.00    8        3       5610.00
 MBPAAA   MABEBD  44444C  70001  1430008760913JJ    P      5330.00    8        5      31650.00
 MBPAAA   MABEBD  44444C  70001  1560N00217212GBF   N       574.00    2       14       8036.00
 MBPAAA   MABEBD  44444C  70001  1560P10129BF       N        62.99    8       83       5228.17
 MBPAAA   MABEBD  44444C  70001  1560P105597F       N        49.96    8      117       5845.32
 MBPAAA   MABEBD  44444C  70001  1560P108804F       N       352.95    8       20       7059.00
 MBPAAA   MABEBD  44444C  70001  1560P109288F       N        43.40    8      122       5294.80
 MBPAAA   MABEBD  44444C  70001  1560P109288F       N        40.18    8      168       6750.24
 MBPAAA   MABEBD  44444C  70001  1560P110491F       N        48.78    8      121       5902.38
 MBPAAA   MABEBD  44444C  70001  1560P111656F       N        47.78    8      139       6641.42
 MBPAAA   MABEBD  44444C  70001  1560P112300F       N        46.70    8      117       5463.90
 MBPAAA   MABEBD  44444C  70001  1560P112339F       N       135.60    8       77      10441.20
 MBPAAA   MABEBD  44444C  70001  1560P112813F       N        49.96    8      150       7494.00
 MBPAAA   MABEBD  44444C  70001  1560P112814F       N        51.04    8      139       7094.56
 MBPAAA   MABEBD  44444C  70001  1560P112815F       N        35.96    8      190       6832.40
```

Figure 4-4. A-G005M-021-98-MBK - Stock Number Sequence.

MAB   G O O 5 M   H I G H   C O S T   I T E M S   ·   A-G005M-022-98-MBL   PAGE   1
ENGINEER SEQUENCE

RCC	RESP ENGR	PROD NUMBER	OPER NUMBER	COMPONENT NUMBER	ERRC	UNIT PRICE	Q H	TOTAL ISSUES	TOTAL COST
MBPAAA	MABEBD	44444C	70001	1430008760913JJ	P	6330.00	8	5	31650.00
MBPAAA	MABEBD	44444C	70001	1430000857826AB	N	1870.00	8	3	5610.00
MBPAAA	MABEBD	44444C	70001	1377009988592	N	372.30	8	64	23827.20
MBPAAA	MABEBD	44444C	70001	1377004123205	N	86.00	8	72	6192.00
MBPAAA	MABEBD	44444C	70001	1377002380552	N	145.23	8	82	11908.86
MBPAAA	MABEBD	44444C	70001	1270000831981	N	202.25	7	33	6674.25
MBPAAA	MABEBD	44444C	70001	10950112534108F	P	7282.52	4	3	21847.56
MBPAAA	MABEBD	44444C	70001	1095000053588BF	P	5868.20	8	8	46945.60
MBPAAA	MABEBD	44444C	70001	1560008246806BF	N	121.96	7	73	8903.08
MBPAAA	MABEBD	44444C	70001	1560008224198BF	N	39.21	8	142	5567.82
MBPAAA	MABEBD	44444C	70001	1560008088681BF	N	99.93	8	51	5096.43
MBPAAA	MABEBD	44444C	70001	1560008018019BF	N	1618.71	2	6	9712.26
MBPAAA	MABEBD	44444C	70001	1560007985687BF	P	354.99	8	62	22009.38
MBPAAA	MABEBD	44444C	70001	1560007946304BF	N	29.33	8	271	7948.43
MBPAAA	MABEBD	44444C	70001	1560007939984BF	N	239.12	8	25	5978.00
MBPAAA	MABEBD	44444C	70001	1560007939892BF	P	111.26	8	56	6230.56
MBPAAA	MABEBD	44444C	70001	1560007886668JK	N	600.00	8	22	13200.00
MBPAAA	MABEBD	44444C	70001	1560007886594BF	N	258.00	8	20	5160.00
MBPAAA	MABEBD	44444C	70001	1560007886589BF	N	789.70	8	13	10266.10
MBPAAA	MABEBD	44444C	70001	1560007886550	N	1274.20	3	4	5096.80
MBPAAA	MABEBD	44444C	70001	1560007886410BF	N	85.17	8	106	9028.02
MBPAAA	MABEBD	44444C	70001	1560007886407BF	P	37.76	8	322	12158.72

Figure 4-5. A-G005M-022-98-MBL - Engineer/Total Cost Sequence.

MAB   G O O 5 M   H I G H   C O S T   I T E M S   A-G005M-023-98-MBE   PAGE   1
RCC SEQUENCE

RCC	RESP ENGR	PROD NUMBER	OPER NUMBER	COMPONENT NUMBER	ERRC	UNIT PRICE	Q H	TOTAL ISSUES	TOTAL COST
MBPAAA	MABEBD	44444C	70001	1430008760913JJ	P	6330.00	8	5	31650.00
MBPAAA	MABEBD	44444C	70001	1430000857826AB	N	1870.00	8	3	5610.00
MBPAAA	MABEBD	44444C	70001	1377009988592	N	372.30	8	64	23827.20
MBPAAA	MABEBD	44444C	70001	1377004123205	N	86.00	8	72	6192.00
MBPAAA	MABEBD	44444C	70001	1377002380552	N	145.23	8	82	11908.86
MBPAAA	MABEBD	44444C	70001	1270000831981	N	202.25	7	33	6674.25
MBPAAA	MABEBD	44444C	70001	10950112534108F	P	7282.52	4	3	21847.56
MBPAAA	MABEBD	44444C	70001	1095000053588BF	P	5868.20	8	8	45945.60
MBPAAA	MABEBD	44444C	70001	1560008246806BF	N	121.96	7	73	8903.08
MBPAAA	MABEBD	44444C	70001	1560008224198BF	N	39.21	8	142	5567.82
MBPAAA	MABEBD	44444C	70001	1560008088581BF	N	99.93	8	51	5096.43
MBPAAA	MABEBD	44444C	70001	1560008018019BF	N	1618.71	2	6	9712.26
MBPAAA	MABEBD	44444C	70001	1560007985587BF	P	354.99	8	62	22009.38
MBPAAA	MABEBD	44444C	70001	1560007946304BF	N	29.33	8	271	7948.43
MBPAAA	MABEBD	44444C	70001	1560007939984BF	N	239.12	8	25	5978.00
MBPAAA	MABEBD	44444C	70001	1560007939892BF	P	111.26	8	56	6230.56
MBPAAA	MABEBD	44444C	70001	1560007886668JK	N	600.00	8	22	13200.00
MBPAAA	MABEBD	44444C	70001	1560007886594BF	N	258.00	8	20	5160.00
MBPAAA	MABEBD	44444C	70001	1560007886589BF	N	789.70	8	13	10266.10
MBPAAA	MABEBD	44444C	70001	1560007886550	N	1274.20	3	4	5096.80
MBPAAA	MABEBD	44444C	70001	1560007886410BF	N	85.17	8	106	9028.02

Figure 4-6. A-G005M-023-98-MBE - RCC/Total Cost Sequence.

RCC	RESP ENGR	PROD NUMBER	OPER NUMBER	COMPONENT NUMBER	ERRC	UNIT PRICE	Q H	TOTAL ISSUES	TOTAL COST	COMPONENT ISSUES	COMPONENT COST	NOUN
MNPSBK	MANESL	16045A	00010	6220004895144OBF	N	160.01	8	894	111048.94			
MNPSBK	MANESL	16083A	00010	6220004895144OBF	N	160.01	8	34	5440.34			
MNPSBK	MANESL	16045A	00010	6220005707254	P	74.27	8	589	43745.03	728	116,487.28	LIGHT,NAVIGATIONA
MNPSBK	MANESL	16083A	00010	6220005707255	P	74.58	8	418	31174.44	589	43,745.03	LIGHT,NAVIGATIONA
MNPSBK	MANESL	16045A	00010	6220006667853	P	615.50	8	424	261396.00	418	31,174.44	LIGHT,NAVIGATIONA
MNPSBK	MANESL	16083A	00010	6220006667854	P	615.50	8	502	309483.00	424	261,396.00	LIGHT,NAVIGATIONA
MNPSEC	MANESN	14332A	00010	1560000641081BF	N	56.86	8	101	5742.86	502	309,483.00	LIGHT,NAVIGATIONA
MNPSEC	MANESN	14331A	00010	1560000641082BF	N	80.38	8	79	6350.02	101	5,743.86	SKIN,AIRCRAFT
MNPSEC	MANESN	14782A	00010	1560000647757BF	N	91.90	8	272	24996.80	79	6,350.02	SKIN,AIRCRAFT
MNPSEC	MANESN	14783A	00010	1560000647812BF	N	63.38	8	415	26302.70	272	24,996.80	SKIN,AIRCRAFT
MNPSEC	MANESN	14783A	00010	1560000647865BF	N	111.75	8	432	48276.00	415	26,302.70	PAN, DOOR
MNPSEC	MANESN	14783A	00010	1560000647887BF	N	185.28	8	433	80228.24	432	48,276.00	PAN, DOOR
MNPSEC	MANESN	14783A	00010	1560003885075BF	N	27.25	8	423	11526.75	433	80,228.24	SKIN,AIRCRAFT
MNPSEC	MANESN	14783A	00010	1560002903556BF	N	28.67	8	393	11267.31	423	11,528.75	CAP,DOOR ASSEMBLY
MNPSEC	MANESN	14782A	00010	1560004937885BF	N	1689.48	8	27	45615.36	393	11,267.31	ZEE,DOOR ASSEMBLY
MNPSEC	MANESN	14783A	00010	1560004937866BF	N	1438.52	8	22	31647.44	27	45,615.96	FRAME,STRUT DOOR
MNPSEC	MANESN	14783A	00010	1560005182438BF	N	107.76	8	253	27263.28	22	31,847.44	FRAME,STRUT DOOR
MNPSEC	MANESN	14433A	00010	1560005182787BF	N	45.75	8	143	8542.25	253	27,263.28	FITTING,STRUT DOO
MNPSEC	MANESN	14424A	00010	1560005182790BF	N	213.90	8	81	17325.90	143	8,542.25	SKIN,AIRCRAFT
MNPSEC	MANESN	14755A	00010	1560006894445BF	N	561.16	8	9	5050.62	81	17,325.90	
MNPSEC	MANESN	14783A	00010	1560009313635BF	N	43.62	8	133	5801.48	9	5,050.62	BRACKET ASSEMBLY

Figure 4-7. A-G005M-024-98-MBF - Stock Number/Total Cost Sequence.

RCC	RESP ENGR	PROD NUMBER	OPER NUMBER	COMPONENT NUMBER	ERRC	UNIT PRICE	Q H	TOTAL ISSUES	TOTAL COST
MBPAAA	MABEBD	44444C	70C01	1550011195306BF	N	9803.00	7	220	2156660.00
MBPAAA	MABEBD	44444C	70C01	1550004375445BF	N	1473.39	8	217	319725.63
MBPAAA	MABEBD	44444C	70C01	1630002262374	P	53.89	8	5089	274246.21
MBPAAA	MABEBD	44444C	70C01	1550011741653BF	N	1204.20	5	193	232410.60
MBPAAA	MABEBD	44444C	70C01	1550011741654BF	N	1204.20	5	184	221572.80
MBPAAA	MABEBD	44444C	70C01	4730008117780	N	297.73	8	708	210792.84
MBPAAA	MABEBD	44444C	70C01	6615010520422BF	P	998.93	8	187	186799.91
MBPAAA	MABEBD	44444C	70C01	1550008814359BF	N	2121.00	7	62	131502.00
MBPAAA	MABEBD	44444C	70C01	6615010520423BF	P	779.67	8	167	130204.89
MBPAAA	MABEBD	44444C	70C01	5905009186533	N	465.06	8	278	129286.68
MBPAAA	MABEBD	44444C	70C01	1550004445874BF	N	758.55	8	170	128953.50
MBPAAA	MABEBD	44444C	70C01	1650007906855BF	N	3297.00	5	39	128583.00
MBPAAA	MABEBD	44444C	70C01	1550007531162RF	P	514.66	8	243	125062.38
MBPAAA	MABEBD	44444C	70C01	1630002262375	N	25.70	8	4620	118734.00
MBPAAA	MABEBD	44444C	70C01	1550P112920F	N	4398.30	8	26	114355.80
MBPAAA	MABEBD	44444C	70C01	1550009556344BF	N	336.65	8	337	113114.05
MBPAAA	MABEBD	44444C	70C01	5950009890223	N	517.58	8	214	110762.12
MBPAAA	MABEBD	44444C	70C01	6615010546075BF	P	779.67	8	139	108374.13
MBPAAA	MABEBD	44444C	70C01	1550000662239BF	N	7148.27	8	15	107224.05

Figure 4-8. A-G005M-025-98-MBM - -Total Cost/Stock Number Sequence.

TITLE: MIC/DMSC COMPONENT REQUIREMENTS

PCN: A-G005M-034-BB-M60

JOB: MMUBB

PREPARATION: BI-WEEKLY/SUNDAY/MONDAY

PRODUCT USE: This product provides the MIC/DMSC a complete listing of components ERRC coded N and P required within the next 30 days and authorized 15 day level for C, S, and T exchange material. The MIC/DMSC will use this report to determine if a satisfactory MIC/DMSC level has been established for the required components, it will show those components with no established levels, and the need to establish special levels.

PRODUCT FORMAT:

   a.   Heading Elements.

      (1)   MIC/DMSC DES. The MIC/DMSC designator.

      (2)   TITLE. MIC/DMSC Component Requirements

      (3)   AS OF DATE. The day, month, and year this report was produced.

      (4)   PCN. Product Control Number assigned this report for tracking purposes.

      (5)   PAGE. The consecutive number of pages within this report.

   b.   Column Data.

      (1)   MIC/DMSC DES. The three position code assigned to identify the responsible MIC/DMSC.

      (2)   COMPONENT NSN. The National Stock Number assigned to the component item.

      (3)   UI. The supply Unit of Issue for the component item.

      (4)   ER. The Expendability, Recoverability, Repairability Category Code.

      (5)   PSC. Procurement Source Code. A one position code representing the source, management, and financial assignment of the component item.

      (6)   UNIT PRICE. The stock list price of the component.

      (7)   STOCK LEVEL. The computed 30 day level based on issue history of the component.

      (8)   QTY ON HAND PLUS INTRANS. The number of components on hand in supply, MICs/DMSCs, and in-transits.

      (9)   30 DAY QTY REQUIRED. The number of components required to support the end item for the next 30 days.

      (10) END ITEM IDENTITY. The NSN, MDS, or other numbers which will identify the end item.

      (11) PROD NUMBER. The Production Number assigned to identify the end item NSN.

      (12) OPR NUM. A five position field assigned represent a block of work within a production number.

(13) RCC. The Resource Control Center responsible for accomplishing the workload.

(14) REMARKS. If unmatched appears, it indicates that a MIC/DMSC detail record has not been established in D035.

MIC DES BB   MIC COMPONENT REQUIREMENTS   AS OF 3 FEB 92   A-G005M-034-BB-M60   PAGE   1

MIC DES	COMPONENT NSN	U/I	E R	PSC	UNIT PRICE	STOCK LEVEL	QTY ON HAND PLUS INTRANS	30 DAY QTY REQUIRED	END ITEM IDENTITY	PROD NUMBER	OPR NUM	RCC	REMARKS
MIR	1377010546428	EA	N	3	83.53	0	0						
								.1	1560011646510WF	31527A	00010	MBRSKQ	UNMATCHED
								.1	1560011652041WF	82505A	00010	MBRSKQ	UNMATCHED
								.2<---TOTAL					
MBB	1377010546429	EA	N	3	74.68	0	0						
								.5	1560011646510WF	31527A	00010	MBRSKQ	UNMATCHED
								.5	1560011652041WF	82505A	00010	MBRSKQ	UNMATCHED
								1.0<---TOTAL					
MBB	1377010550367	EA	N	3	211.40	0	0						
								4.0	1560010423217WF	86079A	00010	MBRSKQ	UNMATCHED
								4.0<---TOTAL					
MBB	1377010564528	EA	N	3	93.09	0	0						
								2.0	1560010423217WF	86079A	00010	MBRSKQ	UNMATCHED
								6.0	1560011675199WF	21322A	00010	MBRSKQ	UNMATCHED
								8.0<---TOTAL					
MBB	1377010564529	EA	N	3	113.83	0	0						
								2.0	1560010423217WF	86079A	00010	MBRSKQ	UNMATCHED
								6.0	1560011675199WF	21322A	00010	MBRSKQ	UNMATCHED
								8.0<---TOTAL					
MBB	1377010639732	EA	N	3	383.69	0	0						
								2.0	1560010423217WF	86079A	00010	MBRSKQ	UNMATCHED
								6.0	1560011675199WF	21322A	00010	MBRSKQ	UNMATCHED
								8.0<---TOTAL					
MBB	1377010639755	EA	N	3	350.05	0	0						
								2.0	1560010423217WF	86079A	00010	MBRSKQ	UNMATCHED
								6.0	1560011675199WF	21322A	00010	MBRSKQ	UNMATCHED
								8.5<---TOTAL					
MBB	1377010792663	EA	N	3	276.12	0	0						
								5.3	1560011631733WF	70531A	00010	MBRSKQ	UNMATCHED
								2.0	1560011646510WF	31527A	00010	MBRSKQ	UNMATCHED
								2.0	1560011652041WF	82505A	00010	MBRSKQ	UNMATCHED
								9.3<---TOTAL					
MBB	1377010792664	EA	N	3	210.36	0	0						
								5.3	1560011631733WF	70531A	00010	MBRSKQ	UNMATCHED
								2.0	1560011646510WF	31527A	00010	MBRSKQ	UNMATCHED
								2.0	1560011652041WF	82505A	00010	MBRSKQ	UNMATCHED

Figure 4-9. A-G005M-034-BB-M60 - MIC/DMSC Component Requirements.

TITLE: BILL OF MATERIAL TRANSACTION REGISTER

PCN: A-G005M-061-DE-MFR

JOB: MMUDE / MMUMG

PREPARATION: DAILY

PRODUCT USE: This product provides the input originator or activity with a record of all actions processed during file maintenance and information relative to component items. This product will list images of all valid input transactions and will contain those component records that have undergone stocklist change action. Items indicated as being terminal must be coordinated between the planner and the responsible IM and stocks must be deleted before removal from the BOM and replaced by a new item.

PRODUCT FORMAT: The format for this report will vary depending on the type of transaction being submitted. The following format information will be for the sample shown.

   a.   Heading Elements.

        (1)   MAKECB. Responsible Engineering Organization. The activity and planners code assigned engineering/ planning responsibility.

        (2)   DAILY G005M TRANSACTION REGISTER. Title

        (3)   09-03-91. Date. The day, month, and year the list was produced.

        (4)   A-G005M-061-DE-MFR. Production control number. The number assigned this report for control purposes.

        (5)   Pg. The consecutive page number within the report.

   b.   Column Data.

COLUMN 1-3: Transaction Code: A three position alphanumeric code used to identify the functional area to which an input is being made and the identity of the actual transaction. (M03)

COLUMN 4: Action Code: A one position alpha code that identifies the type of BOM file maintenance to be performed. A=add, C=change, D= delete.

COLUMN 5-10: Responsible Engineering Organization: The activity and planners code assigned engineering/planning responsibility.

COLUMN 26-31: Production Number: A six position number assigned to each workload which is used to track labor and material costs, includes control number and job designator.

COLUMN 32-36:   Operation Number: A five position field assigned to represent a block of work within a production number that can be accomplished by an individual Direct Labor Production Unit.

COLUMN 37-51: Component NSN: The National Stock Number assigned to the BOM component item.

COLUMN 56-58: Standard Replacement Percent: The percentage of times a component item is removed and replaced with serviceable items through supply (when compared to the number of times the component is removed as a candidate for repair).

COLUMN 69: Override Code: Used to establish indirect material on BOM.

COLUMN 70: Cost Code: The maintenance cost code which classifies material as funded (expense codes A or L) or un-funded (investment codes D, E, M, X or Z).

COLUMN 72: Material Classification Code: The code which identifies material as direct (D) or indirect (I).

COLUMN 74-79: Resource Control Center: The five position code assigned to the Resource Control Center responsible for accomplishing the workload.

PROCESSING DATE: Date transaction was processed.

PROCESSING TIME: Time transaction was processed.

REMARKS: This field contains information on the completed transaction.

Figure 4-10. A-G005M-061-DE-MFR - Transactions Register/Daily.

TITLE: BILL OF MATERIAL TRANS REGISTER (MONTHLY/FICHE)

PCN: A-G005M-061-DE-MFR

PREPARATION: MONTHLY/15th. CALANDAR DAY/1st WORK DAY

PRODUCT USE: This report is a recap of all G005M transactions for the month. The report is in microfiche form.

PRODUCT FORMAT:

The Daily and Monthly Transaction Register have the same format.

Figure 4-11. A-G005M-061-DE-MFR - BOM Transactions Register/Monthly.

TITLE: MDS ALLOCATION TABLE

PCN: A-G005M-071-AE-MEJ

JOB: MMUDE20G

PREPARATION: DAILY

PRODUCT USE: The planner reviews and analyzes the mix of Mission Design Series data for a production number on a new negotiated workload and compares it to the data of mix in the MDS allocation table account established in the G005M data base. If the new mix data is different than the established MDS Allocation Table Account data, the planner inputs file maintenance actions to change the percentage factors. To input the necessary transactions, the planner uses input transaction M19.

PRODUCT FORMAT:

 a. Heading Elements.

    (1) Accountable Cost Center (ACC).

    (2) Title. MDS Allocation Table

    (3) ---ALC. The Air Logistics Center Locality designation.

    (4) Date. The day, month, and year the product was produced.

    (5) Product Control Number (PCN). The number assigned this report for control purposes - A-G005M-071-DE-MEJ.

    (6) Page Number. The consecutive page number in this report.

 b. Column Data.

    (1) ACC. Accountable Cost Center. The cost center assigned responsibility for costing and production on an end item workload.

    (2) SD. The one character alpha scheduling designator assigned to the scheduler responsible for providing support to the RCC.

    (3) PROD NUMBER. The production number assigned to identify the end item NSN. It consists of a five position control number and a sixth position, which identifies the desired level of repair.

    (4) MDS-E/I IDENTITY. The NSN which will identify an MDS end item.

    (5) ALLOCATION %. The computed factor used as the number of times a MDS will be inducted during a negotiated workload for a weapon system. The total of all MDS percentage factors for a production number must total 100%.

    (6) REMARKS. This column will reflect any comments on file maintenance transactions.

    (7) PRODUCTION NUMBER TOTAL. Total allocation of all MDS

Figure 4-12. A-G005M-071-AE-MEJ - MDS Allocation Table.

TITLE: MASTER BOM LIST

PCN: A-G005M-072-DE-MEN

JOB: MMUDE

PREPARATION: DAILY

PRODUCT USE: This product serves as a master material reference for each production number assigned to a planner.

PRODUCT FORMAT:

a.   Heading Elements.

   (1)   Requestor. The organization requesting the report (MANELT)

   (2)   -- ALC (Air logistics Center). The two position alpha code which identifies the ALC which requested the BOM data.

   (3)   Title. Bill of Material Master.

   (4)   Date. The day, month, and year the report was prepared.

   (5)   Product Control Number (PCN). The number assigned this report for control purposes.

   (6)   Page. The number of consecutive pages of the report.

b.   Column data (End Item).

   (1)   PDN Number. The production number assigned to identify the end item NSN. It consists of a five position control number and a sixth position, which identifies the desired level of repair.

   (2)   End Item Identity. The NSN, MDS, or other number which will identify an end item.

   (3)   ACC (Accountable Cost Center) The cost center assigned responsibility for costing and production on an end item workload.

   (4)   SD. The one character alpha scheduling designator assigned to the scheduler responsible for providing support to the RCC.

   (5)   Prime Data.

      (a)   ALC (Air Logistics Center). The one position alpha code that designates the Air Logistics Center that has the end item manager responsibility.

      (b)   DIV (Division). The organization to which the Equipment Specialist having end item responsibility belongs.

      (c)   SPL CLK (Supply Clerk). The local supply clerk Code.

      (d)   PM MGR (Production Manager). This code identifies the production manager responsible for repair of the end item.

   (6)   RGC (Repair Group Category). The repair group category assigned to the end item being repaired.

   (7)   RESP ENG (Responsible Engineering Organization).   The activity and planner code assigned Engineering/Planning responsibility.

(8)   DATE ESTB (Date established). The calendar year and Julian date the BOM was established.

   c.   Column data (Component Item).

(1)   COMPONENT NSN. The National Stock Number assigned to the BOM component

(2)   OPER (Operation Number). A five position field assigned to represent a block of work within a production number that can be accomplished by an individual Direct Labor Production Unit.

(3)   RCC (Resource Control Center). The individual work within an accountable cost center which accomplishes direct labor production.

(4)   SD (Scheduling designator). The one position scheduling designator assigned to the scheduler responsible for providing support to the RCC.

(5)   ACQ-AC (Acquisition Advice Code). Code denoting how and under what restrictions an item will be acquired.

(6)   RESP ENGIN (Responsible Engineering Organization). The activity and planner assigned engineering/planning responsibility.

(7)   OCC FAC (Occurrence Factor). The number of times that an operation is planned or occurs in relation to the maximum number of times it could occur per end item being worked.

(8)   UPA (Units Per Assembly). The number of identical parts in an end item as shown on the BOM.

(9)   SI (Sensitivity Code). Material which requires a high degree of protection and control due to statutory requirements or regulations. AFM 67-1, Volume 1, provides codes for sensitive material.

(10) PM (Precious Metal). Code that indicates an item may contain precious metal and requires special handling.

(11) AS (Component Analysis Suppression). An "S" in this column indicates that for some reason the planner has decided to suppress the quarterly analysis on a particular component. By suppressing the analysis the standard replacement percent on a component will not be changed during analysis.

(12) RPL% (Replacement Percent). The percentage of times a component item is removed and replaced with serviceable items obtained through the local supply source (when compared to the number of times the component is removed as a candidate for repair). For utility code 2 components, it is the condemnation factor.

(13) UI (Unit of Issue). Supply unit of issue such as, EA=each, SE=set and PR=pair.

(14) ER. The designator signifying Expendability, Recoverability, Repairability Category Code for a component item.

(15) PS (Procurement Source). A one position code representing the procurement source, management, and financial assignment of the component item.

(16) CC (Cost Code). The maintenance cost code which classifies material as funded (expense codes A or L) or unfunded (investment M, X, or Z).

(17) MC (Material Classification Code). The expense material code assigned the item to designate the Material as direct or indirect.

(18) UNIT PRICE. The unit cost or stock list price of a stock number item as shown in D035 records.

(19) REPLACEMENT PRICE. The replacement cost for a stock numbered item (repair cost, stock list price, or stock list price multiplied by the repair cost factor).

(20) ITEM SOURCE MFG CODE. The identifying number assigned to the component item by the maker of the item or by the contractor possessing proprietary rights to the item.

(21) FSCM. Contractor and Government Entity Code (CAGE); formerly Federal Supply code for Manufacturers.

(22) UC (UTILITY CODE). The utility code which identifies particular type items as recoverable component items which are repaired under their own production number (code 2), TO kits (code 3), and component items that cannot be substituted (code 4).

(23) IS (Interchangeability and Substitutability). This code indicates whether a stock number item is family master, subgroup master, etc. of a particular interchangeability and substitutability (I&S) family. the coding is peculiar to the D035 system and is as follows.

B--Bachelor Item. Item not in an I&S group interchangeable Item.

L--One subgroup only in the I&S group and this item is the master.

G--More than one subgroup in the I&S group and this item is the subgroup primary item.

M--More than one subgroup in the I&S group and this item is the master item.

Figure 4-13. A-G005M-072-DE-MEN - Master BOM List.

TITLE: ITEM SOURCE NO/STOCK NO CROSS REF.

PCN: A-G005M-074-DE-MEQ

JOB: MMUDE / MMUQB

PREPARATION: DAILY / MONTHLY

PRODUCT USE: This list provides a cross reference between the item source number and the NSN. The product will list all part numbers that appear in the material support data base. Data for a particular item is available by using input transaction M17.

PRODUCT FORMAT:

   a.   Heading Elements

      (1)   Title. Item Source Number/NSN Cross Reference.

      (2)   Date. The day, month and year the list is produced.

      (3)   Product Control Number (PCN). The number assigned this report for control purposes.

      (4)   Page. The consecutive page number within the report.

   b.   Column data.

      (1)   ITEM SOURCE NUMBER. The identifying designator assigned by the maker of the item (or the contractor having proprietary rights to the item).

      (2)   FSCM (Contractor and Government Entity). Identifies the manufacturer of the C/I cited.

      (3)   COMPONENT STOCK NUMBER. The National Stock Number assigned to the item source number.

      (4)   UI. Supply unit of issue for the component item.

      (5)   ERC. The designator signifying the Expendability, Recoverability, Repairability, category code for a component item.

      (6)   PSC (Procurement Source Code). A one position code representing the procurement source, management, and financial assignment of the component item.

      (7)   UNIT PRICE. The unit cost or stock list price as shown in the D035 Master Record.

Figure 4-14. A-G005M-074-DE-MEQ - Item Source No/Stock No Cross Ref.

TITLE: BILL OF MATERIAL QUARTERLY SPECIAL

PCN: A-G005M-075-OT-MPZ

JOB: MMUOT

PREPARATION: QUARTERLY/END OF QUARTER/9th WORK DAY

PRODUCT USE: This report is used by the Planner and PSF to determine those items which may require file mainte-
nance. The report is in NSN sequence. This report can also be used in conjunction with the G005M-093 and G005M-097
reports to validate BOM accuracy.

PRODUCT FORMAT:

   a.   Heading Elements.

       (1)   Product Control Number (PCN). The number assigned this report for tracking purposes.

       (2)   Title. BILL OF MATERIAL QUARTERLY SPECIAL.

       (3)   Date. The day, month, and year this report was produced.

       (4)   Page. The consecutive number of pages in this report.

   b.   Column Data (End Item).

       (1)   PDN. Production Number. A six position number assigned to each workload which is used to track labor and
material costs, includes control number and job designator.

       (2)   END ITEM IDENTITY. The NSN, MDS, or other numbers which will identify an end item.

       (3)   RESP ENGR. Responsible Engineer. The activity and planners code assigned engineering/planning respon-
sibility.

       (4)   RGC. Repair Group Category. Workload category assigned to a program control number for accomplishment of
maintenance.

Repair Category	Description
A	Negotiated Aircraft
B	Nonnegotiated Aircraft
C	Negotiated Missile
D	Nonnegotiated Missile
E	Negotiated Engines
F	Nonnegotiated Engines
G	Negotiated other Major Items
H	Nonnegotiated other Major Items
J	MISTR
K	Negotiated Project Directive (Non MISTR)
L	Nonnegotiated Exchangeables
M	Area Support
N	Base Support
P	Manufacture-AFSF
R	Manufacture-Non AFSF
S	Special and Service Engineering
W	Maintenance Overhead (Includes Cost Class IV)

       (5)   DATE ESTABLISHED. The date this BOM was established (M01).

(6)   DATE-LAST-USE. This date reflects the last time this BOM was analyzed.

(7)   CUR-QTR-PRODUCTION. Current Quarter Production. The number of end items produced in the current quarter.

   c.   Column Data (Component Item).

(1)   OPER NR. Operation Number. a five position field assigned to represent a block of work within a production number that can be accomplished by an individual Direct Labor Production Unit.

(2)   COMPONENT STOCK NUMBER. The National Stock Number assigned to the BOM component item.

(3)   RCC. Resource Control Center. The five position code assigned to the Resource Control Center responsible for accomplishing the workload.

(4)   SD. Scheduling Designator. The one character alpha code assigned to the scheduler responsible for providing support to the RCC.

(5)   UI. Unit of Issue. Supply unit of issue such as, EA (each); PR (pair); or SE (set).

(6)   ERC. The designator signing Expendability, Recoverability, Repairability Category code for a component item.

(7)   PSC. Procurement Source Code. A one position code representing the procurement source, management, and financial assignment of a component item.

(8)   AAC. Acquisition Advice Code. The code denoting how and under what restrictions an item will be acquired.

(9)   CSI. Product Sensitivity Code. Material which requires a high degree of protection and control due to statutory requirements or regulations. AFM 67-1, Volume 1, provides codes for sensitive material.

(10) CST. Cost Code. The maintenance cost code which classifies material as funded (expense codes A or L) or unfunded (investment codes D, E, M, X, or Z).

(11) MCC. Material Classification Code. The code which identifies material as direct (D) or indirect (I).

(12) UTL. Utility Code. The utility code which identifies particular type items as recoverable component items which are required under their own production number (code 2), TO kits (code 3), and component items that cannot be substituted (code 4).

(13) COM. Component item which is used on more than one workload during a MISTR period. If common, a C will be entered, otherwise "blank".

(14) MIC. The Maintenance Inventory Centers have been renamed Depot Maintenance Support Center (DMSC). MIC/DMSC: Storage area for serviceable material to support maintenance workloads.

(15) OCC FAC. Occurrence Factor. The number of times that an operation is planned or occurs in relation to the maximum number of times it could occur per end item being worked.

(16) UPA. Units per assembly. The number of identical parts in an end item as shown on the BOM.

(17) STD REP PCT. Standard Replacement Percent. The percentage of times a component item is removed and replaced with serviceable times obtained through the local supply source (when compared to the number of times the component item is removed as a candidate for repair). For utility code 2 components, it is the condemnation factor.

(18) USG. Usage Analysis Code. This code is assigned during the quarterly material usage analysis.

Analysis Codes: (A)   Added to BOM. Actual changed to std.
                 (D)   Deleted usage analysis.
                 (J)   Insufficient support.
                 (K)   Invalid issues cost code.
                 (L)   Terminal item sub required. Deleted.
                 (M)   Out of bounds exceeds 100 %.
                 (N)   Changed to non-standard.
                 (R)   Standard replacement % with no UPA.
                 (S)   Suppressed analysis (component).
                 (C)   Changed. Actual changed to standard.

(19) SPT. Supportability Code. A one position numeric (1 through 7) indicating lack of support from Depot Supply on component item for 1 to 7 MISTR periods during a quarter. After usage analysis, the code starts over.

(20) I&S C LNK. Interchangability and substitutability code. The code indicates whether a stock number item is a family master, subgroup master, etc., of a particular inter- changeability and substitutability (I&S) family. The coding is particular to the D035 system and is as follows:

B   Bachelor Item. Item not in an I&S group.
I   Interchangeable item.
L   One subgroup only in the I&S group and this item is master.
G   More than one subgroup in the I&S group and this item is the subgroup primary item.
M   More than one subgroup in the I&S group and this item is the master item.

(21) DATE EST. Date established. The date this component was established on the BOM.

(22) DATE LAST ACT. The last date of any action on this component as it applies to the data base.

(23) CUR QTR ISSUES. The total number of issues for this component during the current quarter.

(24) UNIT PRICE. The stock list price of the component item.

(25) MANUFACTURE PART NUMBER. The number assigned to component items by the manufacturers.

(26) FSCM. Contractor and Government Entity (CAGE); formerly Federal Supply code for Manufacturers.

Figure 4-15. A-G005M-075-OT-MPZ - BOM/Quarterly Special.

TITLE: BILL OF MATERIAL PART NUMBER QUARTERLY

PCN: A-G005M-076-OT-MPM

JOB: MMUOT

PREPARATION: QUARTERLY/END OF QUARTER/9th WORK DAY

PRODUCT USE: This report is used by the planner and PSF to determine those items which may require file maintenance. The report is in Manufacturer Part Number sequence. This report can be used in conjunction with the G005M-093 and 097 reports to validate BOM accuracy. The G005M-075 and 076 reports are similar.

PRODUCT FORMAT:

Please refer to the A-G005M-075-OT-MPZ report for definitions of the Heading Elements and Column Data.

Figure 4-16. A-G005M-076-OT-MPM - BOM Part Number Quarterly.

TITLE: BOM EXCEPTION WORKSHEET

PCN: A-G005M-093-QA-M83

JOB: MMUQA

PREPARATION: MONTHLY/AS SCHEDULED/1st WORK DAY

PRODUCT USE: This product provides the material planner and PSF visibility of the changes and recommendations made on the BOM during the month and allows the planner and PSF to file maintain the BOM prior to analysis at the end of the quarter.

PRODUCT FORMAT:

   a.   Heading Elements.

      (1)   RESP ENG. The responsible engineering organization and the planner code assigned engineering and planning responsibility.

      (2)   ACC/SD. The accountable cost center or scheduling designator ACC/SD) responsible for costing, production, and providing support on an EI workload and the RCC.

      (3)   TITLE. BOM Exception Worksheet

      (4)   --ALC. The prime ALC.

      (5)   DATE. The day, month and year this report was produced.

      (6)   PCN. The number assigned this report for tracking purposes.

      (7)   PAGE. The consecutive page number within the report.

   b.   Column Data (End Item).

      (1)   PROD NR. Production Number. The production number assigned to identify the end item NSN. It consist of a five position control number and a sixth position, which identifies the desired level of repair.

      (2)   OPER. Operation number. A five position field assignee to represent a block of work, within a production number, that can be accomplished by an individual Direct Labor Production Unit.

      (3)   OCC. Occurrence Factor. The number of times an operation is planned or occurs in relation to the maximum number of times it could occur, per end item being worked.

      (4)   RCC. Resource Control Center. The individual work center within an ACC which accomplishes direct labor production.

      (5)   END ITEM. End Item NSN.

      (6)   DWC. Differential Workload Code. A one position code identifying the BOM as high (H) or low (L) volume workload. A high volume BOM exceeds 99 end items produced in one year.

      (7)   AQ. Analysis Quarter. A one position field (four or eight) showing quarters of history used in analyzing the BOM.

      (8)   PAQ. Production Acceptance Quantity. Indicates the volume of production necessary, since last LUA before the BOM is to be analyzed.

(9)   DT- EST. Date Established. A five position field showing when the BOM was established.

(10)   DT-LUA. Date Last Usage Analysis. Date reflecting the last time the BOM was analyzed.

(11)   END ITEM NOUN. Nomenclature of the End Item.

c.   Column Data (Component).

(1)   COMPONENT STOCK NUMBER. The NSN assigned to a specific item.

(2)   DATE ESTAB. The date the component item was established or added to the BOM.

(3)   CC. Cost Code. The code which classifies material as funded (expense codes A or L) or unfunded (Investment codes D, E, M or Z).

(4)   E/I PROD. End Item Produced. The number of EI produced as related to the number of quarters of issue history for the analysis cycle.

(5)   QTR HIST. Quarters of History. The number of quarters of issue history on components as related to EI production during the analysis cycle.

(6)   UPA. Units Per Assembly. The number of identical parts on an EI as shown on the BOM.

(7)   REPL %. Replacement Percent.

(a)   STD. Standard. The percentage of times a component item is projected to be removed and replaced with serviceable items issued through the local supply source.

(b)   ACT. Actual. The percentage of times the component item was replaced (used) in support of an end item, as determined from actual material usage records.

(8)   COMPONENT ITEM ISSUES.

(a)   PLANNED. The number of components projected to produce total EIs (This is computed by using standard replacement percent times UPA times end items produced).

(b)   ACTUAL. The total number of component items issued to the production number and operation number as related to quarters of issue history.

(c)   VARIANCE. The difference between component planned issues (standard) and component actual issues. A minus (-) sign opposite the number indicates that the issues are less than planned.

(9)   AB. Analysis Blockage Code. A one position numeric field depicting a standard record which computed material requirements to support a precedence 1 and 2 MISTR drive that were not completely supportable within local supply accounts. This numeric code is assigned as an additive code for each MISTR period that the requirements are not supportable. These codes are additive during the quarter and are removed at the beginning of the next quarter.

(10)   NSFY. Not Supportable Fiscal Year. A one position additive "ALPHA" code which will be assigned for each MISTR period that precedence 1 and 2 were not completely supportable, for the MISTR year. This code will be removed at the start of the next MISTR year.

(11)   ACC/ERR. Accountable Error. A four position field that denotes who is responsible for the accuracy of the component line item on the BOM (i.e. "E" equals planner accountable and "S" equals PSF, schedulers and production accountable). An "X" to the right of the accountable column indicates that there is an error charged to that individual, on the percent of accuracy during analysis of that BOM. (NOTE: Some components may have multiple remarks and show multiple errors; however, no planner, scheduler or PSF is charged more than one error per component line item.)

(12) REMARKS. The computer recommended action (to be performed by the planner) and those actions already taken by the computer during analysis of the BOM. (See attachment 4, Analysis Error Messages) for explanation of remarks.

Figure 4-17. A-G005M-093-QA-M83 - BOM Exception Worksheet.

TITLE: MATERIAL ANALYSIS EXCEPTION REPORT

PCN: A-G005M-097-QA-M83

JOB: MMUQA

PREPARATION: MONTHLY/AS SCHEDULED/1st WORK DAY

PRODUCT USE: This product provides the material planner and PSF visibility of changes and recommendations mechanically made on the BOMs that were analyzed at the end of the quarter. It also shows the planner and PSF a percent of accuracy for the BOM. The G005M-093 and G005M-097 reports have the same format.

PRODUCT FORMAT:

Please refer to the A-G005M-093-QA-M83 report for definitions of the Heading Elements and Column Data except for the following Analysis Codes.

REMARKS. Below is a listing of possible codes and code explanation for the product.

   (A) ADDED TO BOM: Actual changed to standard
   (C) CHANGE: Actual to Standard
   (D) DELETED USAGE ANALYSIS
   (J) INSUFFICIENT SUPPORT
   (K) INVALID ISSUES COST CODE
   (L) TERMINAL ITEM SUB REQUIRED: Deleted
   (M) OUT OF BOUNDS STD EXCEEDS 100%
   (N) CHANGED TO NON-STANDARD
   (R) STANDARD REPL % WITH NO UPA
   (S) SUPPRESS ANALYSIS (component)

Figure 4-18. A-G005M-097-QA-M83 - Material Analysis Exception Rpt.

TITLE: COMMON ITEM CROSS REFERENCE REPORT

PCN: A-G005M-098-QA-MCD

JOB: MMUQA

PREPARTION: QUARTERLY/END OF QUARTER/1st WORKDAY

PRODUCT USE: This product identifies those issues, received from G004H, on common items (items common to two or more BOMs within the same RCC) and provides further visibility (when used in conjunction with the 093 and 097 reports) and erroneous issues and type of error.

PRODUCT FORMAT:

   a.   Heading Elements.

      (1)   RCC. Resource Control Center. The responsible RCC for the production number where erroneous issues occurred.

      (2)   TITLE. Common Item Cross Reference Report.

      (3)   --ALC. Prime ALC.

      (4)   DATE. The day, month and year this report was generated.

      (5)   PCN. Product Control Number. The number assigned this report for tracking purposes.

      (6)   PAGE. The consecutive page number within the report.

   b.   Column Data.

      (1)   STOCK NUMBER. The component stock number against which the erroneous issue was made.

      (2)   SD. Scheduling Designator. The one position "ALPHA" assigned to the scheduler responsible for providing support to the RCC.

      (3)   PDN. Production Number. The production number to identify the end item NSN. It consists of a five position control number and a sixth position, which identifies the desired level of repair.

      (4)   OPER. Operation Number. A five position field assigned to represent a block of work, within a production number, that can be accomplished by an individual Direct Labor Production Unit.

      (5)   UI. Unit of Issue. The supply unit of issue for a component item.

      (6)   CC. Cost Code. The maintenance Cost Code which identifies material as funded (expense codes "A" or "L") or unfunded as (investment codes "D", "E", "X" or "Z").

      (7)   STD REP. Standard Replacement Percent. The percentage of times a component item is removed and replaced with serviceable items obtained through the local supply source (when compared to the number of times the component is removed as a candidate for repair.

      (8)   UPA. Units Per Assembly. The number of identical parts on an end item as shown on the BOM.

      (9)   CUR PROD. Current Production. The number of end items produced, to date, in the current quarter.

(10) ISSUES ACT. Actual issues. The total number of component items issued, to date, to the production number as related to current quarter.

(11) DIRECT & INDIRECT. An 'X' under this column indicates that the component NSN is planned as direct and indirect within the same RCC.

(12) OPER ERROR. Operation Error. An "X" under this column indicates that a material issue was drawn on the D035K system but the operation is invalid. In this case the issue was not posted to the G005M data base.

```
MXLAA   MATERIAL ISSUE PRORATION REPORT   OO-ALC   16 AUG 86   A-G005M-098-QA-MCD              PAGE    38

                S                       C STD            CUR        ISSUES      PRO  INVALID DIRECT &  INVALID  OPER
 STOCK NUMBER   D  PDN    OPER   UI  C  REP UPA          PROD      ACT   PRO   RATED  ISSUE  INDIRECT  REPL %   ERROR

4820000140295      A 82441A 00010 EA A  50   1           1         0
                   A 84828A 00010 EA A   3   1           4         1
```

Figure 4-19. A-G005M-098-QA-MCD - Common Item Cross Reference Rpt.

TITLE: G005M UNPLANNED ISSUE REPORT

PCN: A-G005M-099-MC-M74

JOB: MMUMC

PREPARATION: MONTHLY-END OF MONTH-LAST WORK DAY

PRODUCT USE: This product is designed to provide the planner and material personnel visibility of those NSN's that were received from the G004H system (Maintenance Actual Material Cost) and were costed to the indicated production number as unplanned material.

PRODUCT FORMAT:

   a.   Heading Elements.

      (1)   RESPONSIBLE ENGINEER (MABEAJ). The planner responsible for the production number.

      (2)   TITLE. G005M UNPLANNED ISSUE REPORT.

      (3)   DATE. The day, month, and year this product was produced.

      (4)   PRODUCTION CONTROL NUMBER (PCN). The number assigned this product for tracking purposes.

      (5)   PAGE. The consecutive page number within the report.

   b.   Column Data.

      (1)   PDN NUMBER. The production number that the NSN was charged to in the G004H system.

      (2)   OPER NUMBER. The operation number, within the production number that the material (NSN) was charged to in the G004H system.

      (3)   COMPONENT ITEM NSN. The NSN issued to the production and operation number and costed by the G004H system.

      (4)   CC. Cost code. The material cost code of the NSN as it was requested on the maintenance material requisition.

      (5)   UI. Unit of issue.

      (6)   RCC. Resource Control Center. The area responsible for the issue.

      (7)   CUR ISSUE. Current issue. The monthly (cumulative) issue quantity received from the G004H on this NSN charged against this production and operation number.

      (8)   REMARKS. These are the messages from the G005M system that tell the planner what action, if any, was taken by the G005M system on the NSN when received from G004H. The messages are:

         (a)   Posted Unplanned Issue. These NSN's are ones received from the G004H system that were not planned, but were issued from D035 to this production number and operation number, and that the G005M system posted as nonstandard records to the BOM. NOTE: These issues will also show on the G005M097 report with the message: Unplanned Issue-Verify UPA.

(b)   Not Posted Unmatched Operation. These NSN's were received from the G004H system against the stated production number, however the G005M system could take no posting action because the operation number shown was not planned in the G005M system. Action should be taken to ensure that all requisitions against the production number have the proper operation number on the request.

```
MAKE             G005M UNPLANNED ISSUE REPORT          9 AUG 86        A-GCO5M-C99-MC-M74        PAGE    26

PCN       OPER      COMPONENT ITEM    C                   CUR
NUMBER    NUMBER        NSN           C    UI    RCC     ISSUE    *- R E M A R K S **

00458A    00010    1338005318630     X    EA   MKPAAR      1      NOT POSTED UNMATCHED OPERATION
00458A    00010    1338005318631     X    EA   MKPAAR      1      NOT POSTED UNMATCHED OPERATION
00458A    00010    1338009119049     X    EA   MKPAAR      1      NOT POSTED UNMATCHED OPERATION
00458A    00010    142000942C022AH   A    EA   MKPAAR      4      NOT POSTED UNMATCHED OPERATION
00458A    23083    1336009150824     X    EA   MKPAAR      1      NOT POSTED UNMATCHED OPERATION

00473A    00010    1336002392262     X    EA   MKPAAR      1      NOT POSTED UNMATCHED OPERATION
00473A    00010    1338001726913     X    EA   MKPAAR      4      NOT POSTED UNMATCHED OPERATION
00473A    00010    1338005318631     X    EA   MKPAAR      1      NOT POSTED UNMATCHED OPERATION
00473A    00010    1338005318632     X    EA   MKPAAR      8      NOT POSTED UNMATCHED OPERATION
00473A    00010    1338009119046     X    EA   MKPAAR      3      NOT POSTED UNMATCHED OPERATION
00473A    00010    1338009119049     X    EA   MKPAAR      1      NOT POSTED UNMATCHED OPERATION
00473A    00010    1338011507284     X    EA   MKPAAR      2      NOT POSTED UNMATCHED OPERATION
00473A    00010    1440010034361AH   A    EA   MKPAAR      4      NOT POSTED UNMATCHED OPERATION
00473A    00010    5975002399363AH   A    EA   MKPAAR      2      NOT POSTED UNMATCHED OPERATION
00473A    00010    5975004395273AH   A    EA   MKPAAR      2      NOT POSTED UNMATCHED OPERATION
00473A    00010    5975004420821AH   A    EA   MKPAAR      2      NOT POSTED UNMATCHED OPERATION
00473A    00010    5975007888285AH   A    EA   MKPAAR      6      NOT POSTED UNMATCHED OPERATION
00473A    00010    5975011516870AH   A    EA   MKPCAY      1      NOT POSTED UNMATCHED OPERATION
00473A    00010    5990010489536AH   E    EA   MKPCAY     20      NOT POSTED UNMATCHED OPERATION
00473A    20050    5975004011030AH   A    EA   MKPAAR      1      NOT POSTED UNMATCHED OPERATION
00473A    26190    6135008198074AH   X    EA   MKPCAY     1-      NOT POSTED UNMATCHED OPERATION
00473A    32029    1338000152058     X    EA   MKPAAR      1      NOT POSTED UNMATCHED OPERATION
00473A    32029    1338000152060     X    EA   MKPAAR      1      NOT POSTED UNMATCHED OPERATION
00473A    32029    1338000152061     X    EA   MKPAAR      1      NOT POSTED UNMATCHED OPERATION
00473A    32029    1338000752842     X    EA   MKPAAR      1      NOT POSTED UNMATCHED OPERATION
00473A    32029    1338000752843     X    EA   MKPAAR      1      NOT POSTED UNMATCHED OPERATION
00473A    32029    1338000752844     X    EA   MKPAAR      1      NOT POSTED UNMATCHED OPERATION
00473A    36166    6105009870395AH   R    EA   MKPCAY     15      NOT POSTED UNMATCHED OPERATION
00473A    36352    5315006880373     R    EA   MKPCAY      5      NOT POSTED UNMATCHED OPERATION
00473A    36352    5330003506584     R    FA   MKPCAY      5      NOT POSTED UNMATCHED OPERATION
00473A    36352    5990010489536AH   E    EA   MKPCAY     14      NOT POSTED UNMATCHED OPERATION
00473A    36352    6625004924675     A    EA   MKPCAY      4      NOT POSTED UNMATCHED OPERATION
00473A    36452    1420009203313AH   A    EA   MKPCAY     20      NOT POSTED UNMATCHED OPERATION
00473A    36452    5330001660990     A    EA   MKPCAY     50      NOT POSTED UNMATCHED OPERATION
00473A    36452    5330001660994     A    EA   MKPCAY     20      NOT POSTED UNMATCHED OPERATION
00473A    36452    5330001661025     A    EA   MKPCAY     10      NOT POSTED UNMATCHED OPERATION
00473A    36452    5330001661030     A    FA   MKPCAY     10      NOT POSTED UNMATCHED OPERATION
00473A    36452    5330001661091     A    EA   MKPCAY     20      NOT POSTED UNMATCHED OPERATION
00473A    36452    5330001668390     R    EA   MKPCAY     10      NOT POSTED UNMATCHED OPERATION
00473A    36452    5330001668391     A    EA   MKPCAY     15      NOT POSTED UNMATCHED OPERATION
00473A    36452    5330003030091     R    EA   MKPCAY      2      NOT POSTED UNMATCHED OPERATION
00473A    36452    5330004065573AH   A    EA   MKPCAY     10      NOT POSTED UNMATCHED OPERATION
00473A    36452    5330005797916     A    EA   MKPCAY     46      NOT POSTED UNMATCHED OPERATION
00473A    36452    5330009203315AH   A    EA   MKPCAY     20      NOT POSTED UNMATCHED OPERATION
00473A    36463    4330010174238     R    EA   MKPCAY     12      NOT POSTED UNMATCHED OPERATION
```

Figure 4-20. A-G005M-099-MC-M74 - Unplanned Issue Report.

TITLE: NEW BOM WORK SHEET

PCN: A-G005M-105-WC-M13

JOB: MMUWC

PREPARATION: WEEKLY/SUNDAY/TUESDAY/AS REQUESTED

PRODUCT USE: This product is a printout of the full range BOM contained in API D200 (RDB). The planner can extract data from this printout to develop a planning BOM.

*** This product is being held in abeyance pending implementation of the D200 (Applications Program Indentures) RDB. Questions concerning this report, should be directed to your local G005M OPR.

Figure 4-21. A-G005M-105-WC-M13 - New BOM Worksheet.

TITLE: BILL OF MATERIAL REPRICE LIST (FICHE)

PCN: A-G005M-106-MA-M20

JOB: MMUMA

PREPARATION: MONTHLY-END OF MONTH-SECOND CALENDER DAY

PRODUCT USE: This product provides the planner extended summarized cost of material for a BOM. Costs are broken down to Direct Material-funded (Cost Code A), and Direct Material-unfunded (by Cost Codes D, E, X, and Z). The product is in microfiche form.

PRODUCT FORMAT:

    a.   Heading Elements.

        (1)   Title. BOM REPRICE LIST

        (2)   Date. The day, month, and year this product was produced.

        (3)   Product Control Number (PCN). The number assigned this report for tracking purposes.

        (4)   Page. The consecutive page number within the report.

    b.   Column Data.

        (1)   RCC. Resource Control Center. The five position code assigned to the RCC responsible for accomplishing the workload.

        (2)   SD. Scheduling Designator. The one character alpha code assigned to the scheduler responsible for providing support to the RCC.

        (3)   PDN NR. Production Number. The number assigned to identify the end item NSN. It consists of a five position control number and a sixth position, which identifies the desired level of repair.

        (4)   OPER NR. Operation Number. A five position field assigned to represent a block of work within a production number that can be accomplished by an individual Direct Labor Production Unit.

        (5)   OCC FAC. Occurrence Factor. The number of times an operation is planned or occurs in relation to the maximum number of times it could occur per end item being worked.

        (6)   DIR-MATL-FUNDED-A. Funded Material, Cost Code "A".

        (7)   DIR-MATL-KITS-D. Unfunded Material, Cost Code "D".

        (8)   DIR-MATL-EXCHANGEABLE-E. Unfunded Material, Cost Code "E".

        (9)   DIR-MATL-EXCHANGEABLE-X thru Z. Unfunded Material, Cost Code "X" thru "Z".

    c.   Summarization.

        (1)   Production Number.

        (2)   Total cost of funded material cost code "A".

        (3)   Total cost of unfunded material cost code "D, "E", "Y", and "Z".

NOTE: Sequence of data on the list will be by RCC, Production Number, and Operation Number.

Figure 4-22. A-G005M-106-MA-M20 - BOM Reprice List.

TITLE: SUPPORTABILITY REPORT

PCN: A-G005M-151-BB-M53

JOB: MMUBB

PREPARATION: BI-WEEKLY/SUNDAY/MONDAY

PRODUCT USE: This product provides the scheduler current material support posture of all direct and indirect materials used to support the maintenance work requirements. The indirect material is shown below the direct material using columns 3, 4, 5, 6, and 7. The scheduler will use this information to determine which end items, by quantity, are supportable. Based on the review of this report, the scheduler evaluates asset requisitions and orders supportable assets. The local supply FSC class manager reviews this report and takes necessary actions to expedite material shortages to support workload requirements.

PRODUCT FORMAT:

   a.   Heading Elements.

      (1)   ACC. Accountable Cost Center.

      (2)   TITLE. Supportability Report.

      (3)   AS OF DATE. The day, month, and year this report was produced.

      (4)   PCN. Product Control Number. The number assigned this report for tracking purposes.

      (5)   PAGE. The consecutive number of pages within the report.

   b.   Column Data.

      (1)   ACC. Accountable Cost Center. The cost center assigned responsibility for costing and production on an end item workload. Example (MKPC9).

      (2)   SCH DES. Scheduling Designator. The one position alpha code assigned to the scheduler responsible for providing support to the RCC.

      (3)   PDN. Production Number. The production number assigned to identify the end item NSN. It consists of a five position control number and a sixth position, which identifies the desired level of repair.

      (4)   END ITEM IDENTITY. The NSN, MDS, or other numbers which will identify an end item.

      (5)   SIMS. A six position code which identifies Item Management responsibility.

      (6)   P REQ 1-2. The combined "M" and "S" GEN required production to support the IM's back orders and two weeks issues, plus two weeks of maintenance generations.

      (7).   P REQ 3-4. The combined "M" and "S" GEN required production to support the of the 90 day workload.

      (8)   AVAIL ASSETS. Available Assets. The quantity of repairable carcasses in the supply account, plus the maintenance generations.

      (9)   MIC/DMSC DES. The MIC/DMSC designated to stock the components required to support end item workloads.

      (10) MGR DES. Manager Designator. This code identifies the IM responsible for end item management.

(11) PM. Production manager. This code identifies the Production Manager responsible for the end item.

(12) PRI ALC. The prime ALC having responsibility for the end item.

c.   Column Data (Component Item).

(1)   OPR NR. Operation Number. A five position field assigned to represent a block of work within a production number that can be accomplished by an individual Direct Labor Production Unit.

(2)   OCC FAC. Occurrence Factor. The percentage of times that an operation is planned or occurs in relation to the maximum number of times it could occur per end item being worked.

(3)   COMPONENT NSN. The National Stock Number assigned to the BOM component item.

(4)   ER. The code signifying Expendability, Recoverability, and Repairability category for a component item.

(5)   PS. Procurement Source Code. A one position code representing the procurement source, management, and financial assignment of the component item.

(6)   UI. Unit of Issue. Supply Unit of Issue for the component.

(7)   CC. Cost Code. The maintenance cost code assigned to the component item on the BOM

(8)   UT. Utility Code. The code identifies peculiar type items as recoverable component items which are repaired under their own production number (code 2), TO Kits (code 3), and component items that cannot be substituted (code 4).

(9)   UPA. Units Per Assembly. The number of identical parts in an end item as shown on the BOM.

(10) RPL PCT. Replacement Percent. The percentage of times a component item is removed and replaced with serviceable items (when compared to the number of times the component is removed as a candidate for repair). For utility code 2 components, it is the condemnation factor.

(11) RQMNTS P 1-2. The total material requirements to support both "M" and "S" generations of 1 and 2 workload.

(12) SUPTG MIC/DMSC P 1-2. The quantity of this component item to support 1 and 2 workload allocated from the support MIC/DMSC.

(13) DEPOT SUPPLY. The quantity of this component item to support 1 and 2 workload allocated from supply.

(14) PCT SPT. The percent of support to the component requirement listed in requirement 1 and 2, that was allocated from maintenance MICs/DMSCs and supply.

(15) RQUMTS P. 3-4. Total requirements of this component to support precedence 3 and 4 workloads.

(16) SUPTG MIC/DMSC P. 3-4. The quantity of this component item allocated from the support MIC/DMSC to support 3 and 4 workload.

(17) DEPOT SUPPLY. The quantity of this component item allocated from depot supply to support 3 and 4 workload.

(18) PCT SPT. The percent of support to the component requirement listed in requirement 3 and 4, that was allocated from maintenance MICs/DMSCs and supply.

(19) TOTAL REQ. The total requirement for the component item to support precedence 1, 2, 3, 4, "M" and "S" generations.

(20) PCT SPT. The percent of the component requirements listed in the total requirement column, that were allocated from maintenance MICs/DMSCs and supply.

(21) 09 BAL. This column indicates the number of components in the Item Managers 09 account.

NOTE: An asterisk in SUPT MIC/DMSC, or Depot Supply, indicates no match of NSN on the D035 Master File.

Figure 4-23. A-G005M-151-BB-M53 - Supportability Report.

TITLE: DEPOT SUPPLY NON-SUPPORTABILITY

PCN: A-G005M-152-BB-MMT

JOB: MMUBB

PREPARATION: BI-WEEKLY/SUNDAY/MONDAY

PRODUCT USE: This report will provide the Supply Item Manager Specialist (SIMS) the material support status of the maintenance workload. The report identifies the specific component items which provide less than 75 percent support and also identifies the end items which are 100 percent supportable. The SIMS uses the product to identify the critical component items which require priority upgrading and or other expedite actions. The SIMS takes all necessary steps to satisfy these requirements.

PRODUCT FORMAT:

   a.   Heading Elements.

        (1)   SIMS Code. The Supply Item Manager Specialist code assigned to NSN groups.

        (2)   --ALC. The ALC for which the information was produced.

        (3)   TITLE. Depot Supply Non-Supportable Report.

        (4)   AS OF DATE. The day, month, and year this report was produced.

        (5)   PCN: Product Control Number. The number assigned to this report for tracking purposes.

        (6)   PAGE. The consecutive number of pages within each report.

   b.   Column Data (End Item).

        (1)   SIMS. The Supply Item Manager Specialist Designator, comprised of the individual SIMS code (first two alpha positions) and the SIMS telephone extension (the last four numeric positions).

        (2)   END ITEM IDENTITY. The NSN, MDS, or other numbers which will identify an end item.

        (3)   ACC. Accountable Cost Center. The cost center assigned responsibility for costing and production on an end item workload. Example (MKPC9).

        (4)   SD. Scheduling Designator. The one character alpha scheduling designator assigned to the scheduler responsible for providing support to the RCC.

        (5)   EI MNG. End Item Manager. This code designates the responsible End Item Manager.

        (6)   PROD MNG. Production Manager. This designates the responsible Production Manager.

        (7)   PCT SUP P 1-4. Percent Supportable Precedence 1-4. The percent of the component requirements that are available to support the identified end item workload, precedence 1-4.

        (8)   PCT SUP P 1-2. Percent Supportable Precedence 1-2. The percent of the component requirements that are available to support the identified end item workload, precedence 1-2.

        (9)   ALC. The center having prime responsibility for the end item.

   c.   Column Data (Component Item).

(1)   COMPONENT NSN. The National Stock Number assigned to the Bill of Material component item.

(2)   I&S CD. Interchangability and Substitutability Code. The code that indicates whether a stock number item is a family master, subgroup master, etc., of a particular family.

       (a)   A "blank" in this field indicates a bachelor item.

       (b)   An "M" in this field indicates a subgroup master or a family master. Not interchangeable.

       (c)   An "S" in this field indicates the stock number is interchangeable.

(3)   OCCR FAC. Occurrence Factor. The percentage of times that an operation is performed to produce a serviceable end item for a production number.

(4)   ER. The designator signifying the Expendability, Recoverability, and Repairability Category for a component item.

(5)   PS. Procurement Source Code. A one position code representing the procurement source, management, and financial assignment of the component item.

(6)   UI. Unit of Issue. The supply unit of issue for the component item.

(7)   CC. Cost Code. The Maintenance Cost Code of the component item.

(8)   UT. Utility Code. The code which identifies peculiar type items as recoverable component items which are repaired under their own production number.

(9)   UPA. Units Per Assembly. The number of identical parts in an end item as shown on the BOM.

(10) RQMTS P 1-2. The total C/I requirements to support both M-gen and S-gen requirements in precedence 1-2.

(11) SUPT MIC/DMSC. The quantity of the C/I, to support precedence 1-2 workloads, allocated from the support MIC/DMSC.

(12) DEPOT SUP 1-2. The quantity of component items, to support precedence 1-2 requirements, allocated from supply.

(13) PCT SUP. The percent of support of the component requirements for precedence 1-2 workloads that was allocated from the maintenance MICs/DMSCs.

(14) RQMTS P 1-4. The total C/I requirements to support both M-gen and S-gen requirements in precedence 1-4.

(15) SUPT MIC/DMSC 1-4. The quantity of the C/I, to support precedence 1-4 workloads, allocated from the support MICs/DMSCs.

(16) DEPOT SUP 1-4. The quantity of component items, to support precedence 1-4 requirements, allocated from supply.

(17) PCT SUP. The percent of support of the component requirements for precedence 1-4 workloads that was allocated from the maintenance MICs/DMSCs.

(18) CI. Critical Item Code.

(19) SRC SUP. Source of Supply Code.

(20) TOTAL SUMMARY. These fields identify the total number of component line items in each of five support groups for P 1-2 and P 1-4.

Figure 4-24. A-G005M-152-BB-MMT - Depot Supply Non-Supportability.

TITLE: WHOLESALE EFFECT REPORT

PCN: A-G005M-153-BB-MMZ

JOB: MMUBB

PREPARATION: BI-WEEKLY/SUNDAY/MONDAY

PRODUCT USE: This report provides the Item Manager (IM) visibility of component item support from Depot Supply for precedence 1-2 and precedence 1-4 requirements.

PRODUCT FORMAT:

*** This product is used at OO-ALC only. If you have questions concerning this report, contact your local G005M System OPR.

Figure 4-25. A-G005M-153-BB-MMZ - Wholesale Effect Report.

TITLE: E/I MGR NON-SUPPORTABILITY REPORT

PCN: A-G005M-157-BB-MMP

JOB: MMUBB

PREPARATION: BI-WEEKLY/SUNDAY/MONDAY

PRODUCT USE: This product is provided to the End Item Manager and is a summary of component item support for each 2 week MISTR period. It reflects support requirements for precedence 1-2 and 1-4.

PRODUCT FORMAT:

    a.   Heading Elements.

       (1)   EIM. End Item Manager code.

       (2)   TITLE. End Item Manager Non-Supportability Report.

       (3)   AS OF DATE. The day, month, and year this report was produced.

       (4)   PCN. Product Control Number. The number assigned this report for tracking purposes.

       (5)   PAGE. The consecutive number of pages within this report.

    b.   Column Data (End Item).

       (1)   SIMS. A six position field that identifies the Item Manager responsible for the end item.

       (2)   END ITEM IDENTITY. The NSN, MDS or other number used to identify the end item.

       (3)   ACC. Accountable Cost Center. The cost center assigned responsibility for costing and production on an end item workload. Example (MKPS9L).

       (4)   SD. Scheduling Designator. The one character alpha code assigned to the scheduler responsible for providing support to the RCC.

       (5)   EI MNG. This field reflects the code used to identify the prime E/I manager.

       (6)   PROD MNG. This field reflects the Production Manager code responsible for the E/I.

       (7)   ALC. The center having prime responsibility for the E/I.

    b.   Column Data (Component Item).

       (1)   COMPONENT NSN. The National Stock Number assigned to this component item.

       (2)   I&S CD. Interchangeability and Substitutability Code. The code indicates whether a stock number item is family master, subgroup master, etc., of a particular I&S family.

       (3)   OCC FAC. Occurrence Factor. The number of times an operation is planned or occurs in relation to the maximum number of times it could occur per end items being worked.

       (4)   ER. The designator signifying Expendability, Recoverability, and repairability of a component item.

(5)   PS. Procurement Source Code. The code representing procurement source, management, and financial assignment of the component item.

(6)   UI. The supply Unit of Issue.

(7)   CC. Cost Code. The maintenance assigned Cost Code.

(8)   UT. Utility Code. The code which identifies particular type items as recoverable component items which are worked under their own production number.

(9)   UPA. Units Per Assembly. The number of identical parts in an end item as shown on the BOM.

(10) RQMTS P 1-2. The Total material requirements to support both M and S generations of 1 and 2 workload.

(11) SUPT MIC/DMSC 1-2. The quantity of this component item to support 1 and 2 workload allocated from support MIC/DMSC.

(12) DEPOT SUP. The quantity of this component item to support 1 and 2 workload allocated from supply.

(13) PCT SUP. The percent of component support, required to support 1-2 workload allocated from MICs/DMSCs and supply.

(14) RQMTS P 1-4. Total material requirements to support 1-4 workload.

(15) SUPT MIC/DMSC 1-4. The quantity allocated from the supporting MIC/DMSC to support 1-4 workload.

(16) DEPOT SUP 1-4. The quantity allocated from depot supply to support 1-4 workload.

(17) PCT SUP. The percent of component support, required to support 1-4 workload.

(18) CI. Critical Item code.

(19) SRC SUP. Source of Supply code.

Figure 4-26. A-G005M-157-BB-MMP - E/I Mgr Non-Supportability Rpt.

TITLE: PROD MGR NON-SUPPORTABILITY REPORT

PCN: A-G005M-158-BB-MMR

JOB: MMUBB

PREPARATION: BI-WEEKLY/SUNDAY/MONDAY

PRODUCT USE: This report is provided to the Production Manager and is a summary of component item support for each 2 week MISTR period. It reflects support requirements for precedence 1-2 and 1-4.

PRODUCT FORMAT:

*** The G005M-157 and G005M-158 are basically the same report. Please refer to the G005M-157 report for Heading Elements and Column Data.

Figure 4-27. A-G005M-158-BB-MMR - Prod Mgr Non-Supportability Rpt.

TITLE: ENGINE COMPONENT SHORTAGES

PCN: A-G005M-181-BB-M54

JOB: MMUBB

PREPARATION: BI-WEEKLY/SUNDAY/MONDAY

PRODUCT USE: This report provides the engine division scheduling personnel a listing of the availability of components required to support the precedence 1 and 2, M and S gen workloads for the next 30 days and which are in short supply. Components reflected on this report are those required to replace the condemned parts only and do not include the maintenance generated components repaired in support shops and returned to the stacker. The scheduler uses this report to monitor availability of required components and inducts workload accordingly. PSF personnel use their copy of this report to determine MIC/DMSC stockage requirements for the next 30 days on ERRC coded N and P items and 15 days for C, S, and T exchange items.

PRODUCT FORMAT:

*** This product is used at OC-ALC and SA-ALC only. If you have questions concerning this report, contact your local G005M OPR.

Figure 4-28. A-G005M-181-BB-M54 - Engine Component Shortages.

TITLE: END ITEM PARTS SHORTAGE LIST

PCN: A-G005M-201-BC-M57

JOB: MMUBC

PREPARATION: BI-WEEKLY/SUNDAY/WEDNESDAY

PRODUCT USE: This product provides the Production Management Specialist a listing of those component parts affecting the production of their end items in maintenance. The PM Specialist uses this report to advise the applicable End Item Manager which parts are in short supply so that the necessary action is taken towards satisfying the parts shortage.

PRODUCT FORMAT:

   a. Heading Elements.

      (1) PRODUCTION MANAGEMENT SPECILIST.

      (2) TITLE. End Item Parts Shortage List.

      (3) AS OF DATE. The day, month, and year this report was produced.

      (4) PCN. The Product Control Number assigned this report for tracking purposes.

      (5) PAGE. The consecutive number of pages within this report.

   b. Column Data.

      (1) END-ITEM IDENTITY. The NSN, MDS or other numbers which will identify the end item.

      (2) PROD NR. A six position number assigned to each workload which is used to track labor and material costs.

      (3) OPER NR. A five position field assigned to represent a block of work within a production number.

      (4) PROD MGR. The code assigned to identify the responsible Production Manager.

      (5) COMPONENT NSN. The National Stock Number assigned to the component item.

      (6) D/S MGR. The Federal Stock Class Manager in supply who has responsibility for the component item.

      (7) SUPPLY SOURCE. A code which identifies the activity to which the requisition will be forwarded for supply action.

      (8) PREC 1-2 QTY SHRT. The quantity of the component item which is not available to support the maintenance repair requirements in precedence 1-2.

      (9) PREC 3-4 QTY SHRT. The quantity of the component item which is not available to support the maintenance repair requirements in precedence 3-4.

      (10) I-S CODE. Interchangeability and Substitutability Code.

      (11) DO NOT SUB. This field indicates that the component is not to be substituted.

      (12) DUE-IN DOCUMENT-NO. The document number assigned by supply requisition to the component item.

      (13) QTY DUE-IN. The quantity of component items requisitioned on document number due-in to supply.

(14) PRI CODE. The two position numeric MILSTRIP issue priority code.

(15) EDD. Estimated Delivery Date.

(16) ALC. The center responsible for the requisition.

MNAP/IND SPEC CA   OO-ALC END ITEM PARTS SHORTAGE LIST FOR PERIOD 22   AS OF 30 JUL 86   A-G005M-201-BC-M57   PAGE   1

END-ITEM IDENTITY	PROD NR	OPER NR	PROD MGR	COMPONENT NSN	D/S MGR	SUPPLY SOURCE	PREC 1-2 QTY-SHRT	PREC 3-4 QTY-SHRT	I-S CODE	DO-NOT SUB	DUE-IN DOCUMENT-NO	QTY DUE-IN	PRI CODE	EDD	ALC
1520001781083	74518A	00010	ACA	3120010805053LE	DG	FGE	40	193							
											FB202605369 13	151	03	6061	DO
											FB202581840742	18	03	6192	DO
											FB202961840388	30	03	6192	DO
											FB202961950343	12	03	8203	DO
											FD202061925212	400		6192	DO
											FD202061925212	400	15	6233	DO
	74518A	00010	ACA	5385001380068LE	HD	FGE	0	89							
1520001781087	74518A	00010	ACA	3120010305053LE	DG	FGE	2	20							
											FB202960535918	161	03	6061	DO
											FB369861845742	18	03	6192	DO
											FB302961840898	20	03	6192	DO
											FB202961950346	12	03	8203	DO
											FD202061925212	400		6192	DO
											FD202061925212	400	15	6223	DO
	74518A	00010	ACA	5365001860068LE	HD	FGZ	0	4							
1520201877445	74521A	00010	ACA	1520000271196	AG	FGZ	0	5							
	74521A	00010	ACA	1520001257860	AH	FGZ	0	1							
	74521A	00010	ACA	1520001947527	AH	FGZ	0	15							
											FB202980720715	1	12	6103	DO
											FB202980790670	1	12	6110	DO
											FB202980870651	1	12	6118	DO
											FB202961701133	2	12	6301	DO
											FB202961701135	1	12	6201	DO
											FB202981990546	1	12	6237	DO
											FB202962050452	1	12	8236	DO
											FB202982050456	1	12	6226	DO
	74521A	00010	ACA	1520002041205	AH	FGZ	6	30	N		FB202960830055	17	12	6114	DO
	74521A	00010	ACA	1820004418783	D2	FGZ	2	8							

Figure 4-29. A-G005M-201-BC-M57 - End Item Parts Shortage List.

TITLE: COMPONENT ITEM SHORTAGE LIST.

PCN: A-G005M-202-BC-M58

JOB: MMUBC

PREPARATION: BI-WEEKLY/SUNDAY/WEDNESDAY

PRODUCT USE: This product provides the applicable component item manager a listing of those components, under their management, in short supply and impacting production in maintenance. The information is used to insure that the necessary actions to satisfy the reported parts shortages have been submitted.

PRODUCT FORMAT:

  a. Heading Elements

    (1) ITEM MANAGER CODE.

    (2) PRIME ALC. The ALC having prime responsibility for the component.

    (3) TITLE. Component Item Shortage List.

    (4) AS OF DATE. The day, month, and year this report was produced.

    (5) PCN. Product Control Number. The Number assigned this report for tracking purposes.

    (6) PAGE. The consecutive number of pages within the report.

  b. Column Data.

    (1) COMPONENT NSN. The National Stock Number assigned to this component.

    (2) END ITEM NSN. The NSN, MDS, or other numbers which will identify the end item.

    (3) E/I MGR. The code which identifies the responsible End Item Manager.

    (4) PROD MGR. The code which identifies the responsible Production Manager.

    (5) PROD NR. A six position number assigned to each workload which is used to track labor and material costs.

    (6) OPER NR. A five position field assigned to represent a block of work within a production number.

    (7) E/I ALC. The code which represents the center that has prime responsibility for the end item.

    (8) PRECD 1-2 QTY SHORT. The quantity of the component item which is not available to support the maintenance repair requirements in precedence 1-2.

    (9) PRECD 3-4 QTY SHORT. The quantity of the component item which is not available to support the maintenance repair requirements in precedence 3-4.

    (10) I&S CODE. Interchangeability and Substitutability Code.

    (11) DO NOT SUB. This field indicates that the component is not to be substituted.

    (12) DUE IN DOCUMENT NO. The document number assigned by supply to requisition the component item.

(13) QTY DUE IN. The quantity of the component items requisitioned on document number due-in to supply.

(14) PRI CODE. The two position numeric MILSTRIP issue priority code.

(15) EDD. Estimated Delivery Date.

(16) SOS. Source of Supply. This code identifies the activity to which the requisition will be forwarded for supply action.

Figure 4-30. A-G005M-202-BC-M58 - Component Item Shortage List.

TITLE: DEPOT SUPPLY SHORTAGE LIST

PCN: A-G005M-203-BB-M56

JOB: MMUBB

PREPARATION: BI-WEEKLY/SUNDAY/MONDAY

PRODUCT USE: This product provides the supply (FSC) class manager rapid identity of those component items not on hand to support the repair of critical and immediate need end items. The list is also used by the supply expediters to identify and expedite critical and work stoppage component items as well as to expedite material to prevent future line stoppages on high priority requirements.

PRODUCT FORMAT:

   a.   Heading Elements.

      (1)   SUPPLY ITEM MANAGER.

      (2)   TITLE. Depot Supply Shortage List.

      (3)   AS OF DATE. The day, month, and year this report was produced.

      (4)   PCN. Product Control Number. The number assigned this report for tracking purposes.

      (5)   PAGE. The consecutive number of pages within this report.

   b.   Column Data.

      (1)   COMPONENT NSN. The National Stock Number assigned to this item.

      (2)   ER. The code signifying the Expendability, Recoverability and Repairability category.

      (3)   PS. Procurement Source Code. A one position code representing the procurement source, management, and financial assignment of the component item.

      (4)   END ITEM IDENTITY. The NSN, MDS, or other numbers which identify the end item.

      (5)   EI ALC. Identifies the center which has E/I management responsibility.

      (6)   PRI REQ. This column reflects the required quantity of the component item.

      (7)   1-2 SHORT. This column will reflect the quantity short of the component item.

      (8)   MIC/DMSC DES. The MIC/DMSC identified to stock the required component item.

      (9)   DOCUMENT NUMBER. The document number assigned by supply to order the component item listed on the report.

      (10) D/I QTY. The number of components on the order document.

      (11) PR. The two position numeric MILSTRIP issue priority code.

      (12) ST. The two position code that denotes the status of the requisition.

      (13) DATE POST. The date the requisition was posted in D035.

(14) SS/IM. A Three position code that reflects the source of supply.

(15) DOCUMENT NUMBER. The document number on which the short component item has been ordered and, as such, generated a backorder.

(16) D/O QTY. The quantity of the short component on back order, which upon receipt by supply is mechanically issued.

(17) JOB ORDER NR. Identifies the specific workload by fiscal year, quarter, or monthly time period, and the ownership purpose code on serialized workload.

(18) OPR NR. A five position field assigned to represent a block of work within a production number that can be accomplished by an Individual Direct Labor Production Unit.

(19) DMD SUF. The Demand Suffix Code used to designate an item as being applicable to initial installation, and nonrecurring requirement, or a recurring maintenance program.

Figure 4-31. A-G005M-203-BB-056 - Depot Supply Shortage List.

TITLE: MATERIAL SHORTAGE LIST

PCN: A-G005M-211-BB-M55

JOB: MMUBB

PREPARATION: BI-WEEKLY/SUNDAY/MONDAY

PRODUCT USE: This product provides the scheduler and MIC/DMSC personnel with a listing of component requirements that are not available to support repair of M and S generated end items with high priority (1-2) requirements. The scheduler uses this list to notify supply of material problems that will adversely affect future workload scheduling. MIC/DMSC personnel use this list to coordinate with the applicable supply FSC class manager to obtain needed parts. They also use this list to confirm requirements and to ensure that substitute NSNs are correct and made known to all source of supply activities. This report is generated by 2 week MISTR period.

PRODUCT FORMAT:

   a.   Heading Elements.

       (1)   ACC. Accountable Cost Center.

       (2)   TITLE. Material Shortage List.

       (3)   AS OF DATE. The day, month, and year this report was produced.

       (4)   PCN. Product Control Number. The number assigned this report for tracking purposes.

       (5)   PAGE. The number of consecutive pages within the report.

   b.   Column Data (End Item).

       (1)   ACC. The cost center assigned responsibility for costing and production on an end item being worked. Example (MKPC9E).

       (2)   SCH DES. The one character alpha scheduling designator assigned responsibility for providing support to the RCC.

       (3)   END ITEM IDENTITY. The NSN, MDS, or other numbers which will identify an end item.

       (4)   E/I MGR. The code which identifies the manager responsible for the end item.

       (5)   PROD NUMBER. The control number assigned to identify the end item NSN. It consists of a five position control number and a sixth position, which identifies the desired level of repair.

       (6)   OPER NUMBER. A five position field assigned to represent a block of work within a production number that can be accomplished by an individual Direct Labor Production Unit.

       (7)   E/I ALC. The center having prime responsibility for the end item.

       (8)   PROD MGR. The code assigned to identify the Production Manager having responsibility for the end item.

   c.   Column Data (Component Item).

       (1)   COMPONENT NSN/NC/MMC. The National Stock Number assigned to the BOM component.

       (2)   DS MGR. The code which identifies the Federal Stock Class Manager in supply.

(3)   PRECD 1-2 QTY-SHORT. The actual quantity of a component item not available to support repair requirements in precedence 1-2.

(4)   PRECD 3-4 QTY-SHORT. The actual quantity of a component item not available to support repair requirements in precedence 3-4.

(5)   MIC/DMSC DES. The MIC/DMSC designated to stock the components required to support end item workloads.

(6)   I-S CODE. The code that identifies Interchangeability and Substitutability category.

(7)   UTIL CODE. The Utility Code which identifies particular type items as recoverable component items which are repaired under their own production number.

(8)   DUE IN DOCUMENT-NO. The number assigned by supply to order the component item listed on the report.

(9)   DUE IN QTY. The quantity of the component on the DUE-IN document.

(10) PRI. The two position numeric MILSTRIP issue priority code.

(11) ST. The two position code that denotes the status of the requisition on the document number.

(12) EDD. Estimated Delivery Date.

(13) SOS. A three position code that designates the Source of Supply.

(14) REMARKS.   Pertinent notes relative to material in short supply (UM TO D035), This remark means the component is not on the D035K data base.

Figure 4-32. A-G005M-211-BB-M55 - Material Shortage List.

TITLE: CRITICAL COMPONENT ITEM IDENTITY

PCN: A-G005M-215-BC-MVD

JOB: MMUBC

PREPARATION: BI-WEEKLY/SUNDAY/WEDNESDAY

PRODUCT USE: This product provides visibility of those component items which have been identified as critical (precedence 1-2) to the maintenance workload requirements.

PRODUCT FORMAT:

   a. Heading Elements.

      (1) ACC. Accountable Cost Center.

      (2) TITLE. Critical Component Item Identity

      (3) AS OF DATE. The day, month, and year this report was produced.

      (4) PCN. Product Control Number. The number assigned this report for tracking purposes.

      (5) PAGE. The consecutive number of pages within this report.

   b. Column Data.

      (1) PRODUCTION NUMBER. A six position number assigned to each workload which is used to track labor and material costs.

      (2) OPER NR. A five position field assigned to represent a block of work within a production number.

      (3) END ITEM IDENTITY. The NSN, MDS, or other number used to identify the end item.

      (4) END ITEM DESCRIPTION. The name of the end item.

      (5) COMPONENT NUMBER. The National Stock Number assigned to the component item.

      (6) COMPONENT DESCRIPTION. The name of the component.

      (7) REQMTS P 1-2. The quantity of component requirements needed to accomplish the maintenance workload.

      (8) MESSAGE. A "SAVE" message, indicates this item should not be condemned, but returned to supply as a repairable asset.

Figure 4-33. A-G005M-215-BC-MVD - Critical Component Item Identity.

TITLE: PROD MGR SHORTAGE LIST

PCN: A-G005M-218-BB-M40

JOB: MMUBB

PREPARATION: BI-WEEKLY/SUNDAY/MONDAY

PRODUCT USE: This product provides the Production Manager visibility of those component requirements that are not available to support repair of M and S generated end items with high priority (1-2) requirements.

PRODUCT FORMAT:

a. Heading Elements.

    (1) PM CODE. Production Manager code.

    (2) TITLE. Prod Mgr Material Shortage List.

    (3) AS OF DATE. The day, month, and year this report was produced.

    (4) PCN. The Product Control Number assigned to this product for tracking purposes.

    (5) PAGE. The consecutive number of pages within the report.

b. Column Data (End Item).

    (1) PROD MGR. This code identifies the Production Manager responsible for the end item.

    (2) END ITEM IDENTITY. The NSN. MDS, or other number assigned to identify the end item.

    (3) E/I MGR. This code identifies the End Item Manager responsible for the end item.

    (4) PROD NUMBER. The control number assigned to identify the end item NSN. It consists of a five position control number and a sixth position that identifies the desired level of repair.

    (5) OPER NUMBER. A five position field assigned to represent a block of work within a production number that can be accomplished by an individual Direct Labor Production Unit.

    (6) SOR ALC. The center identified as the Source of Repair.

    (7) ACC. The Accountable Cost Center assigned responsibility for costing and production on an end item being worked. Example   (MKPE9C).

    (8) SCH DES. The one character alpha scheduling designator assigned responsibility for providing support to the RCC.

c. Column Data (Component Item).

    (1) COMPONENT NSN/NC/MMC. The National Stock Number assigned to the component item.

    (2) DS MGR. The code that identifies the Federal Stock Class Manager in supply.

    (3) PRECD 1-2 QTY-SHORT. The actual quantity of a component item not available to support repair requirements in precedence 1-2.

(4)   PRECD 3-4 QTY-SHORT. The actual quantity of a component item not available to support repair requirements in precedence 3-4.

(5)   MIC/DMSC DES. The MIC/DMSC designated to stock the components required for end item repair.

(6)   I/S CODE. Interchangeability and Substitutability category.

(7)   DO-NOT SUB. This field indicates the component is not to be substituted.

(8)   DUE-IN DOCUMENT NO. The number assigned by supply to order the component listed on the report.

(9)   DUE IN QTY. The quantity of the component on the DUE-IN document.

(10) PRI. The two position numeric MILSTRIP issue priority code.

(11) ST. The two position code that denotes the status of the requisition on the document number.

(12) EDD. Estimated Delivery Date.

(13) SOS. This field Identifies the Source Of Supply.

(14) REMARKS. Pertinent notes relative to material in short supply (UM TO D035), This means the component item is not on the D035K data base.

Figure 4-34. A-G005M-218-BB-M40 - Production Manager Shortage List.

TITLE: COMMON ITEM LISTING

PCN: A-G005M-300-BB-M59

JOB: MMUBB

PREPARATION: BI-WEEKLY/SUNDAY/MONDAY

PRODUCT USE: This report provides the MIC/DMSC visibility of those component items used on more than one end item workload in maintenance. It will also reflect precedence 1-2 and 3-4 requirements by MISTR period.

PRODUCT FORMAT:

   a.   Heading Elements.

      (1)   TITLE. Common Item Listing

      (2)   DATE. The day, month, and year this report was produced.

      (3)   PCN. Product Control Number. The number assigned this report for tracking purposes.

      (4)   PAGE. The consecutive number of pages within this report.

   b.   Column Data.

      (1)   COMPONENT NSN. The National Stock Number assigned to the component.

      (2)   MIC/DMSC DESG. The MIC/DMSC designated to stock the components required to support the end item workload.

      (3)   CLERK CODE. The FSC manager assigned responsibility for the component item.

      (4)   END ITEM IDENTITY. The NSN, MDS, or other number used to identify the end item.

      (5)   RCC. The Resource Control Center responsible for accomplishing the workload.

      (6)   SCH DES. The one position character alpha scheduling designator assigned to the scheduler responsible for providing support to the RCC.

      (7)   PROD NUMBER. The production number assigned to identify the end item NSN. It consists of a five position control number and a sixth position, which identifies the desired level of repair.

      (8)   OPR NR. A five position field assigned to represent a block of work within a production number that can be accomplished by an individual Direct Labor Production Unit.

      (9)   REQUIREMENTS 1-2 3-4. This field shows the number of components needed to support precedence 1-2 and 3-4 requirements.

Figure 4-35. A-G005M-300-BB-M59 - Common Item Listing.

TITLE: MATERIAL ESTIMATED COST REPORT

PCN: A-G005M-301-MA-M26

JOB: MMUMA

PREPARATION: MONTHLY-END OF MONTH-SECOND CALENDAR DAY

PRODUCT USE: This product will list the production numbers and related data that are contained on the Low Volume Workload Bill of Material file. The report will be in production number sequence within Responsible Engineering Organization. The planner will review the product and determine if material prices (investment/expense) in the LVWBOM File need to be adjusted. Adjustments will be made by submitting an M29 transaction using action code "C".

PRODUCT FORMAT:

   a.   Heading Elements.

       (1)   Responsible Engineering Organization

       (2)   Title. Material Estimated Cost Report

       (3)   Date. The day, month, and year the report is produced.

       (4)   Product Control Number (PCN). The number assigned this report for tracking purposes.

       (5)   Page. The consecutive page number within the report.

   b.   Column Data.

       (1)   ACC. Accountable Cost Center. The cost center assigned responsibility for costing and production on an end item workload.

       (2)   PROD NR. Production Number. The control number and job designator assigned to cover repair of an end item.

       (3)   OPER NR. Operation Number. The operation that will be used in ordering material for repair of the end item.

       (4)   EXP COST. Expense Cost. The estimated cost of the expense material used in the repair of the end item. This material will be assigned to cost code "A" by the computer.

       (5)   INV COST. Investment Cost. The estimated cost of the investment material used in the repair of the end item. This material will be assigned to cost code "E" by the computer.

       (6)   TOTAL COST. The total cost of Expense and Investment material.

Figure 4-36. A-G005M-301-MA-M26 - Material Estimated Cost Report.

TITLE: EXPENSE SALES PRICE VARIANCE

PCN: A-G005M-405-MG-MJC

PREPPARATION: MONTHLY/15th. CALANDAR DAY/1st. WORK DAY

PRODUCT USE: This product compares the current material cost of a BOM to the prior year baseline sales price material cost. The variance of material costs will be expanded by the number of EI's to be produced for the balance of the year. If this extended variance exceeds $15,000 a detailed report will be produced showing the cost variance for each stock number on the BOM. This report will be used as justification when requesting an interim sales price change from HQ AFMC.

PRODUCT FORMAT:

   a.   Heading Elements.

      (1)   RESPONSIBLE ENGINEERING. Planner responsible for the BOM

      (2)   TITLE. Expense sales Price Variance Report.

      (3)   DATE. The day, month and year the product was produced.

      (4)   PRODUCT CONTROL NUMBER (PCN).The number assigned to this product for control purposes.

      (5)   PAGE NUMBER. The consecutive number of pages within each report.

   b.   Column Data - End Item.

      (1)   PROD NR. Production Number. The number assigned to identify the end item NSN. It consists of a five position control number and a sixth position, which identifies the desired level of repair.

      (2)   OPER. Operation Number. A five position field assigned to represent a block of work within the production number that can be accomplished by an individual Direct Labor Production Unit.

      (3)   END ITEM. The NSN or MDS of the end item.

      (4)   PREC4. Precedence 4. The number of end items to be repaired in the next 90 days.

      (5)   RM. Remaining Months.

      (6)   E. Estimated Sales Price.

      (7)   BASE SALES PRICE. Computed material cost to produce one end item. This cost was computed and established when the baseline sales price was established.

      (8)   BASE END ITEM COST. Unit price of end item when the baseline sales price was established.

      (9)   E. (ERRC). The designator signifying expendability, recoverability, repairability category code for a item.

      (10) REPRICE SALES PRICE. Computed material cost as of current date.

      (11) END ITEM COST. Unit price of EI as of current date.

      (12) VARIANCE DIF*(P4/3)*MR. Formula to compute projected variance - DIF equals Difference in sales price (current-base), P4 equals Precedence 4 quantity divided by 3 equals one month quantity multiplied by remaining months.

(13) VARIANCE PERCENT. Percentage of current sales price versus baseline sales price. Formula-Current sales price, baseline sales price minus variance divided by baseline sales price (percentage is rolled up).

c.   Column Data - Component Item (Baseline Information).

(1)   NSN. National Stock Number.

(2)   RCC. Resource Control Center. The five position code assigned to the RCC responsible for accomplishing the workload.

(3)   DATE EST. The date component was established on the BOM.

(4)   C/C. Cost Code. The maintenance cost code which classifies material as funded or unfunded.

(5)   OCC FAC. Occurrence factor assigned to the component when sales price was established.

(6)   UPA. Units Per Assembly when sales price was established.

(7)   REP %. Replacement percent when sales price was established.

(8)   UNIT PRICE. Stock list price of component when sales price was established.

(9)   EXP STD. Expanded standard material cost when sales price was established.

d.   Column Data. Component items (Current Data).

(1)   C/C. Current Cost Code.

(2)   OCC FAC. Current Occurrence Factor

(3)   UPA. Current Units Per Assembly

(4)   REP %. Current Standard Replacement Percent.

(5)   UNIT PRICE. Current stock list price.

(6)   EXP STD. Expanded standard material cost based on current stocklist price.

(7)   NET DIFF. Net Difference. Dollar value difference of baseline expanded standard material cost and current expanded standard material cost.

Figure 4-37. A-G005M-405-MG-MJC - Expense Sales Price Variance.

TITLE: EXPENSE SALES PRICE MATERIAL VARIANCE REPORT (FICHE)

PCN: A-G005M-406-MIE

JOB: MMUMG

PREPARATION: YEARLY/END OF YEAR/1st. WORK DAY

PRODUCT USE: This product will provide analysis of all expense (direct) material by production number and by planner. Data compares prior years sales price history with current standards indicating the dollar value of inflation, inflation percentage, standard change and standard percent. The planner can review this product to determine if the material variances are valid or invalid and if the record should be adjusted. If valid provide Financial Management with the reason for change of the standard variance for possible sales price increase or decrease. If valid adjustments can be made by submitting a M07 (C or D) transaction.

PRODUCT FORMAT:

   a.   Heading Elements.

      (1)   --ALC. ALC address designator.

      (2)   TITLE. Expense Sales Price Material Variance Report.

      (3)   DATE. The day, month and year this report was produced.

      (4)   PCN. Production Control Number. The number assigned this report for tracking purposes.

      (5)   PAGE NUMBER. The consecutive number of pages in this report.

   b.   Column Data.

      (1)   PROD NR. Production Number. The number assigned to identify the end item NSN. It consists of a five position control number and a sixth position, which identifies the desired level of repair.

      (2)   END ITEM. The NSN, MDS or other numbers which identify an EI.

      (3)   G019C QTY. The computed quantity of the drive (Precedence 4 and 5) for the remaining portion of the years production.

      (4)   NOUN. A 19 position element used to describe the EI.

      (5)   OPERATION. The operation number of the production number being analyzed.

      (6)   PLANNER. The responsible IE technician for which the production number and operation number is being analyzed.

      (7)   BASE LINE. The history file of expense (direct) material, established when the sales price was set.

      (8)   CURRENT. The current standard as of the date of the report for expense (direct) material.

      (9)   VARIANCE. The computed variance of the baseline minus the current standards of expense (direct) material.

      (10) NSN. The National Stock Number of the component when the sales price was set.

      (11) UPA (Baseline). The number of units required to repair an end item, established during sales pricing.

(12) REP (Baseline). The replacement factor which indicates the number of times a component is removed or re-placed with serviceable material at the time sales price was established.

(13) SLP (Baseline). The stocklist price or unit price at the time sales price was established.

(14) TOTAL (Baseline). The component dollar value of the UPA times the Replacement Percent times the Stock List Price equals the total.

(15) UPA (Current). The units per assembly which indicate the number of units contained within an EI on the current standards.

(16) REP (Current). The replacement factor which indicates the number of times a component is removed or re-placed with serviceable material which is on the current standards.

(17) SLP (Current). The stock list price or unit price of the current standard price.

(18) TOTAL. The computed dollar value of the UPA percent times the REP percent times the SLP equals the total.

(19) VARIANCE. The computed variance of the total expense standards of the baseline minus current, by pro-duction number and operation number and specific planner.

(20) INFLATION. The total computed inflation of the baseline stock list price minus the current stock list price times the baseline units per assembly times the current replacement factor equals the inflation.

(21) INF %. The computed inflation percent is the inflation divided by the baseline total.

(22) STANDARD. The computed standard variance of the variance minus the inflation equals the standard.

(23) STD %. The computed standard percent of the standard divided by the baseline total equals the standard per-cent.

(24) PROD NR TOTAL. The sum of baseline total, current total and all variance column data.

Figure 4-38. A-G005M-406-MG-MIE - Expense Sales Price Material Var.

TITLE: EXPENSE SALES PRICE VARIANCE REPORT BY PROD NR

PCN: A-G005M-407-MG-MIG

JOB: MMUMG

PREPARATION: YEARLY/END OF YEAR/1st. WORK DAY.

PRODUCT USE: This product will provide analysis of all expense (direct) material by production number. Data compares the same information as the G005M 406 report.

PRODUCT FORMAT:

    a.   Heading Elements.

        (1)   --ALC. ALC address designator.

        (2)   TITLE. Expense Sales Price Variance Report by RCC.

        (3)   DATE. The day, month and year the product was produced.

        (4)   PCN. Product Control Number. The number assigned this report for tracking purposes.

        (5)   PAGE NUMBER. The consecutive number of pages within the report.

    b.   Column Data.

        (1)   PROD NR. The production number requiring material (direct expense only) which identifies the desired level of repair.

        (2)   END ITEM. The NSN, MDS, or other numbers which identify an EI.

        (3)   NOUN. a 19 position element used to describe an EI.

        (4)   ACC. The Accountable Cost Center responsible for the ordering and turn-in of the EI.

        (5)   QTY. The computed quantity of the production number from G019C drive (Precedence 4 and 5) for the remaining portion of the years production.

        (6)   VARIANCE. The computed variance of the total expense standards.

        (7)   TOTAL VAR. The total computed variance of the quantity times the variance by production number for all RCC's.

        (8)   INFLATION. The total computed inflation of the quantity times the inflation change by production number for all RCC's.

        (9)   INF %. The total computed Inflation Percent by production number for all RCC's.

        (10) STANDARD. The total computed standard of the quantity times the standard change by production number for all RCC's.

        (11) STD %. The total computed inflation percent by production number for all RCC's.

        (12) TOTAL BY DIRECTORATE. The computed total for a specific directorate.

```
OO ALC    EXPENSE SALES PRICE  VARIANCE REPORT BY PROD NR   20 JUL 88    A-G005M-407-MG-MIG    PAGE    1

PROD NR      END ITEM      NOUN              ACC    QTY   VARIANCE   TOTAL VAR   INFLATION  INF%    STANDARD   STD %
00458A       OLGH0030F                       MKPA9R        16313.23-     .00        .00      .0        .00     100.0
00473A       OLGH0030G                       MKPA9S          393.36      .00        .00      .0        .00     100.0
00510A       4220009070516AH  PUMP,RECIPROCATING  MKPE9C   30     4.87-   149.10-     .00      .0     149.10   100.0
00545A       4320008215897AH  PUMP UNIT,CENTRIFUG MKPE9C   13      .00       .00       .00      .0        .00   100.0
00565A       1450007561180AH  HOIST ASSEMBLY,HYDR MKPE9A    9   123.33-   1100.07-     .00      .0        .00   100.0
00584A       1450000103686AH  HOISTING UNIT,RE-EN MKPE9C           .00       .00      1.10-    .1    1107.97-   99.9
00592A       4310007837375AH  PUMP UNIT,CENTRIFUG MKPE9C    5      2.05     10.25      .00      .0        .00   100.0
00613A       1450000858378AH  HEATER ASSEMBLY,SEH MKPE9A    1     60.27-    60.27-     1.59    15.5     8.66    84.5
00615A       2510009033752AH  ACTUATOR ASSY,FIFTH MKPE9C   15   1174.52   17617.80     .00      .0      80.27- 100.0
00616A       1450003174090AH  LEVELING JACKS      MKPE9C    4      .00       .00      211.41    1.2   17408.39  86.8
11976A       1560008480341BF  RUDDER,AIRCRAFT     MNPS9J  137    182.58   25013.45     .00      .0        .00   100.0
13279A       1560007393174BF  SPOILER,LH WING,O   MNPS9L   78      7.48    583.44      275.14   1.1   24738.32  98.8
13281A       1560007393175BF  SPOILER,RH WING,O   MNPS9L   90     11.08    897.20      18.67    3.2    584.77   96.8
13288A       1560007944727BF  STABILATOR ASSEMBLY MNPS9D  173     41.54   7144.88      .00      .0     997.20   100.0
13291A       1560009002657BF  DOOR,ACCESS         MNPS9C    2      .00       .00       7.14     .1    7137.74   99.9
13293A       1560008590771BF  STRUCTURE ASSEMBLY  MNPS9R   13    515.48-   6233.75-     .00      .0    6233.75- 100.0
13294A       1560008590773BF  STRUCTURE ASSEMBLY  MNPS9R   12    199.27   2391.24      86.08    3.6    2305.16  96.4
13295A       1560008590775BF  STRUCTURE ASSEMBLY  MNPS9R   93     49.46   4847.08      .00      .0    4847.08  100.0
13296A       1560008590776BF  STRUCTURE ASSEMBLY  MNPS9R   99     15.62-   1548.38-     8.77-    .8    1537.11-  99.4
13306A       1560002265402BF  FLAP,WING DIVE BRAK MNPS9L   46      8.00    368.00      5.88     1.6    362.12   98.4
13308A       1560002265403BF  FLAP DIVE BRAK      MNPS9L   50     35.30-   1765.00-    37.06-    2.1    1727.94  97.9
13309A       1560004342838BF  LEADING EDGE,CENTER MNPS9R   87    267.18-   23244.66-  1813.08-   7.8   21431.58- 92.2
13344A       1560004342848BF  LEADING EDGE,CENTER MNPS9R   89    526.92   46895.88    4287.52    9.1   42625.35  90.8
13345A       1560009189524BF  DOOR,ACCESS         MNPS9C   25     47.02-   1175.50-     .00      .0    1175.50- 100.0
13439A       1560009189525BF  DOOR 55             MNPS9C   43      7.33    313.83      .00      .0     313.83   100.0
13547A       2685005107523   THROTTLE BOX,DUAL C  MNPS9L    1    224.38    224.38      .00      .0     224.38   100.0
13566A       1560007506602BF  BELLOWS,FEEL TRIM,  MNPS9L          .00       .00       .00      .0        .00   100.0
13572A       1680007580550BF  REEL,CABLE          MNPS9L  167      .00       .00       .00      .0        .00   100.0
13589A       1680007580552BF  REEL,CABLE          MNPS9L   16      4.89     78.24      .00      .0      78.24  100.0
13611A       1560000733156BF  DOOR,ACCESS         MNPS9C   34      .00       .00       .00      .0        .00   100.0
13707A       1560004445602BF  RAMP ASSEMBLY,VARIA MNPS9L        595.35-     .00        .00      .0        .00   100.0
13723A       1560009243607BF  STRUCTURE ASSEMBLY  MNPS9R   11      4.61     50.71      .15      .3      50.56   98.7
13725A       1560009243608BF  STRUCTURE ASSEMBLY  MNPS9R   17     44.60-    758.20-    8.34-    1.1     749.86-  98.9
13732A       1560008347338BF  DOOR,ACCESS         MNPS9C    1      2.22-     60.00-   10.18-   15.3      58.42-  84.7
13813A       1560009178539BF  COVER,ACCESS        MNPS9C    1      1.79-     1.79-     .00      .0       1.79-  100.0
13814A       1560002175840BF  DOOR 55             MNPS9C    1     84.07     84.07      .00      .0      84.07   100.0
13816A       1560002466164BF  FLAP,WING LANDING   MNPS9H  165    174.06      .00       .00      .0        .00   100.0
13822A       1560007883941BF  RING ASSEMBLY,BELLM MNPS9L  268      8.43-   1555.95-     .00      .0    1555.95- 100.0
13938A       1560007906673BF  RING ASSEMBLY,BELLM MNPS9L  274     15.06    4005.96     38.05     .9    3963.91   99.1
14044A       1450000896952AH  CYLINDER ASSEMBLY,A MNPG9Z    2       .35-    95.90-      .85-    1.0      94.95-  99.0
14331A       1560002518920BF  DOOR,LANDING GEAR,A MNPS9C    2      .00       .00       .00      .0        .00   100.0
14332A       1560004644842BF  DOOR,LANDING GEAR,A MNPS9C   72     28.00    2016.00      .00      .0    2016.00  100.0
14423A       1560009322431BF  DOOR,LANDING GEAR,A MNPS9C  103      5.56-    572.68-     .00      .0     572.68- 100.0
             ...                                            102     2.92-    297.84-    72.07-   24.2    225.71-  75.8
```

Figure 4-39. A-G005M-407-MG-MIG - Expense Sales Price Var by Prod Nr.

TITLE: EXPENSE SALES PRICE VARIANCE BY RCC

PCN: A-G005M-408-MG-MIG

JOB: MMUMG

PREPARATION: YEARLY/END OF YEAR/1st WORK DAY

PRODUCT USE: This product will provide analysis of all expense (direct) material by production within an RCC.

PRODUCT FORMAT:

    a.   Heading Elements.

        (1) --ALC. Prime ALC address designator.

        (2) TITLE. Expense Sales Price Variance By RCC.

        (3) DATE. The day, month and year this report was produced.

        (4) PRODUCT CONTROL NUMBER (PCN). The number assigned this product for control purposes.

        (5) PAGE NUMBER. Consecutive number of pages within this report.

    b.   Column Data.

        (1) RCC. The Resource Control Center. The Resource Control Center having responsibility for material support.

        (2) PROD NR. Production Number. The Production Number requiring material (direct expense only) which identifies the desired level of repair.

        (3) END ITEM. The NSN, MDS, or other numbers which identify the end item.

        (4) NOUN. A 19 position element used to describe the end item.

        (5) ACC. The Accountable Cost Center responsible for the requisitioning and turn-in of the end item.

        (6) QTY. Quantity. The computed quantity of the production numbers from G019C drive (Precedence 4 and 5) for the remaining portion of the years production.

        (7) VARIANCE. The computed variance of the total expense standards by production number within a specific RCC.

        (8) TOTAL VAR. Total variance. The total computed variance of the quantity times the variance by production number within a specific RCC.

        (9) INFLATION. The total computed inflation of the quantity times the inflation change by production number within a specific RCC.

        (10) INF%. Inflation Percent. The total computed inflation percent by production number within a specific RCC.

        (11) STANDARD. The total computed standard of the quantity times the standard change by production number within a specific RCC.

(12) STD%. Standard Percent. The total computed inflation percent by production number within a specific RCC.

(13) TOTAL BY RCC. The sum of all PDN's within an RCC for the Variance, Total Variance, Inflation, Standard, and Std Percent.

```
OO ALC    EXPENSE SALES PRICE   VARIANCE REPORT BY RCC      20 JUL 86     A-G006M-408-MG-MIG     PAGE    1

RCC      PROD NR    END  ITEM        NOUN              ACC     QTY    VARIANCE     TOTAL VAR    INFLATION   INF%      STANDARD   STD %
MKLAAA   18051A  6685001159602YD  INDICATOR,VACUUM   MKLA9A    6      49.00-      294.00-        .00        .0       294.00-   100.0
MKLAAA   56728A  8780008813939    REPAIR KIT,CAMERA  MKLA9A    2       .00          .00          .00        .0         .00     100.0
MKLAAA   18895A  6605010081573    CONSOLE MONITOR    MKLA9A    33     41.78       1378.74        4.13        .3      1374.61    99.7
MKLAAA   18896A  6605010081574    CONSOLE MONITOR    MILA9A    18    106.78       1921.88       30.74       1.6      1890.94    98.4
MKLAAA   19079A  8780008813939    REPAIR KIT,CAMERA  MKLA9A    1       .00          .00          .00        .0         .00     100.0
MKLAAA   19702A  6605002724539    POWER SUPPLY       MKLA9A    9       .00          .00          .00        .0         .00     100.0
MKLAAA   19706A  6605007820238    POWER SUPPLY       MKLA9A    14     52.75        738.50        .08        .6       738.58    100.0
MKLAAA   19235A  4935004033262UB  AN/USM-123         MKLA9A    1       .00          .00          .00        .0         .00     100.0
MKLAAA   19493A  6605007734533    ALIGNMENT EQUIPMENT MKLA9A   8       .00          .00          .00        .0         .00     100.0
MKLAAA   20885A  6675008137030AH  THEODOLITE,SURVEYIN MKLA9A   12      8.52         79.44       301.79     379.8      222.35-  379.8-
MKLAAA   61268A  4320001098365BF  PUMPING UNIT,HYDRAU MKLA9A   1     246.87-      246.87-       10.38-      4.2       236.51-   85.8
MKLAAA   88775A  6605007734522    AMPLIFIER,ELECTRONI MKLA9A   3       .00          .00          .00        .0         .00     100.0
MKLAAA   82438A  4935009323217BF  COMPRESSOR DEHYDRAT MKLA9A   8       .34-        2.72-         .00-        .0        2.72-   100.0
MKLAAA   82441A  4330007947886BF  PUMPING UNIT,HYDRAU MKLA9A   4      1.14-        4.56-         .00-        .0        4.56-   100.0
MKLAAA   84838A  4330000589534BF  PUMP,AXIAL PISTONS  MKLA9A   38      .11         3.08          .00        .0        3.08    100.0
MKLAAA   98951A  4330000271201BF  PUMPING UNIT,HYDRAU MKLA9A   1     11.18-       11.18-         .00        .0        11.18-  100.0

TOTAL BY RCC
                                                                    500.51-      3862.11       328.30      8.2       3235.81   80.8

MKLEEE   16398A  6625001426353BF  TEST SET,RADAR      MKLE9E    3      .00          .00          .00        .0         .00     100.0
MKLEEE   16884A  4935001482421AB  CIRCUIT CARD ASSEMB MKLE9E    1      .00          .00          .00        .0         .00     100.0
MKLEEE   17519A  6625010544972BF  CIRCUIT CARD        MKLE9E           .00          .00          .00        .0         .00     100.0
MKLEEE   17921A  6625010554974BF  CIRCUIT CARD        MKLE9E           .00          .00          .00        .0         .00     100.0
MKLEEE   17922A  6625010554976BF  CIRCUIT CARD        MKLE9E    1      .00          .00          .00        .0         .00     100.0
MKLEEE   17923A  6625010554975BF  CIRCUIT CARD        MKLE9E           .00          .00          .00        .0         .00     100.0
MKLEEE   18434A  4935005311024B   CIRCUIT CARD ASSEMB MKLE9E    3      .00          .00          .00        .0         .00     100.0
MKLEEE   18682A  4935005331101AB  CIRCUIT CARD        MKLE9E    3      .00          .00          .00        .0         .00     100.0
MKLEEE   18784A  4935001474169AB  CIRCUIT CARD ASSEMB MKLE9E    16    8.18-        26.64-        .00        .0        26.64-  100.0
MKLEEE   18885A  6625001426353BF  TEST SET,RADAR      MKLE9E          1.14-        12.40-        .00        .0        12.40-  100.0
MKLEEE   18886A  6625010390070BF  AN/APM363 TS        MKLE9E    1     49.53         .00          .00        .0         .00     100.0
MKLEEE   19215A  4935001482433AB  RELAY CARD          MKLE9E    1      .00          .00          .00        .0         .00     100.0
MKLEEE   19194A  4920010403745BF  ANTI SKID TS        MKLE9E    9     1.32         1.32          .00        .0        1.32    100.0
MKLEEE   26706A  6780002471553    TEST SET,ELECTRONIC MKLF9F    28    1.93-        17.37-        .00        .0        17.37-  100.0
MKLEEE   50031A  5915008754174AH  NETWORK,PHASE CHANG MKLE9E    14     .00          .00          .00        .0         .00     100.0
MKLEEE   50046A  4935001168338RF  TEST SET,RADIO FREQ MKLE9E    13   403.01-      5662.14-     1519.99-    38.7      4022.85   71.3
MKLEEE   61273A  6665009663072    DETECTING SET,MINE  MKLE9E    2     2.62         34.06         .00        .0        34.06   100.0
MKLEEE   81546A  4935001474170AB  CIRCUIT CARD ASSEMB MKLE9E    19   81.39        122.78       244.82     199.4      122.04-   99.4-
MKLEEE   62569A  6665005810220    RADIAC SET          MKLF9F          18.84        357.98         .00        .0        357.98  100.0
MKLEEE   62627A  6625010210772BF  CIRCUIT CARD        MKLE9E          .00          .00          .00        .0         .00     100.0
MKLEEE   62628A  6625010210773RF  CIRCUIT CARD        MKLE9C          .00          .00          .00        .0         .00     100.0
MKLEEE   62629A  6625010210775BF  CIRCUIT CARD        MKLE9E          .00          .00          .00        .0         .00     100.0
MKLEEE   62632A  6625010211330BF  CIRCUIT CARD        MKLE9E          .00          .00          .00        .0         .00     100.0
MKLEEE   62633A  6625010211331BF  CIRCUIT CARD        MKLE9E          .00          .00          .00        .0         .00     100.0
MKLEEE   62834A  6625010344008BF  CIRCUIT CARD        MKLE9E    1      .00          .00          .00        .0         .00     100.0
```

Figure 4-40. A-G006M-408-MG-MIG - Expense Sales Price Var by RCC.

TITLE: I & S SALES PRICE VARIANCE

PCN: A-G005M-410-MG-MJF

JOB: MMUMG

PREPARATION: MONTHLY/15Th. CALENDAR DAY/1St. WORK DAY

PRODUCT USE: This report reflects the unit price variance between the NSN originally ordered and the substitute item issued. The planner can review this report to determine what may have caused an increase or decrease in the sales price.

PRODUCT FORMAT:

   a.   Heading Elements.

      (1)   TITLE. G005M I&S SALES PRICE VARIANCE REPORT

      (2)   PRODUCT CONTROL NUMBER. The number assigned this report for tracking purposes.

      (3)   DATE. The day, month and year the list is produced.

      (4)   PAGE. The consecutive page number within the report.

   b.   Column Data.

      (1)   RESP ENGR. The planner responsible for the production number.

      (2)   PDN NR. Production Number. The number assigned to identifying the end item NSN. It consists of a five position control number and a sixth position, which identifies the desired level of repair.

      (3)   OPR NR. Operation Number. A five position field assigned to represent a block of work within the production number that can be accomplished by an individual Direct Labor Production Unit.

      (4)   ORDERED STOCK NUMBER. The NSN originally ordered, but unavailable for some reason at the time of the request.

      (5)   UNIT PRICE. The individual cost for the original item ordered.

      (6)   SUBSTITUTE STOCK NUMBER. The NSN substituted for the original item ordered.

      (7)   UNIT PRICE. the individual cost of the item substituted for the original request.

      (8)   VARIANCE. The difference between the ordered and the substituted unit price.

      (9)   QTY ISSUED. Number of individual components issued against the original request.

      (10) TOTAL VARIANCE. This is the variance based on the quantity issued times the individual component variance.

Figure 4-41. A-G005M-410-MG-MJF - I&S Sales Price Variance.

TITLE: QUARTERLY BOM EXCEPTION REPORT

PCN: A-G005M-411-QA-M83
                    A-G005M-412-QA-M83
                    A-G005M-413-QA-M84
                    A-G005M-414-QA-M84

JOB: MMUQA

PREPARATION: QUARTERLY/END OF QUARTER/1st WORK DAY

*** The G005M-411, 412, 413, And 414 are basically the same report, the only difference being as follows:

                    A-G005M-411, (Part 1), by RCC/PRODUCTION NUMBER
                    A-G005M-412, (Part 2), by RCC/DIVISION
                    A-G005M-413, (Part 3), by PLANNER/PRODUCTION NUMBER
                    A-G005M-414, (Part 4), by PLANNER/DIVISION

PRODUCT USE: A-G005M-411 (Part 1). This report is printed by RCC and PDN and is designed to readily show scheduling (PSF) personnel those BOMs that were analyzed and that need to be upgraded and file maintained first. Those BOMs with a low percent of PSF accuracy, should be reviewed by PSF personnel to ensure that material is being ordered properly. The last portion of this report is summarized and is used to build the G005M-412 report, rolled up and summarized through division to directorate level.

                    A-G005M-412 (Part 2). This report is printed by RCC within division and is designed to provide ready visibility of those RCCs within the product division that may require increased attention to their BOMs. A low percent of accuracy is an indication that PSF attention may be required to ensure material is ordered properly against those BOMs within that RCC or division. This report is a consolidation of the data extracted from the G005M-411 report and shows the cumulative figures for RCC, Section, Branch, Division, and directorate levels.

                    A-G005M-413 (Part 3). This product is printed by planner engineering code and production number and is designed to readily show planning personnel, those BOMs that were analyzed and that need to be upgraded and file maintained first. Those BOMs with a low percent of accuracy should be reviewed and upgraded. This report is Summarized up to section level and is used to build the G005M-414 report, which is rolled up and summarized through Division to Directorate level.

                    A-G005M-414 (part 4). This report is printed by planner engineering code within a division and is designed to provide ready visibility of those RCC's within a product division that may require increased attention to their BOMs. A low percent of accuracy is an indication that planner attention may be required to upgrade the BOMs with that Engineering organization or Division. This report is a consolidation of the data extracted from the G005M-413, report and shows the cumulative figures for Planner, Section, Branch, Division, and Directorate levels.

    a.   Heading Elements.

        (1)   TITLE. Quarterly BOM exception Report.

        (2)   DATE. The day, month, and year this report was produced.

        (3)   PCN. Product Control Number. The number assigned this product for tracking purposes.

        (4)   PAGE. The consecutive page number within this report.

    b.   Column Data.

        (1)   TOTAL RECORDS. The total number of component items on the BOM.

(2)   PLANNER ACCOUNTABLE. The number of total records that the planner is responsible for keeping accurate on the BOM.

(3)   PLANNER INACCURATE. The number of planner accountable records that were in error and for which the planner was charged with an error during the quarterly analysis of the BOM.

(4)   % ACCURATE. The planners percent of accuracy for planner accountable records. Formula: Planner accountable minus Planner inaccurate divided by Planner accountable records.

(5)   PSF ACCOUNTABLE. The number of total records the PSF is responsible for ensuring accurate requisitioning procedures (supply discipline).

(6)   PSF INACCURATE. The number of PSF accountable records that were in error and for which the PSF was charged an error during quarterly analysis of the BOM.

(7)   % ACCURATE. The PSF percent of accuracy for PSF accountable records. Formula: PSF accountable minus PSF inaccurate divided by PSF accountable records.

Figure 4-42. A-G005M-411-QA-M83 - Qtrly BOM Exception Rpt by RCC/Production Number.

Figure 4-43. A-G005M-412-QA-M83 - Qtrly BOM Exception Rpt by RCC/Div.

MABEBD   QUARTERLY BOM EXCEPTION REPORT   AS OF 27 AUG 85   A-G005M-413-QA-M84
                    PART 3 BY PLANNER/PROD NR   PAGE

PROD NR	TOTAL RECORDS	PLANNER ACCOUNTABLE	PLANNER INACCURATE	% ACCURATE	PSF ACCOUNTABLE	PSF INACCURATE	% ACCURATE
44444C	400	175	43	75	250	74	70
MABEBD	400	175	43	75	250	74	70
MABEB	400	178	43	75	250	74	70
MAB	400	175	43	75	250	74	70
MA	400	175	43	75	250	74	70

Figure 4-44. A-G005M-413-QA-M84 - Qtrly BOM Exception Rpt by Planner/Production Number.

MAB   QUARTERLY BOM EXCEPTION REPORT   AS OF 27 AUG 85   A-G005M-414-QA-M84   PAGE   1
                    PART 4 BY PLANNER/DIVISION

PLANNER	TOTAL RECORDS	PLANNER ACCOUNTABLE	PLANNER INACCURATE	% ACCURATE	PSF ACCOUNTABLE	PSF INACCURATE	% ACCURATE
MABEB	400	175	43	75	750	74	70
MAB	400	175	43	75	750	74	70
MA	400	175	43	75	750	74	70

Figure 4-45. A-G005M-414-QA-M84 - Qrtly BOM Exception Rpt by Planner/Division.

TITLE: NOCM ASSET WORKSHEET

PCN: A-G005M-500-BB-MM1

JOB: MMUBB

PREPARATION: BI-WEEKLY/SUNDAY/MONDAY

PRODUCT USE: This product is used at SA-ALC only. If you have questions concerning this report, contact your local G005M System OPR.

Figure 4-46. A-G005M-500-BB-MM1 - NOCM Assets Worksheet.

Chapter 5

AUTOMATED DATA REVIEW (ADR) DATACOM/DB

USAF Logistics Command System Menu

5-1. Query Options. This section identifies query options available to the user, and provides instructions on how to access various options.

    a. Dataquery. Associate DATAQUERY users have the ability to execute existing queries. DATAQUERY also provides a dialog function which is a process involving entry of prompt text, default values, and editing criteria for variable values. During dialog execution, DATAQUERY displays instructions, and allows variable search and edit values to be entered according to criteria specified by the dialog author.

    b. Selecting Dataquery. From the USAF LOGIS-TICS COMMAND SYSTEM MENU, figure 5-1, select the DQ option. This will display the DATAQUERY MAIN MENU PANEL, figure 5-2.

    c. Dataquery Main Menu. At the MAIN MENU, enter "1" for directories. This will display the

DATAQUERY DIRECTORY SELECTION, figure 5-3. Tab to queries and terms and select by placing an X next to this field and enter. This will list the DIRECTORY OF QUERIES AND TERMS PANEL, figure 5-4.

    d. Directory of Queries and Terms. This panel displays all queries and terms accessible to the user. To view available G005M, tab to the START WITH field on this panel and enter MM, figures 5-5, 5-6 and 5-7. To generate a specific query, place the cursor on a selection and enter PF4, figure 5-8, sample query. The user can change the selection criteria, add additional data fields to print or delete some data elements. In the examples, fig-ures 5-8 and 5-9, the selection criteria was changed to select production numbers 51161A instead of 72097A.

    e. On-Line Execution. After a query has been se-lected and/or modified, the user saves this query by pressing PF4. To execute the query press PF3. If a printer is available, change the report destination from video terminal to system printer, figure 5-10. Press PF3 to execute report.

```
DATE: 93/07/08              USAF LOGISTICS COMMAND                  TIME: 0913
                                  SYSTEM MENU


                            SELECTION: _____


                            AE  - G037F SYSTEM MENU
                            DQ  - DATAQUERY
                            DU  - G037E SYSTEM MENU
                            MM  - G005M SYSTEM MENU
                            OFF - LOGOFF SYSTEM



                    PF2:logoff      PF7:forward      PF8:backward
```

Figure 5-1. USAF Logistics Command System.

```
=>
---------------------------------------------------------------------------DQZ00
DATAQUERY: MAIN MENU
-------------------------------------------------------------------------------

ENTER THE NUMBER OF THE DESIRED FUNCTION ===>  1

1.   DIRECTORIES        - List of Queries, Terms, Files, and Saved Sets
2.   CREATE             - Query, Dialog or Term creation
3.   GUIDE              - Structured query creation
4.   ADMINISTRATION     - DATAQUERY system management
5.   HELP               - Display Help Information
6.   OFF                - DATAQUERY session termination
```

Figure 5-2. Dataquery Main Menu Panel.

```
=>-------------------------------------------------------------------DQA00
DATAQUERY:  DIRECTORY SELECTION
-------------------------------------------------------------------------------

X Queries and Terms     - List all queries and terms accessible to user
- Queries Only          - List queries accessible to user
- Terms Only            - List terms accessible to user
- Dialogs               - List dialogs accessible to user
- Public Queries        - List public queries
- Queries and Terms     - List queries/terms created by operator:
                          --------------------------------
- Files                 - List files accessible to user
                          Start File Directory with Letter: __

- Saved Sets            - List the saved sets

-------------------------------------------------------------------------===>

<PF1> HELP       <PF2> RETURN
```

Figure 5-3. Dataquery Directory Selection.

```
=>
Place cursor on desired name and press appropriate PF key
-----------------------------------------------------------------------------DQA30
DATAQUERY:  DIRECTORY OF QUERIES AND TERMS      START WITH:   MM-----
-------------------------------------------------------------------------------
QUERY NAME    | TYPE  | CREATED  |  USED   | DESCRIPTION
-------------------------------------------------------------------------------
MM-A01-A02    | QUERY | 10/03/88 | 06/29/90 | INTERROGATE G004C A01 A02
MM-A02-NOV28  | QUERY | 11/28/88 | 04/11/90 | G004C A2 TBL TLEP ILEP
MM-A02-702    | QUERY | 11/29/88 | 01/19/90 | A02 TABLE FOR MKLAA
MM-A05        | QUERY | 11/16/88 | 03/19/90 | PRINT G004C A05 TABLE 1
MM-A05-2      | QUERY | 11/16/88 | 04/11/90 | G004C A05 TABLE PART 2
MM-A05-3      | QUERY | 11/16/88 | 05/03/89 | G004C A05 TABLE PART 3
MM-A05-A02    | QUERY | 11/29/88 | 04/11/90 | PRINT G004C A05 TABLE 1
MM-LST-RCC/PC | QUERY | 05/15/90 | 05/16/90 | TEST PON
MM-MDS-TEST   | QUERY | 05/15/90 |          | TEST PON
MM-PDN-DESC   | QUERY | 05/15/90 | 05/15/90 | TEST PON
MM-PDN-TEST   | QUERY | 05/15/90 | 05/15/90 | TEST PON
MM-RC-ONLY    | QUERY | 05/15/90 | 05/15/90 |
MM-RC-FAC     | QUERY | 04/26/90 | 06/05/90 |
-------------------------------------------------------------------------===>

<PF1> HELP      <PF2> RETURN           <PF3> EXECUTE     <PF4> EDIT
<PF5> NOT USED <PF6> DELETE           <PF7> BACKWARD   <PF8> FORWARD
<PF9> SUBMIT   <PF10> EXTENDED DEF  <PF11> NOT USED <PF12> RIGHT
```

Figure 5-4. Directory of Queries and Terms.

```
=>
Place cursor on desired name and press appropriate PF key
--------------------------------------------------------------------------DQA30
DATAQUERY:   DIRECTORY OF QUERIES AND TERMS        START WITH:  MM---------
--------------------------------------------------------------------------------
QUERY NAME        | TYPE  | CREATED  |   USED   | DESCRIPTION
--------------------------------------------------------------------------------
AMG0702-TBL-RCC   | QUERY | 03/27/90 | 04/09/90 | FIND RCC
B20713-ARA-B01    | QUERY | 07/20/90 | 07/20/90 | FIND B01
B20713-TBL-B01    | QUERY | 07/20/90 |          | FIND B01
B20713-TBL-B04    | QUERY | 04/09/90 | 07/20/90 | FIND B04
DQ-INSTALL-TEST   | QUERY | 04/22/89 | 03/27/90 | QUERY FOR INSTALL TEST STEP
MM-A01-TEST       | QUERY | 06/26/90 | 07/19/90 |
MM-BPDN-ADD       | QUERY | 07/11/90 |          | ADD G005M BPDN SPDN TABLES
MM-BPDN-CHANGE    | QUERY | 07/11/90 |          | CHG G005M BPDN SPDN TABLES
MM-BPDN-DELETE    | QUERY | 07/11/90 |          | DEL G005M BPDN SPDN TABLES
MM-BPDN-LIST      | QUERY | 07/11/90 |          | LIST BPDN SPDN TABLE
MM-CIMSHT         | DIALOG| 06/28/90 | 07/16/90 | SHORTAGE REPORT BY COMPONENT
MM-CLKSHT         | DIALOG| 06/28/90 |          | SHORTAGE BY SUPPLY CLERK
MM-COMPSHT        | DIALOG| 06/28/90 |          | SHORTAGE REPORT BY COMP NSN
---------------------------------------------------------------------------===>


<PF1>  HELP      <PF2>  RETURN       <PF3>  EXECUTE    <PF4>  EDIT
<PF5>  NOT USED <PF6>  DELETE        <PF7>  BACKWARD   <PF8>  FORWARD
<PF9>  SUBMIT   <PF10> EXTENDED DEF <PF11> NOT USED   <PF12> RIGHT
```

Figure 5-5. First Panel for "Start With" MM.

```
=> Place cursor on desired name and press appropriate PF key
--------------------------------------------------------------------------DQA30
DATAQUERY:  DIRECTORY OF QUERIES AND TERMS          START WITH:-----------
--------------------------------------------------------------------------------
QUERY NAME        | TYPE   | CREATED  |  USED   | DESCRIPTION
--------------------------------------------------------------------------------
MM-A01-TEST       | QUERY  | 06/26/90 | 07/19/90|
MM-BPDN-ADD       | QUERY  | 07/11/90 |         | ADD G005M BPDN SPDN TABLES
MM-BPDN-CHANGE    | QUERY  | 07/11/90 |         | CHG G005M BPDN SPDN TABLES
MM-BPDN-DELETE    | QUERY  | 07/11/90 |         | DEL G005M BPDN SPDN TABLES
MM-BPDN-LIST      | QUERY  | 07/11/90 |         | LIST BPDN SPDN TABLE
MM-CIMSHT         | DIALOG | 06/28/90 | 07/16/90| SHORTAGE REPORT BY COMPONENT
MM-CLKSHT         | DIALOG | 06/28/90 |         | SHORTAGE BY SUPPLY CLERK
MM-COMPSHT        | DIALOG | 06/28/90 |         | SHORTAGE REPORT BY COMP NSN
MM-D200-LIST      | QUERY  | 07/11/90 |         | LIST D200 CODES BY PDN
MM-EIMSHT         | DIALOG | 06/28/90 |         | SHORTAGE REPORT END ITEM MGR
MM-EIMSHT         | DIALOG | 06/28/90 | 06/28/90| SHORTAGE REPORT BY EIM
MM-MICRPT         | QUERY  | 07/11/90 |         | MIC ORT TABLE (MICRPT)
MM-NONSUP-ENGR    | DIALOG | 06/28/90 |         | NONSUP QUERY BY RESP-PLNR
---------------------------------------------------------------------------===>

<PF1>  HELP      <PF2>  RETURN       <PF3>  EXECUTE    <PF4>  EDIT
<PF5>  NOT USED <PF6>  DELETE        <PF7>  BACKWARD   <PF8>  FORWARD
<PF9>  SUBMIT   <PF10> EXTENDED DEF <PF11> NOT USED   <PF12> RIGHT
```

This list will change as queries are added/deleted.

Figure 5-6. Second Panel for "Start With" MM.

```
=>
Place cursor on desired name and press appropriate PF key
-------------------------------------------------------------------------------DQA30
DATAQUERY:  DIRECTORY OF QUERIES AND TERMS      START WITH:  -----------
-------------------------------------------------------------------------------------
QUERY NAME         | TYPE  | CREATED |   USED   | DESCRIPTION
-------------------------------------------------------------------------------------
MM-NONSUP-PDN      | DIALOG| 06/28/90| 07/20/90 | NONSUP QUERY BY PDN
MM-PDNSHT          | DIALOG| 06/28/90| 07/18/90 | SHORTAGE REPORT BY PROD NBR
MM-QTY-PROD        | DIALOG| 06/28/90|          | PRODUCTION FOR END ITEM REQ
MM-RCCSHT          | DIALOG| 06/28/90|          | SHORTAGE REPORT BY RCC
MM-TRANS-INP       | DIALOG| 07/19/90| 07/19/90 | QUERY G005M INPUT TRANSACT
MM-UIO-ADD         | QUERY | 07/11/90|          | ADD G005M UNIT OF ISSUE TBL
MM-UOI-CHANGE      | QUERY | 07/11/90|          | CHG G005M UNIT OF ISSUE TBL
MM-UOI-DELETE      | QUERY | 07/11/90|          | DEL G005M UNIT OF ISSUE TBL
MMG0703-A01-TBL    | QUERY | 07/11/90| 07/15/90 | QRY CATALOG DATA
MMG0703-A02-TBL    | QUERY | 07/11/90|          | QRY I AND S DATA
MMG0703-A07-TBL    | QUERY | 07/11/90|          | BOM OPERATION DATA
MMG0703-A09-TBL    | QUERY | 07/11/90| 07/20/90 | PRINT A09 BY STK NR
MMG0703-A15-TBL    | QUERY | 07/11/90|          | MASS CHG TABLE
-----------------------------------------------------------------------------===>


<PF1>  HELP      <PF2>  RETURN       <PF3>  EXECUTE      <PF4>  EDIT
<PF5>  NOT USED <PF6>  DELETE        <PF7>  BACKWARD     <PF8>  FORWARD
<PF9>  SUBMIT   <PF10> EXTENDED DEF <PF11> NOT USED      <PF12> RIGHT
```

Figure 5-7. Third Panel for "Start With" MM.


```
=>
-------------------------------------------------------------------------------DQD10
DATAQUERY:  EDITOR
-------------------------------------------------------------------------------------
NAME:        MMG0703-A09-TBL                 TYPE: QUERY      STATUS: PUBLIC
DESCRIPTION:  PRINT A09 BY STK NR
  ....+....1....+....2....+....3....+....4....+....5....+....6....+....7
..============================= T O P =========================================
01     FIND ALL MMG0703-TBL-NSN RECORDS
02     WITH PDN = '51161A'
03 PRINT    FROM MMG0703-TBL-NSN
04     PDN   OP  COMP-STK-NR    UPA STD
05     SP-UPA SP-RPL
..============================= B O T T O M =====================================

-----------------------------------------------------------------------------===>

<PF1>  HELP       <PF2>  RETURN       <PF3>  EXECUTE      <PF4>  SAVE
<PF5>  DIALOG DEF <PF6>  DELETE       <PF7>  BACKWARD     <PF8>  FORWARD
<PF9>  UPDATE     <PF10> VALIDATE     <PF11> RIGHT/LEFT <PF12> CREATE MODE
```

Figure 5-8. Specific Query for PDN 51161A.

```
=>
-------------------------------------------------------------------------------DQD10
DATAQUERY:  EDITOR
-------------------------------------------------------------------------------
NAME:         MMG0703-A09-TBL                 TYPE: QUERY      STATUS: PUBLIC
DESCRIPTION:  PRINT A09 BY STK NR
   ....+....1....+....2....+....3....+....4....+....5....+....6....+....7
..================================ T O P ======================================
01      FIND ALL MMG0703-TBL-NSN RECORDS
02         WITH PDN = '72097A'
03 PRINT     FROM MMG0703-TBL-NSN
04       PDN    OP  COMP-STK-NR    UPA STD
05       SP-UPA SP-RPL
..============================= B O T T O M ====================================

-----------------------------------------------------------------------------===>
<PF1>   HELP           <PF2>  RETURN     <PF3>  EXECUTE     <PF4>  SAVE
<PF5>   DIALOG DEF <PF6>  DELETE     <PF7>  BACKWARD    <PF8>  FORWARD
<PF9>   UPDATE     <PF10> VALIDATE   <PF11> RIGHT/LEFT <PF12> CREATE MODE
```

Figure 5-9. Specific Query for PDN 72097A.

```
=>
----------------------------------------------------------------DQE10
DATAQUERY:  ONLINE EXECUTION
-----------------------------------------------------------------------
EXECUTE QUERY NAMED => ACTIVE - QUERY

EXECUTE STEP           The first query step to execute
X SELECTION            - Read and collect the data
- COMPUTATION          - Perform the user defined calculations
- SORTING              - Order the collected data
- REPROTING            - Product the report

REPORT FORMAT          The report format
- COLUMNAR             - Show data arranged one record per line
- LIST                 - Show data arranged one record per page

REPORT DESTINATION     The destination for the report
X VIDEO TERMINAL       - Produce report on the terminal
- NETWORK PRINTER ___  - Product report on a network printer
- SYSTEM PRINTER       - Product report on the system printer

-----------------------------------------------------------------------

<PF1> HELP     <PF2> RETURN      <PF3> EXECUTE      <PF4> TOTALING OPTIONS
```

Figure 5-10. On-Line Execution.

5-2. Dataquery Dialog. This section identifies steps used to execute dialog with dataquery.

   a. Dialog With Dataquery. At the DATAQUERY DIRECTORY SELECTION PANEL, figure 5-11, select the dialog option, this displays the DIRECTORY OF DIALOGS PANEL, figure 5-12. To select a dialog, tab to a selection and enter PF3. This produces an ON LINE EXECUTION PANEL, figure 5-13. Enter PF3 again to generate the dialog requested, figure, 5-14. Enter requested data and press PF3 to execute the selected dialog information, figure 5-15.

b. Non-Standard Operations. There are three non-standard operations planned for within the G005M system. Each is discussed below.

(1) BPDN Table File Maintenance. The BPDN Table is used at ALCs that have elected to consolidate similar Bills of Material (BPDNs) into one Pseudo Bill of Material (SPDBs), normally in the aircraft division. The G005M OPR may ask for changes to be made to the table. The changes will be accomplished by the G005M Surveillance Programmer using Data Query. the following queries may be edited and modified to accomplish the change:

Action	DATA QUERY NAMEA
Insert	MM-BPDN-ADD
Update	MM-BPDN-CHANGE
Erase	MM-BPDN-DELETE

The results of the updates should be printed and approximate entries made to the Data Base Log. This applies to all tables being updated using DATA QUERY.

(2) Unit of Issue Table File Maintenance. The G005M Unit of Issue Table resides on the Material Data Base. The table is used to verify the unit of issue received in normal file maintenance input from the planning technicians. Whenever the unit of issue changes for a stock number, by Stock List Change (MMUMBXXS) or (MMUBAXXSA), this table is accessed to validate the change and to obtain the conversion factor. The conversion factor is used to convert the issue history. Subsequent file maintenance of the table may be accomplished by the G005M Surveillance Programmer, using DATA QUERY. The following queries may be edited and/or modified to accomplish changes requested by the local G005M OPR.

Action	DATA QUERY NAMEA
Inset	MM-UOI-ADD
Update	MM-UOI-Change
Erase	MM-UOI-Delete

(3) D200 Job Designator Code Updates. This code resides on the data base and is used to identify Production Numbers to be reported to D200 in the Quarterly. The code will be numeric or blank. The G005M Surveillance Programmer may add code to/from a production number if requested by the local OPR.

D200 Value Analysis	Description	D-200 Interface
1	No D200 Interface	No
8	No Usage Analysis	No
Other	Any Other Code or Blank	Yes

The following queries may be edited and modified by the G005M Surveillance Programmer to accomplish the changes to the data base.

Action	DATA QUERY NAME
Print	MM-D200-LIST
Update	MM-D200-UPDATE

c. Cross Reference List Cyber Rehost to ADR DBMS.

The purpose of this list is to provide a reference of the old G005M data base elements and S2000 component numbers (i.e., cl, c401) to the new data element names contained in the G005M/ADR data base (Atch 1). This list may be used by the mission users when writing data queries as well as programmers when converting the S2000 programs to ADR DBMS.

d. Terms Explained.

GROUP ITEM - An item that is also redefined to lower levels. Example 'STKNBR' may be interrogated (15 pos) or it can also interrogate by 'NIIN', Class', or 'MCC'.

JOIN ELEMENT OR ITEM - A data element that is normally used to join the table being worked on with another table.

TABLE - A dataset containing one record of data. Table name MMG0703-tbl-cat contains all cataloguing data for a given stock number. It can be related to the S2000 data base repeating group 'CO'.

```
=>
Mark the desired Directory and press ENTER
--------------------------------------------------------------------------------DQA00
DATAQUERY: DIRECTORY SELECTION
--------------------------------------------------------------------------------

-  Queries and Terms     - List all queries and terms accessible to user
-  Queries Only          - List queries accessible to user
-  Terms Only            - List terms accessible to user
X  Dialogs               - List Dialogs accessible to user
-  Public Queries        - List public queries
-  Queries and Terms     - List queries and terms created by operator
                          ---------------------------------
-  Files                 - List files accessible to user
                          Start File Directory with Letter: _

-  Saved Sets            - List the saved sets

-----------------------------------------------------------------------------==>

<PF1>  HELP              <PF2>  RETURN
```

Figure 5-11. Dialog - Directory Selection.

```
=>
--------------------------------------------------------------------------------DQA30
DATAQUERY:  DIRECTORY OF DIALOGS              START WITH: -------------------------
--------------------------------------------------------------------------------
QUERY NAME       | TYPE  | CREATED  |  USED    | DESCRIPTION
--------------------------------------------------------------------------------
MM-CIMSHT        | DIALOG| 06/28/90 | 07/16/90 | SHORTAGE REPORT BY COMPON
MM-CLKSHT2       | DIALOG| 06/28/90 |          | SHORTAGE BY SUPPLY CLERK
MM-COMPSHT       | DIALOG| 06/28/90 |          | SHORTAGE RPT BY COMP NSN
MM-EIMSHT        | DIALOG| 06/28/90 |          | SHORTAGE RPT E/I MGR
MM-EISHT         | DIALOG| 06/28/90 | 06/28/90 | SHORTAGE REPORT BY EIM
MM-NONSUP-ENGR   | DIALOG| 06/28/90 | 06/28/90 | NON-SUP QUERY BY RESP-PLNR
MM-NONSUP-PDN    | DIALOG| 06/28/90 | 07/20/90 | NON-SUP QUERY BY PDN
MM-PDNSHT        | DIALOG| 06/28/90 | 07/18/90 | SHORTAGE RPT BY PROD NBR
MM-QTY-PROD      | DIALOG| 06/28/90 |          | PRODUCTION FOR E/I RQMT
MM-RCCSHT        | DIALOG| 06/28/90 |          | SHORTAGE REPORT BY RCC
MM-TRANS-INP     | DIALOG| 07/19/90 | 07/19/90 | QUERY G005M INPUT TRANS
-----------------------------------------------------------------------------===>

<PF1>  HELP       <PF2>  RETURN        <PF3>  EXECUTE       <PF4>  EDIT
<PF5>  NOT USED   <PF6>  DELETE        <PF7>  BACKWARD      <PF8>  FORWARD
<PF9>  SUBMIT     <PF10> EXTENDED DEF  <PF11> NOT USED      <PF12> RIGHT
```

Figure 5-12. Directory of Dialogs.

```
=>
Enter the desired options and press PF3 to execute
-------------------------------------------------------------------------DQE10
DATAQUERY:  ONLINE EXECUTION
-------------------------------------------------------------------------------
EXECUTE QUERY NAMED => ACTIVE-QUERY

EXECUTE STEP             The first query step to execute
  X  SELECTION           -  Read and collect data
  -  COMPUTATION         -  Perform user defined calculations
  -  SORTING             -  Order collected data
  -  REPROTING           -  Produce report

REPORT FORMAT            The report format
  -  COLUMNAR            -  Show data arranged one record per line
  -  LIST                -  Show data arranged one record per page

REPORT DESTINATION       The destination for the report
  X  VIDEO TERMINAL      -  Produce report on the terminal
  -  NETWORK PRINTER___  -  Produce report on a network printer
  -  SYSTEM PRINTER      -  Produce report on the system printer


-----------------------------------------------------------------------------==>

<PF1>  HELP    <PF2>  RETURN    <PF3>  EXECUTE    <PF4>  TOTALING OPTIONS
```

Figure 5-13. Dialog Execution.

```
=>
-----------------------------------------------------------------------------DQEX0

THIS DIALOG PRODUCES THE NON-SUPPORTABLE COMPONENT QUERY

ENTER PDN:
'26473A'

- LAST PAGE ---------------------------------------------------------------------==>
<PF1>  HELP         <PF2>  RETURN     <PF3>  CONTINUE   <PF4>  NOT USED
<PF5>  RANGE/LIST <PF6>  NOT USED   <PF7>  BACKWARD   <PF8>  FORWARD
```

Figure 5-14. Dialog PDN Selection.

```
=>

07/23/90        (NONSUP) NON-SUPPORTABLE COMPONENT ITEMS        PAGE   1A
09|25|02                           DETAIL

STKNBR          COMP-STK-NR      R-ENGR    PDN    OCC    UPA    STD    CC    RCC
------------------------------------------------------------------------------
1630012377732   5955011517379    MAKEIC    26473A  100    005    030    A    MKPICG
                5961011878068    MAKEIC    26473A  100    016    008    A    MKPICG
                5962011173730    MAKEIC    26473A  100    005    080    A    MKPICG
                5962011619648    MAKEIC    26473A  100    005    080    A    MKPICG

                                    4

------------------------------LAST PAGE----------------------------------===>

<PF1>  HELP         <PF2>  RETURN    <PF3>  TOTALS ONLY  <PF4>  DETAIL
<PF5>  NO TOTALS    <PF6>  STATS     <PF7>  BACKWARD     <PF8>  FORWARD
<PF9>  GRAPH        <PF10> NOT USED  <PF11> LEFT         <PF12> RIGHT
```

Figure 5-15. Dialog PDN Report.

G005M CROSS REFERENCE CYBER REHOST TO ADR

OLD	OLD	NEW	DATAVIEW/COMMENTS
S2K	S2K	ADR	
NR	TITLE	NAME	
C0	CATALOG DATA	MMG0703-TBL-CAT	MMG0703-DVW-U-A01
C1	MC-ITEM-NR	STKNBR	NSN, END ITEM
		FSC	FED SUPPLY CLASS
		NIIN	NATL ITEM ID NR
		MMC	MATL MGT CODE
C3	MC-PRIME-ALC	ALC	F G H L P
C4	MC-DMM-DIV	DIV	
C5	MC-UI	UI	EA PR ST HD
C6	MC-ERRC	ERRC	
C7	MC-PCMT-SORC-CD	PSC	PROCUREMENT SOURCE
C8	MC-UNIT-PRICE	UNIT-CST	
C9	MC-ACQ-ADV-CD	AAC	ACQUISITION ADVICE CODE
C10	MC-SORC-OF-SUPLY-CD		SOS
C14	MC-AVRG-REPAIR-COST	AV-REP-CST	
C15	MC-RG-FLAG	FLAG	
C16	MC-SUPPLY-MGR-CD	DS-MGR	
C17	MC-MANAGER-DESIG	IM	ITEM MANAGER (DMM)
C18	MC-BDGT	BDGT	BUDGET CODE
C19	MC-CSI	SI	SENSITIVE ITEM
C20	MC-IANDS-CODE	SI	
C21	MC-NOUN	NOUN	
C22	MC-PM	PM	PRODUCTION MANAGER
C23	MC-SP-ERRC	SP-ERRC	SALES PRICE ERRC

OLD	OLD	NEW	DATAVIEW/COMMENTS
C24	MC-SP-UNIT-PRICE	SP-PRICE	SALES PRICE UNIT PRICE
C25	MC-METAL	METAL	
C26	MC-PVC	PVC	PRICE VALIDATION CODE
C27	MC-ESC	ESC	EQUIPMENT SPECIALIST
C100/200	MMG0703-TBL-IAS MMG0703-DVW-U-A02	I&S DATA	
C101	MC-MSTR-NSN	IS-MSTR	
			FSC
			NIIN
			MMC
C201	MC-MEM-NSN	IS-MEMB	
			MEM-FSC
			MEM-NIIN
			MEM-MMC
C202	MC-MEM-CODE	IS-CD	
C203	MC-MEM-LINKAGE	LINK	
C400	MMG0703-TBL-PDN	PRODUCTION NR	
			DATA MMG0703-DVW-U-A04
C401	MC-JOB-NR	PDN-NR	JOB NR, CONTROL NR
		PRF	PREFIX
		NUM	POSITIONS 2-5
		JD	JOB DESIGNATOR
C402	MC-ACCT-CST-CTR	ACC	
		DIV	2 POS
		DRV	3 POS
		PS	1 POS
C403	MC-DATE-LAST-USE -ANAL	DT-LUA	
C405	MC-BOM-EST-DATE	BOM-EST	
C406	MC-CUR-PER-PROD	PRDC	
C407	MC-PVI-PER-PROD	PRD1	
C408	MC-PV2-PER-PROD	PRD2	
C409	MC-PV3-PER-PROD	PRD3	
C410	MC-PV4-PER-PROD	PRD4	
C411	MC-PV5-PER-PROD	PRD5	
C412	MC-PV6-PER-PROD	PRD6	
C413	MC-PV7-PER-PROD	PRD7	
C416	MC-PROD-ANALY-QTY	PAQ	
C417	MC-RGC	RGC	REPAIR GROUP CATEGORY
C420	MC-CT-OUT-BOUNDS	OB	
C421	MC-D049-JOB-DES	D049	
C422	MC-PREC4	PREC4	PRECEDENCE 4
C423	MC-PREC5	PREC5	PRECEDENCE 5
		STKNBR	JOIN TO CAT TABLE BY END ITEM

OLD	OLD	NEW	DATAVIEW/COMMENTS
C700	OPERATION NR DATA	MMG0703-TBL-OPN	KMMG0703-DVW-U-A07
C701	MC-MAJ-JOB-OPER	OPER	OPERATION NUMBER
C702	MC-RESP-ENGR-ORG	RESP-PLNR	
			PDIV
			PBR
			PSD
C704	MC-MAJ-OPR-OCC-FAC	OCC	OCCURENCE FACTOR
C705	MC-SP=PRICE	SP-PROCE	OPERATION SALES PRICE
C706	MC-SP-EST	SP-EST	ESTIMATED COST
		EI-PDN-OPER	JOIN TO OTHER TABLES
			EI
			PDN
		PDN-OPER	JOIN TO OTHER TABLES
C900	COMPONENT ITEM DATA	MMG0703-TBL-NSN	
C901	MC-COMP-ITM-NR	COMP-STK-NR	
			C-FSC
			C-NIIN
			C-MMC
C903	MC-UPA	UPA	UNITS PER ASSEMBLY
C904	MC-STD-REPL-PCT	STD	STANDARD REPLACEMENT %
C907	MC-MAINT-CST-CD	CC	COST CODE
C908	MC-CUR-PER-ISSUES	ISSC	
C909	MC-PV1-PER-ISSUES	ISS1	
C910	MC-PV2-PER-ISSUES	ISS2	
C911	MC-PV3-PER-ISSUES	ISS3	
C912	MC-PV4-PER-ISSUES	ISS4	
C913	MC-PV5-PER-ISSUES	ISS5	
C914	MC-PV6-PER-ISSUES	ISS6	
C915	MC-PV7-PER-ISSUES	ISS7	
C916	MC-DATE-LAST-ACT	DT-LA	
C917	MC-DATE-EST	DT-EST	
C918	MC-ANLY-RECOM	UAC	
C919	MC-ACT-RPL=PCT	ACT	NOT USED
C920	MC-REASON-CD	RC	
C921	MC-RESP=CST-CTR	RCC	
		RCC-DIV	
		RCC-SECT	
		RCC-SC	
C922	MC-COMP-MIC	MIC	
C923	MC-JOB-OPER-COMP	JOB-OPER-COMP	
C926	MC-UTIL-CD	UTIL	UTILITY CODE
C927	MC-NON-SUPPORT-DC	AB	ANALYSIS BLOCKAGE
C930	MC-MCC	MCC	MATERIAL CLASS-IFICATION CODE
C931	MC-SP-UPA	SP-UPA	SALES PRICE UPA

OLD	OLD	NEW	DATAVIEW/COMMENTS
C932	MC-SP-RPL	SP-RPL	SALES PRICE REPLACEMENT
C933	MC-SP-CC	SP-CC	SALES PRICE COST CODE
C934	MC-RPT-DIST	SK-OPR	SA-ALC
C935	MC-QTRS	QTRS	NR OF ISSUE QUARTERS
C936	MC-MS	MS	
C937	MC-NON-SUJPPORT -PERIOD	NSFY	NON SUPPORT FISCAL YR
	EI-PDN-OP	JOIN ELEMENTS	
	EI	END ITEM	
	PDN	PRODUCTIN NUMBER	
	OP	OPERATION	
	PDN-OP	JOIN ELEMENTS	
C1500	MASS CHANGE TABLE (AREA A40)	MMG0703-TBL-MSG	MMG0703-DVW-U-A15
C1501	MC-FORMAT-CODE	FC	
C1502	MC-MC-PDN	MC-PDN	PRODUCTION NR
C1503	MC-MC-OPER	MC-OPER	OPERATION NR
C1504	MC-MC-AOC	MC-ACC	RCC
C1505	MC-MC-ACTN	MC-ACTN	ACTION CODE
C1506	MC-MC-PLN-TECH	MC-PLAN	
C1507	MC-MC-OPER-NEW	MC-OPER-NEW	NEW OPERATION
C1508	MC-MC-PLN-TECH-NEW	MC-PLAN-NEW	NEW PLANNER
C1509	MC-MC-AOC-NEW	MC-ACC-NEW	NEW RCC
C1510	MC-MC-DT-EST	MC-DATE	
C1800	D033 ORG TABLE	MMG0703-TBL-MIC	MMG0703-DVW-U-MIC
C1801	MC-MIC-AOC	RCC	
C1802	MC-MIC-DEST	MIC	
C1900	UNIT OF ISSUE	MMG0703-TBL-UOI TABLE	MMG0703-DVW-UOI
C1901	MC-UI-NEW	UI-NEW	
C1902	MC-UI-OLD	UI-OLD	
C1903	MC-UI-CONV-FAC	UI-CONV	CONVERSION FACTOR
C2000	STOCKLIST CHG HISTORY	MMG0703-TBL-SLC	MMG0703-DVW-U-A20
C2001	MC-OLD-STK-NR	OLD-STK-NBR	
C2002	MC-OLD-UI	OLD-UI	OLD UNIT OF ISSUE
C2003	MC-UI-CONV-FAC	OLD-FAC	CONVERSION FACTOR
C2004	MC-SLC-DATE	SLC-DATE	
	NEW-STK-NBR	CHANGED TO NSN	
C2300	PART NUMBER DATA	MMG0703-TBL-PRT	MMG0703PDVW-U-A23
		NSN-MFG	GROUP ELEMENT
		NSN	JOIN ELEMENT

OLD	OLD	NEW	DATAVIEW/COMMENTS
C2301	MC-MFG-PART-NR	PART-NBR	
C2302	MC-FED-SUPPLY -MFG-CD	FSMC	
C2400	ISSUE CONSOLIDATION	MMG0703-TBL-ISS	MMG0703-DVW-I-ISS
C2401	MC-TP-PDN	T-PDN	PRODUCTION NUMBER
C2402	MC-T-DIV	T-DIV	DIVISION
C2403	MC-T-OPER	T-OPER	OPERATION NUMBER
C2404	MC-T-TECH	T-TECH	PLANNER
C2405	MC-T-RCC	T-RCC	
C2500	BPDN SPDN TABLE	MMG0703-TBL-BPD	MMG0703-DVW-U-BPD
C2501	MC-BPDN	BPDN NR	BENEFITTING PROD
C2502	MC-SPDN	SPDM	SUPPORT PROD NR
C2503	MC-SPRT-OCC	SOCC	OCCURENCE FACTOR
C2504	MC-SPRT-QPA	QPA	QTY PER ASSY

************ OTHER G005M DATA BASES / TABLES **************

C0	G004L VALIDATAION	MMG0703-TBL-VAL	MMG0703-DVW-U-A40
C1	MV-EI-IDEN	MV-EI-IDEN	END ITEM IDENTITY
C2	MV-EI-DESCRIP	MV-EI-DESCRIP	
C101	MV-JOB-NO	MV-JOB-NO	PRODUCTION NUMBER
C102	MV-RESP-ENGRG-ORG	MV-RESP-ENGRG-ORG	PLANNER
C103	MV-REP-GRP-CAT	MV-REP-GRP-CAT CATEGORY	REPAIR GROUP
C301	MV-ACTBL-RCC	MC-ACTBL-RCC	
C302	MV-SCH-DESIG	MV-SCH-DESIG	
C0	SHORTAGE DATABASE	MMG0703-TBL-SHR	MMG0703-DVW-U-A50
C10	NWN	NWN	GROUP ELEMENT
C1	CLASS	CLASS	
C2	NIIN	NIIN	
C3	MMC	MMC	
C4	CLK	CLK	DS CLERK
C5	CIM	CIM	COMPONENT ITEM MANAGER
C6	SHORT	SHORT	QTY SHORT - NIIN
C7	RCVD	RCVD	QUANTITY RECEIVED
C8	DATL	DATLA	DATE LAST ACTION
C9	IAS	IAS	I & S CODE
C101	PDN	PDN	PRODUCTION NUMBER
C102	END-ITEM	END-ITEM	
C103	EIM	EIM	END ITEM MANAGER
C104	SIMS	SIMS	SUPPLY ITEM MGR SPEC

OLD	OLD	NEW	DATAVIEW/COMMENTS
C105	PM	PM	PRODUCTION MANAGER
C106	ALC	ALC	
C107	PSHRT	PSHRT	QTY SHORT - PDN NR
C201	OPER	OPER	OPERATION NUMBER
C202	RCC	RCC	
C203	OSHRT	OSHRT	QTY - SHORT -OPERATION

FREQUENTLY USED JOIN ELEMENTS

TABLE	ELEMENT	JOIN TO	TABLE ELEMENT
A01	STKNBR	A05	NSN-206
A01	STKNBR	A20	NEW-STK-NR
A01	STKNBR	A23	NSN
A04	STKNBR	A01	STKNBR
A04	PDN-NR	A40	MV-JOB-NR
A04	PDN-NR	BPD	BPDN
A04	PDN-NR	BPD	SPDN
A04	PDN-NR	A40	MV-EI-IDEN
A04	PDN-NR	MSG	MC-PDN
A04	STKNBR	A40	MV-EI-IDEN
A07	PDN	A04	PDN-NR
A07	RESP-PLNR	A40	MV-RESP-ENGRG -ORG
A09	PDN-OP	A07	PDN-OPER
A09	COMP-STK-NR	A01	STKNBR (CATALOG DATA)
A09	EI	A01	STKNBR (END ITEM)
A09	COMP-STK-NR	A23	NSN
A09	COMP-STK-NR	A20	NEW-STK-NR
A09	COMP-STK-NR	A02	IS-MEMB
A09	COMP-STK-NR	A05	NSN-206
A09	RCC	MCC	RCC

* U.S. G.P.O.: 1991-282-891:75819

Table 5-1. G005M Cross Reference Cyber Rehost to ADR

Chapter 6

ON-LINE QUERY OUTPUT PRODUCTS

This section contains sample output products from the G005M on-line queries. These queries are used by the planner to verify production number data and by the PSF to verify component data.

Bill of Material Codes for File Maintenance Transactions

The G005M uses three codes for BOM file maintenance transactions. These codes are: (a) transaction; (b) BOM action; and (c) reasons for change codes. Brief definitions for each of these codes are provided below:

a.   Transaction Code is a three position alphanumeric code used to the tell the computer the functional area to which an input is being made and the identity of the transaction.

b.   BOM Action Code is a one position alpha code that identifies and recommends the type of BOM file maintenance action to be performed.

c.   Reason for Change Code is a one position alpha code used to indicate the reason for making a change in the BOM. (See attachment 2 Reason for Change Codes.)

```
MATERIAL ESTIMATED COST REPORT          AS OF 19 FEB 92       A-C005M-301-99-MST           PAGE  1
         RESP ENG ORG MABEKL


RCC                PROD NR         OPER NR          EXP COST            INV COST          TOTAL COST
                                                     MCC A               MCC E


MBRKAL             69756A          00010             75.00                 .00             75.00


                                                                TOTAL COST FOR  MABEKL     75.00
```

Figure 6-1. Q01 Estimated Cost

```
MANETK                ALC  BILL OF MATERIAL MASTER                 19-FEB-92         A-GO05M-072-DE-MXN         PAGE       1

  PDN        END ITEM                S  --PRIME---SPL   PM                              RESP      DATE
 NUMBER      IDENTITY          ACC   D  ALC  DIV  CLK  MGR                       RGC    ENG       ESTB


 17714A      1620010364299    MNTC9  K   G    I   CB   AL                         J    MANETK     90194


COMPONENT                     S  ACQ   RESP   OCC              RPL      E P C M  UNIT  REPLACEMENT  ITEM SOURCE/          U I
   NSN         OPER   RCC    .D  AC    ENGIN  FAC  UPA  CSI     %    UI  R S C C  PRICE PRICE        MFG CODE      FSCM   C S


1620010388960  00010  MNTCH  K   D     MANETK 100  001   7    100  EA  N 3 A D    5.06    .00                             L
5330010147779  00010  MNTCM  K   M     MAMETK 100  000   U    000  EA  N 3 A D   10.80    .00                             L
5330010178558  00010  MNTCM  K   M     MANETK 100  000   U    000  EA  N 3 A D   13.03    .00                             L
5330010191608  00010  MMTCM  K   D     MANETK 100  000   U    000  EA  N 3 A D   13.75    .00                             L
5330010198916  00010  MNTCM  K   Z     MANETK 100  000   U    000  EA  N F A D   19.26    .00                             L
5330010237640  00010  MMTCM  K   D     MANETK 100  000   U    000  EA  N F A D    8.39    .00                             L


  **MAIL TO MANETK
```

Figure 6-2. Q02 Part Number BOM.

```
MMIRQ3A                     BOM WITH USAGE DATA BY PDN

PROD NR = 17714A   ENGR =  MANETK
OPER  OCC  RGC  PRD-C    PRD-1    PRD-2    PRD-3    PRD-4    PRD-5    PRD-6    PRD-7
00010 100  J       0        0        0        0        0        0        1        0


COMP-5T0CK-NR   UPA   STD    ACTUN    ISS-C    ISS-1    ISS-2    ISS-3    ISS-4    ISS-5    ISS-6    ISS-7
_____

1620010388960    1   100    100        0        0        0        0        0        0        1        0
5330010147779    0     0    100        0        0        0        0        0        0        1        0
5330010178858    0     0    100        0        0        0        0        0        0        1        0
5330010191608    0     0    200        0        0        0        0        0        0        2        0
5330010198916    0     0    100        0        0        0        0        0        0        1        0
5330010237640    0     0    200        0        0        0        0        0        0        2        0
```

Figure 6-3. Option 1: BOM with usage data by PDN.

```
MMIRQ3BBOM WITH CATALOG DATA BY PDN


PDN   El-IDENTITY     ENGR    0PER  0CC  RGC  DATE EST  DATE LA
17714A 1620010364299  MANETK  00010 100  J      90194     91190


COMP STOCK NR   RCC     SD  UP STD  C  M  U  MI  UI  E  P  A  C  SOS  I   COST/AVG  DT-ES  DT-LA
_____  _____  __ _____ _  _  _  __  __  _  _  _  _  ___  ___ _____  _____  _____

1620010388960   MNTCM   K   1 100   A  D     QQ  EA  N  3  D  7  FG2  L      5.06    90207  90310
TOTAL BILL OF MATERIAL COST =      5.06  (FUNDED)          .00  (UNFUNDED)
```

Figure 6-4. Option 2: BOM with catalog data by PDN.

```
BOM 41TH MFC PART NR BY  PDN


PDN   El-IDENTITY     ENGR    0PER  0CC  RGC  DATE EST  DATE LA
17714A 1620010364299  MANETK  00010 100  I      90194     91190


COMP STOCK NR    UP  STD  MI C M UI E P  I  UNIT PRICE IS LK  MFG-PART-NR
_____  _____ __ _ _ __ _ _  _  _____ __ __  _____

1620010388960    1  100  QQ A D EA N 3  7       5.06  L    NO  MFG-PART-NR OM  PS
5330010147779    0    0  QQ A D EA N 3  U      10.80  L    NO  MFG-PART-NR OM  PS
5330010178858    0    0  QQ A D EA N 3  V      13.03  L    NO  MFG-PART-NR OM  PS
5330010191608    0    0  QQ A D EA N 3  U      13.75  L    NO  MFG-PART-NR OM  PS
5330010198916    0    0  QQ A D EA N F  U      19.26  L    NO  MFG-PART-NR ON  PS
5330010237640    0    0  QQ A D EA M F  U       8.39  L    NO  MFG-PART-NR ON  PS
```

Figure 6-5. Option 3: BOM with MFG part NR by PDN.

```
MMIRQ3A                     BOM UITM USAGE DATA BY PDN


PROD NR = 17714A   ENGR =  MANETK
0PER  OCC RGC PRD-C    PRD-1    PRD-2    PRD-3    PRP-4    PRD-5    PRD-6    PRD-7
00010 100  I      0        0        0        0        0        0        1        0


COMP-STOCK-NR   VPA STD  ACTVN ISS-C ISS-1 ISS-2 ISS-3 ISS-4 ISS-5 ISS-6 ISS-7
_____

1620010388960    1  100  100     0     0     0     0     0     0     1     0
5330010147779    0    0  100     0     0     0     0     0     0     1     0
5330010178858    0    0  100     0     0     0     0     0     0     1     0
5330010191608    0    0  200     0     0     0     0     0     0     2     0
5330010198916    0    0  100     0     0     0     0     0     0     1     0
```

Figure 6-6. Option 4: BOM with usage data by PDN.

```
MMIRQ3BBOM 41TH CATALOG DATA BY PDN


PDN   El-IDENTITY     ENGR     0PER  OCC  RGC  DATE EST  DATE LA
17714A 1620010364299  MANETK  00010  100   I      90194     91190


COMP STOCK NR    RCC    SD UP STD C M V MI UI E P A C SoS I  C0ST/AVG DT-ES DT-LA
_____  _____  _____ _ _ _ __ __ _ _ _ _ ___ _  _____ _____


1620010388960  MNTCH  K   1 100 A D   QQ EA N 3 D 7 FGZ L     5.06 90207 90310
TOTAL BILL OF MATERIAL COST =      5.06  (FUNDED)          .00  (UNFUNDED)
```

Figure 6-7. Option 5: BOM with catalog data by PDN.

```
BOM 41TH MFG PART NR BY PDN


PDN    El-IDENTITY     ENGR     0PER  0CC  RGC  DATE EST  PATE LA
17714A 1620010364299  MANETK  00010  100   I      90194     91190


COMP STOCK NR    UP STD MI C M UI E P I  UNIT PRICE IS LK  MFG-PART-NR
_____  __ ___ __ _ _ __ _ _ _  _____ __ __  _____


1620010388960    1 100 QQ A D EA N 3 7      5.06  L    NO MFG-PART-NR ON DB
5330010147779    0   0 QQ A D EA N 3 V     10.80  L    NO MFG-PART-NR ON DB
5330010178858    0   0 QQ A D EA N 3 V     13.03  L    NO MFG-PART-NR ON DB
5330010191608    0   0 QQ A D EA N 3 V     13.75  L    NO MFG-PART-NR ON DB
5330010198916    0   0 QQ A D EA N F V     19.26  L    NO MFG-PART-NR ON DB
5330010237640    0   0 QQ A D EA N   U      8.39  L    NO MFG-PART-NR ON DB
```

Figure 6-8. Option 6: BOM with MFG part NR by PDN.

```
                   DISPLAY ALL PRODUCTION NUMBERS


PRP-NR   RESP-ENCR   DATE-ESTAB    DATE-USC-ANAL    RCC        TOTAL
_____   _____   _____    _____    ___        _____


00510A   MAKEET      67209         91190            I             31
16316A   MAKEET      81334         92007            I            145
19869A   MAKEET      83034         91280            I              1
19923A   MAKEET      91196             0            I              0
19934A   MAKEET      82303         91097            I             47
20432A   MAKEET      87202         92007            I              6
21069A   MAKEET      91175             0            I             12
24333A   MAKEET      91336             0            I              2
26221A   MAKEET      90115         91280            I            275
28066A   MAKEET      90087         92007            I              4
57781A   MAKEET      74313         91280            I             56
61472A   MAKEET      76073         91190            I             94
62209A   MAKEET      81196         91280            I              8
62438A   MAKEET      89298         91280            I              4
62454A   MAKEET      89137         91097            I             16
63513A   MAKEET      80228         91190            I             11
65514A   MAKEET      88264         91190            I             32
66393A   MAKEET      91277             0            I              8
69328A   MAKEET      82309         91190            I             16
69641A   MAKEET      83181         91190            I             11
69728A   MAKEET      83215         91190            I             22
71621A   MAKEET      75074         91097            I             30
```

Figure 6-9. Option 1: Display all Production Numbers.

```
                      DISPLAY PRODUCTION AND OPERATION NUMBERS


PRD-NR      OPER-NR     RESP-EMGR       OCC-FAC
──────      ───────     ─────────       ───────

00510A      00010       MAKEET          100
16316A      00010       MAKEET          100
19869A      00010       MAKEET          100
19923A      00010       MAKEET          100
19934A      00010       MAKEET          100
20432A      00010       MAKEET          100
21069A      00010       MAKEET          100
24333A      00010       MAKEET          100
26221A      00010       MAKEET          100
28066A      00010       MAKEET          100
57781A      00010       MAKEET          100
61472A      00010       MAKEET          100
62209A      00010       MAKEET          100
62438A      00010       MAKEET          100
62454A      00010       MAKEET          100
63513A      00010       MAKEET          100
65514A      00010       MAKEET          100
66393A      00010       MAKEET          100
69328A      00010       MAKEET          100
69641A      00010       MAKEET          100
69728A      00010       MAKEET          100
71621A      00010       MAKEET          100
```

Figure 6-10. Option 2: Display Production and Operation NR.


```
                         DISPLAY HIGH COST COMPONENTS


PRD-NR  OPER   COMP-STOCK-NR     UI RCC     C NS UP   STD ACT   UNIT-PRICE  T-ISS
──────  ────   ─────────────     ── ──────  ─ ── ──   ─── ───   ──────────  ─────

00510A  00010  1450010349671     EA MKPEAC  A    1     4   6       498.18      2
00510A  00010  1450010350584     EA MKPEAC  A 2  1     4   6       393.09      2
00510A  00010  4320011338038     EA MKPEAC  A    1     0   0       847.25      0
00510A  00010  4820008339302     EA MKPEAC  A    1    25  26       100.03      8
16316A  00010  1450011192203AM   EA MKPEAC  A    1     2   2      6053.77      3
16316A  00010  1450001049710AM   EA MKPEAC  A    1     3   2       123.61      3
16316A  00010  1450004748317AM   EA MKPEAC  A    2     2   2       341.75      7
16316A  00010  1450009790825AM   EA MKPEAC  A    1    22  20       105.10     28
16316A  00010  1450010930594AM   EA MKPEAC  E 2  1    50   4      9295.75      4
16316A  00010  1450010972362AM   EA MKPEAC  A    1     0   0       169.44      0
16316A  00010  1450010928599AM   EA MKPEAC  E 2  1    11   8      1312.22     12
16316A  00010  1450010972209AM   EA MKPEAC  A    1    14   4       560.44      6
16316A  00010  1450011049417AH   EA MKPEAC  A    1     0   0       396.02      0
16316A  00010  1450011049418AM   EA MKPEAC  A    1     0   0       343.10      0
16316A  00010  1450011049420AM   EA MKPEAC  A    1     0   0       291.05      0
16316A  00010  1450011049421AM   EA MKPEAC  A    1     0   0       206.10      0
16316A  00010  1450011072922AM   EA MKPEAC  A    1     0   0       503.06      0
16316A  00010  1450009819729AM   EA MKPEAC  A    1    13  14       266.84     20
16316A  00010  1450012043597AM   EA MKPEAC  A    1     6   4       115.39      5
16316A  00010  3020005627850AM   EA MKPEAC  A    1     0   0       163.71      0
16316A  00010  3010011087182AM   EA MKPEAC  A    1     0   0       752.97      0
16316A  00010  3020011228580AM   EA MKPEAC  A    3    50   0       844.38      1
16316A  00010  3040008195980AH   EA MKPEAC  A    1     0   0       902.51      0
16316A  00010  3040011080263AM   EA MKPEAC  A 2  2   100   0       165.91      0
16316A  00010  3020011046546AM   EA MKPEAC  A    1     0   0       455.15      0
16316A  00010  3020011046547AM   EA MKPEAC  A    1     0   0       442.54      0
16316A  00010  3020011082344AM   EA MKPEAC  A    1     0   0       346.01      0
16316A  00010  3040010977335AH   EA MKPEAC  A    1     4   4       118.99      5
16316A  00010  3040011087181AM   EA MKPEAC  A    1     0   0       382.79      0
16316A  00010  3130005627620AH   EA MKPEAC  A    1     1   2       285.09      1
16316A  00010  4810011088030AM   EA MKPEAC  A    1     0   0       357.38      0
16316A  00010  3130005627853AM   EA MKPEAC  A    1     2   2       213.26      2
16316A  00010  4935010939832AM   EA MKPEAC  A    1     2   2       134.25      2
16316A  00010  3020010972208AM   EA MKPEAC  A    1    12  12       114.03     16
16316A  00010  3120007097677AM   EA MKPEAC  A    1    14  12       106.26     16
16316A  00010  3120007386758AM   EA MKPEAC  A    1    16  12       238.35     18
16316A  00010  4010012857435AM   EA MKPEAC  A    1    47  46       146.06     67
16316A  00010  5310012051023AM   EA MKPEAC  A    1     0   0       260.44      0
```

Figure 6-11. Option 3: Display High Cost Components.

```
                          DISPLAY INDIRECT MATERIAL COMPONENTS


PDN-NR  OPER   COMP-ST0CK-NR    UI RCC     CNS  UP STD   ACT UNIT-PRICE  T-ISS
──────  ─────  ─────────────    ── ──────  ─── ─────────────────────────────────

16316A  00010  3020009027295    FT MKPEAC  L    1   0    20      3.70       0
16316A  00010  3110001839175    MD MKPEAC  L    1   0    20      2.76       0
16316A  00010  5305000526917    MD MKPEAC  L    4   0    20      4.95       0
16316A  00010  5305000546649    MD MKPEAC  L    2   0    20      1.38       0
16316A  00010  5305002692804    MD MKPEAC  L    2   0    20      6.33       0
16316A  00010  5305005432023    MD MKPEAC  L    4   0    20      5.07       0
16316A  00010  5305008893000    MD MKPEAC  L    4   0    20       .68       0
16316A  00010  5305009584359    MD MKPEAC  L   16   0    20      2.53       0
16316A  00010  5305009836660    MD MKPEAC  L    2   0    20      7.33       0
16316A  00010  5305009837428    MD MKPEAC  L   16   0    20     17.67       0
16316A  00010  5305009897435    MD MKPEAC  L    0   0    20      1.64       0
16316A  00010  5305010140221    EA MKPEAC  L    4   0    20       .03       0
16316A  00010  5310000617326    MD MKPEAC  L    4   0    20      5.09       0
16316A  00010  5310001856463    PC MKPEAC  L    1   0    20     16.38       0
16316A  00010  5310001860965    PC MKPEAC  L    1   0    20      2.42       0
16316A  00010  5310005967691    MD MKPEAC  L    4   0    20       .35       0
16316A  00010  5315000589756    MD MKPEAC  L    0   0    20      2.20       0
16316A  00010  5315002398019    MD MKPEAC  L    0   0    20      1.04       0
16316A  00010  5315008263251    MD MKPEAC  L    0   0    20      2.82       0
16316A  00010  5365007214828    MD MKPEAC  L    0   0    20      3.49       0
16316A  00010  6850008807616    TV MKPEAC  L    1   0    20      3.22       0
16316A  00010  8030001806150    BX MKPEAC  L    0   0    20      6.61       0
16316A  00010  8030001806222    ST MKPEAC  L    0   0    20      1.71       0
16316A  00010  8030008237917    ST MKPEAC  L    0   0    20      1.71       0
16316A  00010  8135011291142    SM MKPEAC  L    1   0    20       .00       0
16316A  00010  5310000806004    MD MKPEAC  L    0   0    20       .87       0
16316A  00010  5305009836651    MD MKPEAC  L    0   0    20      4.75       0
28066A  00010  3110001839175    MD MKPEAC  L    1   0    20      2.76       0
28066A  00010  5305000546649    MD MKPEAC  L    2   0    20      1.38       0
28066A  00010  5305009836651    MD MKPEAC  L    6   0    20      4.75       0
```

Figure 6-12. Option 4: Display Indirect Material Components.

```
                          DISPLAY USAGE lOUT OF BOUNDS I COMPONENTS


PDN-NR  OPER   COMP-ST0CK-NR    UI RCC     CNS  UP STD   ACT UNIT-PRICE  T-ISS
──────  ─────  ─────────────    ── ──────  ─── ─────────────────────────────────

00613A  00010  4520P320852F     EA MKPEBC A2   1  80   112     17.34       9
16132A  00010  1430009216975AM  EA MKPEBC A    2 100     0      2.18       0
16132A  00010  5330008392084    EA MKPEBC A    1 100     0      5.63       0
16132A  00010  5330008392085    EA MKPEBC A    2 100     0     43.25       0
20402A  00010  5365005105311    EA MKPEBC A    4 100     0      9.52       0
20402A  00010  3110000345257    EA MKPEBC A   12 100     0      7.94       0
20402A  00010  3110000278758    EA MKPEBC A    8 100     0      6.84       0
20402A  00010  1430005934158AM  EA MKPEBC A    1 100     0    117.46       0
20402A  00010  1430005934239AM  EA MKPEBC A    1 100     0     49.22       0
20402A  00010  1430005934258AM  EA MKPEBC A    1 100     0     38.66       0
26237A  00010  1430009216975AM  EA MKPEBC A    2 100     0      2.18       0
26237A  00010  5330001057191AM  EA MKPEBC A    1 100     0     56.42       0
26237A  00010  5330008392084    EA MKPEBC A    2 100     0      5.63       0
26237A  00010  5330008392085    EA MKPEBC A    1 100     0     43.25       0
26237A  00010  5330008455016    EA MKPEBC A    1 100     0      2.00       0
28183A  00010  2510011163783    EA MKPEAC A    4 100   108    140.94      13
28183A  00010  2530011064257    EA MKPEAC A    1  20   400    234.14       8
28183A  00010  2610002607345    EA MKPEAC A    5  80   200      8.45      10
28183A  00010  4720010972330    EA MKPEAC A    2  89   118     29.93       7
28183A  00010  4730012475480    EA MKPEAC A    3 100   112     16.00      10
28183A  00010  5330011101819       MKPEAC     4 100     0       .00       0
28183A  00010  5340ND032845CPK  EA MKPEAC A    0   0   200     11.93       2
32276A  00010  5910005834517    EA MKPEBC A    1 100     0      1.75       0
32276A  00010  2920004292577    EA MKPEBC A    1 100   126      4.58       5
50394A  00010  1430005934158AM  EA MKPEBC A2   1 100     0    117.46       1
50394A  00010  1430005934239AM  EA MKPEBC A2   1 100     0     49.22       1
50394A  00010  1430005934258AM  EA MKPEBC A2   1 100     0     38.66       1
50394A  00010  3110000345257    EA MKPEBC A2  12 100     0      7.94       0
50394A  00010  3110000278758    EA MKPEBC  2   8 100     0      6.84       0
50485A  00010  5365005105311    EA MKPEBC A1   4 100     0      9.52       0
```

Figure 6-13. Option 5: Display Usage/Out of Bounds/Components.

```
                        DISPLAY COMPONENTS 41TH HICM UPA


PDN-NR  0PER  COMP-ST0CK-NR   UI RCC    CNS UP  STP  ACT UNIT-PRICE  T-ISS
──────  ────  ─────────────   ── ───    ─── ──  ───  ─── ──────────  ─────

20402A  00010  3110000345257  EA MKPEBC  A  12  100    0       7.94       0
450021  00010  4540008930701  EA MKPEAC  A  12    0    0     249.01       0
50394A  00010  3110000345257  EA MKPEBC  A2 12  100    0       7.94       0
50485A  00010  3110000345257  EA MKPEBC  A2 12  100  100       7.94      12
72437A  00010  3110000345257  EA MKPEBC  A2 12  100   68       7.94       8
```

Figure 6-14. Option 6: Display Components with High UPA.

```
                      DISPLAY NON-SUPPORTABLE COMPONENTS


PDN-NR   0PER    COMP-ST0CK-NR       UI RCC     CNS  UP STD  ACT UNIT-PRICE T-ISS
──────   ──────  ─────────────       ── ──────  ───  ── ───  ─── ────────── ─────

15988A   00010   3120006629299       EA MNTCMK  A2   1  20   16      13.80      30
17552A   00010   3040000056639       EA MNTCMK  A2   1   3    2     125.70       3
17552A   00010   5330000553437       EA MNTCMK  A2   1  73   94      36.14     172
17575A   MC363   4810002399242LE     EA MNTCMK  A1   1  28   10     714.75       3
17605A   00010   5365001581358       EA MNTCMK  A2   1  25    0        .98       2
17605A   00010   5330010418294       EA MNTCMK  A2   2  50  200       1.11      24
17605A   00010   5330010422816       EA MMTCMK  A2   1 100  200       1.76      12
17605A   00010   1620010405020       EA MNTCHK  A2   1   5    0     125.76       0
17605A   00010   1620010405021       EA MNTCHK  A2   1   5    0      55.76       0
17605A   00010   1620010405019       EA MNTCHK  A2   1  50    0      89.59       1
17605A   00010   1620010406926       EA MNTCMK  A2   1  25    0     183.40       0
17605A   00010   1620010406927       EA MNTCMK  A2   1  25    0     194.17       0
17605A   00010   1620010406928       EA MNTCMK  A2   1   5    0     116.80       0
17605A   00010   1620010406929       EA MNTCHK  A2   1   5    0     258.96       0
17605A   00010   1620010406930       EA MNTCMK  A2   1   5    0      36.54       0
17605A   00010   1620010408455       EA MNTCHK  A2   1   5    0      22.41       0
17605A   00010   3110001980466       EA MNTCHK  A2   1  25    0        .22       0
17605A   00010   3120010434384       EA MMTCMK  A2   1  25    0     116.82       0
17605A   00010   4730001694233       EA MNTCMK  A2   1  50    0       4.13       0
17605A   00010   4820010457684       EA MNTCMK  A1   1 100    0     136.71       6
17605A   00010   1650010689264LE     EA MNTCMK  A2   1  25   34      35.86       2
17605A   00010   4330004215839       EA MNTCMK  A2   1  90  100       4.15       6
17605A   00010   3120004709149LE     EA MNTCMK  A2   2  30  108      32.46      13
17605A   00010   5330010429064LM     EA MNTCMK  A2   1 100  234       1.17      14
17605A   00010   1650010681929LE     EA MNTCHK  A2   1 100   34        .67       2
17631A   00010   1620010322950       EA MNTCMK  A2   1   5    0     119.73       0
17631A   00010   1620010364319       EA MNTCMK  A2   1  15   12     910.29      11
17631A   00010   1620011603002       EA MNTCMK  A2   1  34   26      88.32      20
17631A   00010   5310010122182       EA MNTCHK  A2   1   5    0      49.90       0
17631A   00010   5320010126839       EA MNTCMK  A2   1   5    0       3.66       0
17631A   00010   5365010134602       EA MNTCMK  A2   1   5    4      88.08       2
17631A   00010   9905000699481LE     EA MNTCMK  A2   1   5    0        .45       0
19542A   HR010   5340002003747          MNTCMK   2   2  20    0        .00       0
19838A   00010   1680007419184LE     EA MNTCMK  A1   1   5    0     166.43       0
19838A   00010   1620000769595       EA MNTCMK  A2   1   5    0        .00       0
19838A   00010   1620000680255       EA MNTCHK  A2   1  40   30       1.74      40
```

Figure 6-15. Option 7: Display Non-Supportable Components.

```
                    NON-SUPPORTABLE COMPONENTS


PROD NR = 17552A    ENGR =  MANETK
0PER   OCC RGC PRD-C    PRD-1    PRD-2    PRD-3    PRD-4    PRP-5    PRD-6    PRD-7
00010  100  I     6        9       55       13        6       37       21       35


COMP-STOCK-NR   UPA STD ACT U N ISS-C ISS-1 ISS-2 ISS-3 ISS-4 ISS-5 ISS-6 ISS-7
─────────────   ─── ─── ─── ─ ─ ───── ───── ───── ───── ───── ───── ───── ─────

3040000056639    1   3   2  2 0     0     0     1     0     0     2     0     0
5330000553437    1  73  95  2 27    5    55    11     7    36    22     9
```

Figure 6-16. Option 1: Non Supportable Components.

```
                    INDIRECT MATERIAL COMPONENTS


PROD NR = 16316A    ENCR =  MAKEET
0PER  OCC RGC PRP-C    PRD-1    PRD-2    PRD-3    PRD-4    PRD-5    PRD-6    PRD-7
00010 100  I     3       16       20       20       24       20       20       22


COMP-ST0CK-NR   UPA STD  ACT U N ISS-C 1SS-1 1SS-2 1SS-3 1SS-4 1SS-5 1SS-6 1SS-7
_____ _ _____

3020009027295    1   0    0        0     0     0     0     0     0     0     0
3110001839175    1   0    0        0     0     O     0     0     0     0     0
5305000526917    4   0    0        0     0     0     0     0     0     0     0
5305000546649    2   0    0        0     0     0     0     0     0     0     0
```

Figure 6-17. Option 2: Indirect Material Components.

```
                    USAGE RECOMMENDED CHANGES


PROD NR = 16316A    ENGR =  MAKEET
0PER  OCC RGC PRD-C    PRD-1    PRP-2    PRD-3    PRD-4    PRD-5    PRP-6    PRD-7
00010 100  I     3       16       20       20       24       20       20       22


COMP-ST0CK-NR   UPA STD  ACT U N ISS-C 1SS5-1 1SS-2 1SS-3 1SS-4 1SS-5 1SS-6 1SS-7
_____ _ _____

1450011192203AM  1   2    3  C     0     0     0     0     0     0     3     0
1450001049710AM  1   3    3  C     0     0     0     1     2     0     0     0
1450002264471AM  1  30   29  C     0     6     7     7     6     1    10     5
1450009790825AM  1  22   20  C     0     0     3     5     2     2     4    12
1450007615290AM  2  23   20  C     2     5     4     7     5     7    12    15
1450008648259AM  1  63   60  C     2    10    10    14    14     8    10    18
1450009806251AM  1  11   13  C     1     0     4     4     2     3     3     1
1450009819729AM  1  13   14  C     1     0     4     4     2     3     5     1
1450010362903AM  1  22   20  C     0     1     4     4     4     2     8     6
1450012043597AM  1   6    4  C     0     1     0     0     0     1     0     3
3020010972207AM  1  15   13  C     1     3     3     3     1     2     1     4
3040011049488AM  3   9    9  C     0     3     0    15     0     6     7     0
3110001069480    1   3    3  C     0     0     1     0     1     1     0     0
3110001448869    2  12   12  C     0     2     0    10     0     8     8     0
3120009787741AM  2   4    3  C     0     0     0     0     0     0     3     4
3130005627620AM  1   1    1  C     0     0     0     0     0     0     1     0
3110001023002    1   8    9  C     2     2     2     1     0     0     3     2
3020010972208AM  1  12   12  C     0     1     1     3     3     3     3     2
3110005165171    1  10   10  C     0     1     0     4     0     3     4     0
3110005854140    1  16   16  C     0     1     0     7     0     7     4     0
3120007097677AM  1  14   12  C     1     0     0     2     3     2     5     3
3110PSS73L00     1  15   15  C     0     1     3     6     0     5     0     0
3110001981638    1  11   11  C     0     3     1     2     4     1     3     1
3120007386758AM  1  16   13  C     0     1     1     3     3     2     5     3
4010012857435AM  1  47   47  C     1    11    11    11     5     7    16     5
5307011035651AM  4   1    1  C     0     0     0     0     0     0     4     0
5310010454114AM  1   7    5  C     0     0     0     0     0     2     3     1
5305011190827AM  1  23   20  C     0    10     0     2     2     3     5     6
5315003174938AM  1   2    2  C     0     0     0     1     0     0     0     0
5315012051117AM  1   4    0  C     0     0     0     0     0     0     0     0
5330005610387    1   2    3  C     0     0     0     0     0     1     1     1
5330005996743    2   9    6  C     0     0     0     0     0     0    10     5
5330010147691AM  2   6    6  C     0     1     0     5     0     3     4     0
5330011264934    1  33   27  C     0     0     0     0     2     9    15    13
5340P886759F     1   2    2  C     0     0     0     0     0     1     1     0
5340009806247AM  1  12   12  C     2     0     1     1     1     1     5     5
5320000171546    1   6    5  C     0     1     0     2     3     0     1     0
5330011083079AM  1   4    4  C     0     0     1     1     1     1     0     0
5330011098087    2  10    8  C     0     1     1     4     2     4     6     5
5330011182287AM  1  13   13  C     0     1     0     5     0     5     4     0
5340002679550AM  1   7    5  C     0     1     0     2     0     0     1     2
5340004278691AM  1  13    9  C     0     0     0     1     3     0     6     2
5340011097885    1  11   10  C     0     0     1     5     3     4     0     1
```

Figure 6-18. Option 3: Usage Recommended Changes.

```
PROD NR = 16316A    ENCR =  MAKEET
0PER  OCC RGC PRD-C    PRD-1    PRD-2    PRD-3    PRP-4    PRD-5    PRD-6    PRD-7
00010 100  I      3      16       20       20       24       20       20       22


COMP-ST0CK-NR   UPA STD  ACT U N ISS-C ISS-1 ISS-2 ISS-3 ISS-4 ISS-5 ISS-6 ISS-7
─────────────────────── ─ ───────────────────────────────────────────────────────

3020005627850AM  1   O    0        0     0     0     0     0     0     0     0
3020009027295    1   0    0        0     0     0     0     0     0     0     0
3020002671886    1   0    0        0     0     0     0     0     0     0     0
3020004750050AM  1   3    3        0     0     0     0     0     0     1     2
3020004749242AM  2   2    2        0     1     0     0     0     0     1     2
3020010456394    2   0    0        0     0     0     0     0     0     0     0
3020011228580AM  3  50    1        0     0     0     0     0     1     0     0
3020010972207AM  1  15   13  C     1     3     3     3     1     2     1     4
3020011046546AM  1   0    0        0     0     0     0     0     0     0     0
3020011046547AM  1   0    0        0     0     0     0     0     0     0     0
3020011082344AM  1   0    0        0     0     0     0     0     0     0     0
3020010972208AM  1  12   12  C     0     1     1     3     3     3     3     2
3020010939395AM  0   0    6        0     1     0     0     0     0     0     0
```

Figure 6-19. Option 4: Component Data by Class.


```
                        OUT OF BOUNDS   -   COMPONENT


PROD NR = 16316A    ENGR =  MAKEET
OPER  0CC RGC PRD-C    PRD-1    PRD-2    PRD-3    PRD-4    PRP-6    PRD-7
00010 100  J      3      16       20       20       24       20       20       22


COMP-ST0CK-NR    UPA STD ACT U N ISS-C ISS-1 ISS-2 ISS-3 ISS-4 ISS-5 ISS-6 ISS-7
─────────────────────── ─ ───────────────────────────────────────────────────────

3040011080263AM  2 100    0  2     0     0     0     0     0     0     0     0
530501O977198AH  0   0  400       12     0     0     0     0     0     0     0
```

```
                          COMPONENT DATA BY CLASS
```

Figure 6-20. Option 5: Out of Bounds Components.


```
                        USAGE NO STANDARD COMPONENT


PROD NR = 16316A    ENGR =  MAKEET
OPER  OCC RGC PRD-C    PRD-1    PRD-2    PRD-3    PRP-4    PRD-5    PRD-6    PRD-7
00010 100  J      3      16       20       20       24       20       20       22


COMP-STOCK-NR    UPA STD ACT U N ISS-C ISS-1 ISS-2 ISS-3 ISS-4 ISS-5 ISS-6 ISS-7
─────────────────────── ─ ───────────────────────────────────────────────────────

5306010544565    2   0    3        0     1     0     0     0     0     0     0
5315006821733    1   0    2        0     0     0     2     0     0     0     0
5330010150428AM  0   0   11        0     1     0     5     0     5     0     0
5355010869919    0   0    5        0     1     0     2     0     2     0     0
5360011088031AH  1   0    3        0     0     1     0     0     0     0     0
5977011190831AH  2   0    3        0     0     2     0     0     0     0     0
5935009039770    0   0    5        0     1     0     3     0     1     0     0
5305003071592    0   0   45        0    20     0     6     0     0     0     0
3110011267491    0   0    3        0     0     1     0     0     0     0     0
5310007275223    0   0   65        0     0    25     0     0     0     0     0
5330005507098    0   0    8        0     0     3     0     0     0     0     0
3110001570535    0   0    6        0     0     2     0     0     0     0     0
5935010853305    0   0    3        0     0     1     0     0     0     0     0
1450012043596AH  0   0    6        0     1     0     0     0     0     0     0
3020010939395AH  0   0    6        0     1     0     0     0     0     0     0
4030002378741    0   0    6        0     1     0     0     0     0     0     0
5315001816476    0   0   11        0     2     0     0     0     0     0     0
```

Figure 6-21. Option 6: Usage Non-Standard Component.

```
                        PLANNED STANDARD COMPONENT


PROD NR = 16316A    ENGR =  MAKEET
OPER  OCC RGC PRD-C    PRD-1    PRD-2    PRD-3    PRD-4    PRD-5    PRP-6    PRD-7
00010 100  J     3       16       20       20       24       20       20       22


COMP-STOCK-NR    UPA STD  ACT U N ISS-C ISS-1 ISS-2 ISS-3 ISS-4 ISS-5 ISS-6 ISS-7
_____ _ _____

5935008255565    1   1    0   2   0     0     0     0     0     0     0     0
3110001089178    1   2    2       0     0     1     0     0     1     0     0
5930010495779    1   1    1       0     0     0     0     0     0     0     1
1450011192203AH  1   2    3   C   0     0     0     0     0     0     3     0
1450001049710AH  1   3    3   C   0     0     0     1     2     0     0     0
1450PGH-28       2  10   10       2     1     5     2     2     3     8     4
```

Figure 6-22. Option 7: Planned Standard Component.

```
                        COMPONENT STOCK NUMBER USERS


COMP-STOCK-NR   UI  ERC  PSC  I&S  AAC  BGT  CSI  MGR  UNIT-PRICE  AVG-REP-COST
1620010388960   EA  N     3    L    D    1    7   CG       5.06           .00


PDN    OPER  OCC RCC    C UP ST ACT Q  PRDCQ  PRDCY  PRDTOT  ISSCQ  ISSCY  ISSTOT
_____ _____ ___ _____ _____

17714A 00010 100 MNTCHK A  1100 100 0     0      0       1      0      0       1
```

Figure 6-23. Option 1: Component Stock Number Users.

```
                      CROSS REFERENCE STOCK NUMBER TO MGF PART-NR


STOCK NUMBER    UI ERC PSC UNIT COST AV-REP-C0ST I&S CSI MFG-PART-NR    FSMC
_____  __ ___ ___ _____ _____ ___ ___ _____ ____

1450010349671   EA N        498.18        .00    L   U   501-4115-5    26289
```

Figure 6-24. Option 2: Cross Ref Stock NR to MFG Part NR.

```
STOCK NUMBER    UI ERC PSC UNIT COST AV-REP-C0ST I&S CSI MFG-PART-NR    FSMC
_____  __ ___ ___ _____ _____ ___ ___ _____ ____

1450010349671   EA  N   F   498.18        .00    L   U   501-4115-5    26289
```

Figure 6-25. Option 3: Cross Ref MFG Part NR to Stock NR.

```
                     SPECIFIC COMPONENT ON BILL OF MATERIAL


PDN   =   17714A
OPER  =   00010
COMP  =   1620010388960
OCC   =   100
PLNR  =  MANETK


  PRD-CQ  PRD-Q1  PRD-Q2  PRD-Q3  PRD-Q4  PRD-Q5  PRD-Q6  PRD-Q7       PRD-TOT
     0       0       0       0       0       0       1       0             1


UPA STD   ACT CST  DTEST DT-LA A MS  MIC UTL MCC       RCC
```

Figure 6-26. Option 4: Specific Component on BOM.

```
                   CATAL0GING AND I&S DATA ON STOCK NUMBER
STOCK NUMBER   UI ERC PSC UNIT-COST AV-REP-C0ST BGT CSI I&S STOCK NR   CD LINK
─────────────  ── ─── ─── ───────── ─────────── ─── ─── ───────────── ── ─────────

1620010388960  EA N   3     5.06         .00  1   7   B               NO I&S
```

Figure 6-27. Option 5: Cataloging and I&S Data on Stock NR.

```
                    MATERIAL REQUISITION INTERROGATION


PART-NUMBER      MIC COMP-STK-NR     UI RCC    PRD-NR  C E P  OPER   FSMC   I&S AB
─────────────    ─── ─────────────   ── ──────  ──────  ─ ─ ─  ─────  ─────  ─── ──

A PIN SPRINW     LL  5315008263251   HD MKPEAC 16316A  L N F  00010  96906  L
A SCREu          LL  5305009837428   HD MKPEAC 16316A  L N F  00010  96906  A
AA1371           LL  615OOO08848O3AH EA MKPEAC 16316A  A N 3  00010  09526  L
AP34652          LL  1450010930594AH EA MKPEAC 16316A  E T 2  00010  73030  L    2
AD34658-1        LL  5945O10925447AH EA MKPEAC 16316A  A N 3  00010  81205  L
AD34658-2        LL  594501O932112AH EA MKPEAC 16316A  A N 3  00010  73030  L
AD34668-1        LL  145O010928599AH EA MKPEAC 16316A  E T 2  00010  73030  L    2
AD34673-1        LL  5945011088827AH EA MKPEAC 16316A  E T 2  00010  73030  L
AD34681-1        LL  3020010939395AH EA MKPEAC 16316A  A N 3  00010  73030  L
AD34683-1        LL  493501O939832AH EA MKPEAC 16316A  A N 3  00010  73030  L
AP346BB-1        LL  3040010977336AH EA MKPEAC 16316A  A N 3  00010   9999  A
AD34692-1        LL  145OO11192203AH EA MKPEAC 16316A  A N 3  00010  73030  L
AP34727-1        LL  1450O12043596AH EA MKPEAC 16316A  A N 3  00010  73030  L
AP34736-1        LL  5999O10930954AH EA MKPEAC 16316A  E T 2  00010  73030  L    2
AD34751-1        LL  5999011480801AH EA MKPEAC 16316A  A N 3  00010  73030  L
AD34763-1        LL  5999011117905   EA MKPEAC 16316A  A N F  00010  73030  L
```

Figure 6-28. Option 1: Material Requisition Interrogation.

```
                    MATERIAL REQUISITION INTERROCATIOM


PART-NUMBER      MIC  COMP-STK-NR     UI RCC    PRD-NR  C E P  OPER   FSMC  I&S AB
─────────────    ───  ─────────────   ── ──────  ──────  ─ ─ ─  ─────  ─────  ─── ──

--AN960-10L      QQ   5310007918496   HD MNTCHK 61181A  L N    00010  88044  L
--AN96O-1OL      QQ   5310007918496   HD MNTCHK 17631A  L N    00010  88044  L
A VASHER-FLAT    QQ   5310007918496   HD MNTCHK 61181A  L N    00010  88044  L
A NASHER-FLAT    QQ   5310007918496   HD MNTCHK 17631A  L N    00010  88044  L
A-217TH1257      QQ   5330003264718   EA MNTCHK 66204A  A N F  00010  95272  L
A-217TH1257      QQ   5330003264718   EA MNTCHK 71453A  A N F  00010  95272  L
AA PACKING       QQ   5330002920577   EA MNTCHK 17631A  A N F  00010  96906  L
AA RESISTOR      QQ   5905001048358   EA MNTCHK 61506A  A N F  00010  81349  8
AA VASHER-FLAT   QQ   5310005956211   HD MNTCHK 38656A  L N F  00010  96906  5
AB13O3-215       QQ   4730000504203   EA MNTCHK 72858A  A N F  00010  19704  A
AB13O3-215       QQ   4730000504203   EA MNTCHK 35571A  A N    00010  19704
AB13O3-215       QQ   4730000504203   EA MNTCHK 38656A  A N    00010  19704  A
AC4OH46O9E4      QQ   4330004215839   EA MNTCHK 17605A  A N 3  00010  01414  L    2
AE2O6-4          QQ   4720008037157   FT MNTCHK 61506A  L N    00010  00624  L
AG5SSX           QQ   3120007064561   EA MNTCHK 19838A  A N    00010  83086  L
AG5SSX           QQ   3120007064561   EA MNTCHK 19841A  A N    00010  83086  L
```

Figure 6-29. Option 2: Material Requisition Interrogation.

```
                 SLC END ITEM AND COMPONENT DATA BY PDN

NEW STK-NBR     OLD STK-NBR     0-UI N-UI CONV  DATE  REMARK
─────────────   ─────────────   ──── ──── ────  ────  ────────────────────────────

5330010147779                                         REQUESTED SN NOT CHANGE
```

Figure 6-30. Q08 SLC History.

```
                    STOCK NUMBER INTERCHANGE INQUIRY

STOCK NUMBER      I&S UI ERRC PSC  UNIT PRICE I&S STATUS GROUP
_____   ___ __ ____ ___  _____ _____
5330010147779      L  EA  N    3       10.80  NO A02 RECORDS FOUND
```

Figure 6-31. Option 1: Stock Number Interchange Inquiry.


```
                FAMILY GROUP FOR MASTER STOCK NUMBER

MASTER-STOCK-NR LINK-CODE I&S CODE MEMBER-STOCK-NR
_____ _____ _____ _____
1620010364299    AAA         D        1620010098082
```

Figure 6-32. Option 2: Family Group for Master Stock Number.


```
                FAMILY GROUP FOR MASTER STOCK NUMBER

MASTER-STOCK-NR LINK-CODE I&S CODE MEMBER-STOCK-NR
_____ _____ _____ _____
1620010364299    AAA         D        1620010098082     **REQUESTED SN**
```

Figure 6-33. Option 3: Family Group for Master Stock Number.


```
                  I&S GROUP 41TH MFG PART NUMBERS

MASTER-STOCK-NR LINK-CODE I&S CODE MEMBER-STOCK-NR MFG-PART-NR
_____ _____ _____ _____ _____
1620010364299    AAA         D        1620010098082   NOT ON DATA BASE
```

Figure 6-34. Option 4: I&S Group with MFG Part Number.


```
              BOMS CONTAINING I&S MEMBER STOCK NUMBERS

COMP STOCK-NR LNK I UI E P      PRICE PDN    OPER   ENGR    OCC UPA STD TOTAL
_____ ___ _ __ _ _ _____ _____ _____ _____ ___ ___ ___ _____
1005008508654 AAA D EA T 2     406.67 74828A 00100 MANETW 100   1  10     0
```

Figure 6-35. Option 5: BOMs Containing I&S Member Stock Nrs.


```
            BOMS CONTAINING ANY MEMBER OF I&S MASTER GROUP

COMP STOCK-NR LNK I UI E P      PRICE PDN    OPER   ENGR    OCC UPA STD TOTAL
_____ ___ _ __ _ _ _____ _____ _____ _____ ___ ___ ___ _____
1005003418559 AAA D EA T 2     390.00 68618A 00100 MANETU 100   1   0     0
1005007676995 AAC P EA T 2     233.00 74858A 00100 MANETU 100   1  63    33
```

Figure 6-36. Option 6: BOMs Containing Any Member of I&S Master.

```
                        BOM FROM THE G005M DATA BASE


END ITEM              UNIT    AVERAGE  SOS PSC MGR ERC IAS ALC DIV
   ID                 COST      COST


1620010364299       12801.51   2794.35  FGZ  2  LJD T   B   G   I


PROD   ACCT           CUR     1ST      2ND      3RD     4TH     5TH     6TH     7TH    TOTAL
NR     CC     RGC     QTR     QTR      QTR      QTR     QTR     QTR     QTR     QTR     PRD


17714A MNTC9K  J       0       0        O        0       0       O       1       O       1


RESP-ENGR = MANETK


OPER   COMPONENT      REP C            CUR     1ST     2ND     3RD     4TH     5TH     6TH     7TH    DATE   DATE   N
NR     NSN      UPA   PNT C  RCC       QTR     QTR     QTR     QTR     QTR     QTR     QTR     QTR    ESTAB  LAST   S


00010  1620010388960  1 100  A  MNTCHK  0       O       0       0       0       0       1       0     90207  90310
00010  5330010147779  0   0  A  MNTCHK  0       0       0       0       0       0       1       0     90212  90310
00010  5330010178858  0   0  A  MNTCHx  0       0       0       0       0       0       1       O     90212  90310
00010  5330010198916  0   0  A  MNTCHx  0       0       0       0       0       0       1       0     90212  90310
00010  5330010191608  0   0  A  MNTCHK  0       0       0       0       0       0       2       0     90212  91190
00010  5330010237640  0   0  A  MNTCHK  0       0       0       0       0       0       2       0     90212  91190
```

Figure 6-37. Q10 Interactive BOM Query.

```
PROD-NR = 17714A


PROD-NR   PRD-C     PRD-1     PRD-2     PRD-3     PRD-4     PRD-5     PRD-6     PRD-7   TOT-PRD
------------------------------------------------------------------------------------------------
17714A       0         0         0         0         0         0         1         0         1


COMPONENT ITEM    OPER   UPA  N   ISSC     ISS1    ISS2    ISS3    ISS4    ISS5    ISS6    ISS7   TOT-ISS  C
------------------------------------------------------------------------------------------------
5330010147779    00010    0        0        0       0       0       0       0       1       0        1    A
5330010178858    00010    0        0        0       0       0       0       0       1       0        1    A
```

Figure 6-38. Q11 Non-Standard Components Query.

```
                (REQ RPT) INTERMEDIATE REQUIREMENT COMPUTATIOM


 PDN     END ITEM                -PRIME--SPL  PM        DATE
NUMBER   IDENTITY        ACC     ALC DIV CLK  MGR  RCC  ESTB
--------------------------------------------------------------------------------
17714A   1620010364299   MNTC9K   G   I  CB   AL   J    90194


  COMPONENT       OPER              RESP     C   M   DRV    OCC          RPL
    NSN           NR    RCC         ENGR     C   C   QTY    FAC    UPA    %    REQUIREMENT
--------------------------------------------------------------------------------
1620010388960    00010  MNTCHK     MANETK    A   D   25     100     1    100          25
```

Figure 6-39. Q12 Intermediate Requirement Comp (DRIVE).

```
DATE  02/20/92   _____ TIME : 06:40:45

MMIOPN2           CATALOGING DATA WITH PART NUMBER LIST                    MENU CD _____


        STOCK NR          DESCRIPTION - NOUN      UNIT PRICE     AV REP CST      SP U/PRICE
     1450010349671        BLOCK, SMALL PUMP           498.18          .00           141.78

          ALC   DIV   UI  ERC  PSC  ADV  SOS  SM  MGR  BGT  CSI   I-S  PM  SP ERC
                      EA   N    F    Z   S9C  77        9    U     L           N

                            PART NUMBER          FSMC
                            501-4115-5           26289
                            _____        _____
                            _____        _____
                            _____        _____
                            _____        _____
                            _____        _____
  _____
                        PF2 = menu, PF3 = back, PF7 = up, PF8 = down
  _____
```

Figure 6-40. Q13 Stock # to Part # Ref.

```
DATE  :  02/20/92   _____ TIME  :  06/43/14
MMIOPL2                         PLANNER DETAIL DATA                   MENU CD _____


          PLANNER     PROD NR     ACC/SD     OPER      RCC/SD
          MANETK      15988A      MNTC9K     00010      MNTCHK
          MANETK      16214A      MNTC9K     00010      MNTCHK
          MANETK      16423A      MNTC9K     00010      MNTCHK
          MANETK      16754A      MNTC9K     00010      MNTCHK
          MANETK      17552A      MNTC9K     00010      MNTCHK
          MANETK      17575A      MNPG9L     HC363      MNTCHK
          MANETK      17576A      MNPG9L     HC363      MNTCHK
          MANETK~     17577A      MNPG9L     HC363      MNTCHK
          MANETK      17578A      MNPG9L     CT010      MNTCHK
          MANETK      17605A      MNTC9K     00010      MNTCHK
          MANETK      17617A      MNTC9K     00010      MNTCHK

             PF2 = menu, PF3 = back, PF7 = up, PF8 = down
```

Figure 6-41. Q14 Planner.

```
 MABEAC     DAILY  G005M ERROR NOTIFICATION REPORT         02-20-92    A-G005M-001-DE-MFR      PC    1

          1          2          3          4          5          6          7          8  PROCESSING     ********R E M A R K S*********
1234567890123456789012345678901234567890123456789012345678901234567890  DATE  TIME

M070MABEAC          10130C700011650007810717                             92050   16.31.05  CONTROL DATA UNMAT TO MATL  PS
M07DMABEAC          10130C700011660005893620                             92050   16.31.05  CONTROL DATA UNMAT TO  MATL DB
M070MABEAC          10130C700015340006562510LG                           92050   16.31.05  CONTROL DATA UNMAT TO  MATL PS
M07DMABEAC          10130C700016229992995854                             92050   16.31.05  CONTROL DATA UNMAT TO  MATL PS
M07DMABEAC          10130C700019905006524087GL                           92050   16.31.05  CONTROL DATA UNMAT TO  MATL DB
M07DMABEAC          10130C700019905006853976CL                           92050   16.31.05  CONTROL DATA UNMAT TO  MATL PS
M07CMABEAC          10130C700012915007312469R40001020                    92050   16.32.06  CONTROL DATA UNMAT TO  MATL PS
```

Figure 6-42. Daily Error Notification Report.

```
  MABEAC   DAILY  G005M TRANSACTION  REGISTER           02-20-92   A-GOO5M-061-DE-MFR      Pg    1


      1         2         3         4         5         6         7         8   PROCESSING    *******R E M A R K *******
  1234567890123456789012345678901234567890123456789012345678901234567890   DATE  TIME


  M07DMABEAC          10130C700011620P881924F                            92050   16.31.05  MATERIAL STANDARD DELETED
  M070MABEAC          10130C700011620003654001                           92050   16.31.05  MATERIAL STANDARD DELETED
  M070MABEAC          10130C700011620007845553                           92050   16.31.05  MATERIAL STANDARD DELETED
  M070MABEAC          10130C700011620010341197                           92050   16.31.05  MATERIAL STANDARD DELETED
  M070MABEAC          10130C700011620010982747                           92050   16.31.05  MATERIAL STANDARD DELETED
  M070MABEAC          10130C700011620010982748                           92050   16.31.05  MATERIAL STANDARD DELETED
  M070MABEAC          10130C700011630000354820                           92050   16.31.05  MATERIAL STANDARD DELETED
  M07DMABEAC          10130C700011630003045427                           92050   16.31.05  MATERIAL STANDARD DELETED
  M07DMABEAC          10130C700011650000781071                           92050   16.31.05  MATERIAL STANDARD DELETED
  M07DMABEAC          10130C700011650005362561                           92050   16.31.05  MATERIAL STANDARD DELETED
  M07DMABEAC          10130C700011650006612840                           92050   16.31.05  MATERIAL STANDARD DELETED
  M07DMABEAC          10130C700011660005900633LG                         92050   16.31.05  MATERIAL STANDARD DELETED
  M07DMABEAC          10130C700011660005909770LG                         92050   16.31.05  MATERIAL STANDARD DELETED
  M07DMABEAC          10130C700011680P375190-1                           92050   16.31.05  MATERIAL STANDARD DELETED
  M07DMABEAC          10130C700011680006044716LG                         92050   16.31.05  MATERIAL STANDARD DELETED
  M07DMABEAC          10130C700011680006297894LG                         92050   16.31.05  MATERIAL STANDARD DELETED
```

Figure 6-43. Daily Transaction Register.

```
  02/20/92                    ***STOCK NUMBER QUERY***                        11:29:25


    5TKNBR       UI ERRC PSC AAC SOS   UNIT CST AV REP CST         NOUN
  1680006044716LG EA  T   2   V  FLZ      193.00       43.81  ACTUAT0R,MECHANICAL


     FLAG    PS MGR  SP ERRC     5P PRICE      lANDS      ALC    PlY     BDGT
     P       AE                       .00      D                        S

                    -----------------------------------
                    MANUFACTURE PART NR OR ITEM SOURCE
                    -----------------------------------


                      PART NBR           FSMC
                      1642E59            82402


                    -----------------------------------
                         COMPONENT STD DATA
                    -----------------------------------


                     **NO DATABASE RECORDS FOUND**


                    -----------------------------------
                       STOCK LIST CHANGE DATA
                    -----------------------------------


                    0LD STOCK NUMBER    SLC DATE  OLD UI
                      **NO DATABASE RECORDS FOUND**


                    -----------------------------------
                          I  AND  S    DATA
                    -----------------------------------


               IS MSTR            IS MEMB        LINK   IS CD
            1680011819874LG   1680001355397LG    AAC      D
            1680011819874LG   1680004026202LG    AAD      D
            1680011819874LG   1680006044716LG    AAA      D
            1680011819874L6   1680007770136LG    AAB      D
            1680011819874LG   1680012175837LG    AAE      D
                    ***END OF REPORT***
```

Figure 6-44. Q16 Stock List.

OFFICIAL   **RONALD W. YATES, General, USAF**
                                                               Commander

GLENN H. SMALLWOOD, Colonel, USAF
Director of Coporate Information

SUMMARY OF CHANGES
Update G005M system operation description. Delete Awaiting Parts (AWP) processes.

BILL OF MATERIAL CODES FOR FILE MAINTENANCE TRANSACTIONS

1.   The GOO5M uses three codes for BOM file maintenance transactions.   These codes are: (a) transaction; (b) BOM action; and (c) reasons for change codes.   Brief definitions for each of these codes are provided below:

2. Definitions:

   a.   Transaction Code is a three position alphanumeric code used to the tell the computer the functional area to which an input is being made and the identity of the transaction.

   b.   BOM Action Code is a one position alpha code that identifies and recommends the type of BOM file maintenance action to be performed.

   c.   Reason for Change Code is a one position alpha code used to indicate the reason for making a change in the BOM. (See Attachment 2 Reason for Change Codes.)

REASON FOR CHANGE CODES

This attachment contains reason for change codes used in updating BOM (standards oriented) data in the G005M system. The reason for change codes in the attachment include only those codes input manually by the planner. The G005M automatically assigns codes for computer generated standard changes (standard data, occurrence factor, usage analysis, stocklist changed, etc.) Each reason for change code is defined/explained below.

NOTE:
1. These reason for change codes are to be used by the G005M Material Support System only.
2. Codes B, C, D, and E, are for changing history data.
3. Effort correction should no longer be accomplished using a unique reason code. Corrected values to both labor and material standards should be input using the original code which resulted in the data error. (Labor codes are found in AFMCR 66-4.)
4. Use of reason code E for vision of labor occurrence factors should be discontinued. The common denominator which determines use of these codes is the receipt of a written request or directive from an agency outside to increase, decrease, or change the type of repair accomplished on an EI. These codes should also be used establish the initial standards for a new workload. Changes to standards should be coded P only when the initiative clearly originates from outside maintenance.
5. Other Reason for Change codes may appear on G005M products. These are input by agencies outside maintenance.

Code   Definition/Explanation

P   Work changes directed or requested by SM, IM, or other authority external to maintenance, including new workloads.

S   Work changes not specifically directed by authority external to maintenance, but required due to age or condition of the EI. As in the case of code P, these reason codes are used when the standard change results form a condition over which maintenance personnel have no control. In this case, however, there is no written directive/request for the change. The S code is used when the age or condition of the EI has changed, requiring greater or less depth of repair, or more or less material to restore the item to the same level of serviceability as that previous items repaired. For example, this code applies when the standard must be revised due to the detection of increased amounts of corrosion or decreased failure of the component which is now made of stronger material.

V   Actions undertaken to satisfy environmental requirements established with maintenance. This code is used when maintenance personnel locally identify the need to change material standards to continue producing an item according to existing quality requirements in a safe, healthful manner. It could include added test time to isolate component failures, re-layout of the shop to eliminate a safety hazard, or changes in material use to prevent possible health damage resulting from noxious fumes, dust, or fibers.

W   Methods Improvement Studies. This code identifies improvements in process, method, shop layout, work flow, material requirements, etc., resulting from efforts to reduce the cost or man-hours required for EI repair.

U   Periodic review, update, or refinement of standard, including necessary revision of occurrence factors, and material replacement factors. This code is used only to change the type, and therefore, the statistical accuracy of the standard.

B   Posted issues for this component are in error. The usage data posted to the BOM are erroneous. Common items charged to wrong production number. This history would cause the BOM analysis program to process invalid recommendations until it finally drops off after eight quarters.

C   Repair requirements (technical order) have been changed. The T.O. has changed the usage requirement to be greater or less than the past requirements.

D   Reliability of the component has been changed. The manufacture has increased the reliability of the component and the usage has drastically decreased.

E   Component actual usage is not correctly reflected by issue data. Issue data are distorted by infield backorders or release of large outstanding backorders.

G005M ERROR MESSAGES AND EXPLANATIONS

1. The following are input error messages and a brief explanation of the error.

   * Accountable RCC/SD unmatched to MV data base. ERROR: Input RCC/SD not loaded in G004L.

   * Accountable RCC/SD previously established. ERROR: Input RCC/SD is already in G005M.

   * BOM request not authorized. ERROR: Input request must be made by the system OPR.

   * Component NSN unmatched to material data base. ERROR: Stock Number not loaded in G005M.

   * Component previously established. ERROR: Stock Number already loaded to the G005M data base.

   * Control data unmatched to material data base. ERROR: Input information does not match system field requirement.

   * E/I unmatched to MV data base. ERROR: Input End Item NSN does not match information contained in G004L.

   * E/I production Number previously established. ERROR: Input Production number already established in G005M.

   * E/I production number unmatched to material data base. ERROR: Input production number does not match information contained in G005M data base.

   * FSMC previously established. ERROR: FSMC already exists in G005M.

   * FSMC unmatched to material data base. ERROR: Input FSMC not on G005M data base.

   * Invalid Component NSN. ERROR: Input Stock Number does not match G005M data base.

   * Invalid accountable RCC/SD. ERROR: Input RCC does not match G005M data base.

   * Invalid ERRC. ERROR: ERRC does not match G005M data base.

   * Invalid FSMC. ERROR: FSMC does not match G005M data base.

   * Invalid low volume BOM costs. ERROR: Low volume costs do not match G005M data base requirements.

   * Invalid new responsible engineering organization. ERROR: Input planner code (new) does not match G005M data base.

   * Invalid Occurrence Factor. ERROR: Input Occurrence does not match G005M data base.

   * Invalid Operation Number. ERROR: Input Operation Number does not match G005M data base.

   * Invalid Production Number. ERROR: Input Production Number does not match G005M data base.

   * Invalid responsible engineering organization. ERROR: Input planner code does not match G005M data base.

   * Item source previously established. ERROR: Item Source already established on the BOM.

   * Obsolete stock number. ERROR: Input NSN is coded obsolete.

   * Operation Number previously established. ERROR: Operation Number already in G005M data base.

   * Operation Number unmatched to MV data base. ERROR: Operation Number not in G004L.

   * Operation Number unmatched to material data base. ERROR: Operation Number not in G005M data base.

   * Production Number unmatched to MV data base. ERROR: Production Number not in G004L.

   * Occurrence Factor unmatched to material data base. ERROR: Input Occurrence factor not in G005M data base.

   * RCC unmatched to D035k. ERROR: Input RCC not on Organizational Table.

   * Responsible Engineering Organization unmatched to MV data base. ERROR: Planner code Not in G004L.

2. For error messages not contained in this listing contact your G005M System OPR.

ANALYSIS ERROR MESSAGES

MESSAGE	MESSAGE CRITERIA	FREQUENCY	PROGRAM ACTION	PLANNER ACT	PLANNER ER	PSF ACT	PSF ER	CORRECTIVE ACTION
TERMINAL ITEM, SUBSTITUE REQUIRED	APPLIES TO COMPONENT NSNs THAT ACQUISITION ADVICE CODE (ACC) HAS BEEN CHANGED TO "Y" OR "X" INDICATING A TERMINAL ITEM IN USE UNTIL STOCK IS EXHAUSTED) OR A "Y" INDICATING FUTURE PROCUREMENT NOT AUTHORIZED.	MONTHLY AND QUARTERLY	MONTHLY RPT. IF ACC = "X" OR "Y", PRINT ONLY. IF "Y", STANDARD REPLACEMENT IS CHANGED TO ZERO. QUARTERLY RPT. IF ACC = "X" OR "Y", PRINT MESSAGE ONLY. "Y" ITEM AUTOMATICALLY DELETED.	Y	N	Y	N	PLANNER SHOULD RESEARCH THESE ITEMS TO FIND SUITABLE SUBSTITUTE AND GET IT PLANNED. ACC "Y" ITEMS WILL BE DELETED DURING QUARTERLY ANALYSIS
TERMINAL ITEM, DELETED	SELF-EXPLANATORY. APPLIES TO ACC "Y" ONLY. PERCENT.	QUARTERLY	COMPONENT ITEM MECHANICALLY DELETED.	N	N	N	N	INFORMATION ONLY. NO ACTION REQUIRED BY PLANNER OR PSF.
ACTUAL ISSUES > PLANNED ISSUE	SELF EXPLANATORY	QUARTERLY	PRINT ONLY.	Y	Y	Y	Y	MESSAGE INDICATES REPLACEMENT % NOT HIGH ENOUGH (PLANNED WRONG), OR PRODUCTION SUPPORT ORDERING MATERIAL IMPROPERLY. PLANNER AND PSF MUST DETERMINE AND CORRECT VIA M07C TRANSACTION.
CHANGED TO NON-STANDARD	NO ISSUES ON STANDARD COMPONENT FOR AN QTRS. HIGH QRI CNM WITH PRODUCTION, AND ANALYSIS BLOCKAGE CODE IS < 2, OR COMPUTED "ACTUAL" REPLACEMENT % IS < 1%, IT IS MECHANICALLY CHANGED TO NON-STANDARD COMPONENT.	QUARTERLY	MECHANICALLY ZERO OUT STANDARD REPLACEMENT % - DELETE ANALYSIS FOR COMPONENT AND MODIFY DATE OF LAST ACTION (DLA)	Y	N	Y	N	INFORMATION ONLY. NO ACTION REQUIRED BY PLANNER OR PSF.
CHANGED USAGE ANALYSIS	COMPUTED ACTUAL REPLACEMENT % IS DIFFERENT FROM STANDARD REPLACEMENT	QUARTERLY	MECHANICALLY MOVE ACTUAL REPLACEMENT % TO STANDARD DURING ANALYSIS AND MODIFY DLA	Y	N	Y	N	INFORMATION ONLY. NO ACTION REQUIRED BY PLANNER OR PSF. REPLACEMENT % COMPUTED CHANGED DUE TO ACTUAL USAGE

MESSAGE	MESSAGE CRITERIA	FREQUENCY	PROGRAM ACTION	PLANNER ACT	PLANNER ER	P&F ACT	P&F ER	CORRECTIVE ACTION
INSUFFICIENT SUPPORT	ANALYSIS BLOCKAGE CODE IS GREATER THAN 1 AND PLANNED ISSUES ARE GREATER THAN ACTUAL ISSUES	QUARTERLY	PRINT ONLY	Y	Y	Y	N	INFORMATION ONLY. NO ACTION REQUIRED.
INVALID ISSUE "I" COST CODE	ISSUES ARE RECEIVED FROM GO44 (HAND POSTED TO GO45) WITH INDIRECT COMPONENTS (I-COST CODE) AGAINST APPROPRIATION NUMBER.	MONTHLY AND QUARTERLY	MECHANICALLY ZEROS OUT ALL QUARTERS OF ISSUE HISTORY.	Y	N	Y	Y	INDIRECT MATERIAL "I" CC SHOULD BE ORDERED AGAINST "U" ACCOUNT NOT AGAINST A PRODUCTION NUMBER.
IBS CONSOLIDATE DELETE	COMPONENT ASN HAS BEEN CONSOLIDATED WITH AND THEN NSN THRU THE EOTI (SALOO) SYSTEM	MONTHLY AND QUARTERLY & TRANS-ACTION REGISTER	MECHANICALLY DELETES NSN FROM BOM. PRINTS OLD AND NEW NSN ON DAILY TRANS-ACTION REGISTER.	Y	N	Y	N	INFORMATION ONLY. NO ACTION REQUIRED.
IBS CONSOLIDATION	DUE TO IBS, IBS DATA FROM AN OLD/OBSOLETE NSN HAS BEEN MER-GED/COMBINED WITH THIS NSN	MONTHLY & QUARTERLY	MECHANICALLY MODIFIES BOM FOR ALL QUARTERS OF ISSUE, & UPDATES DATE IS EST.	Y	N	Y	N	INFORMATION ONLY. NO ACTION REQUIRED.
UNPLANNED ISSUE VERIFY UPA	NEW COMPONENT, POSTED TO BOM FROM ISSUES OUT OF GO44. STANDARD REPLACEMENT % EQUALS "0" AND CURRENT QUARTER ISSUE ARE GREATER THAN "1"	MONTHLY	PRINT ONLY	Y	N	Y	Y	RESEARCH TO VERIFY UPA AND DECIDE WHETHER TO PLAN COMPONENT STD REPL % WITH WKT. (DATA WILL DEFAULT TO "Y" ON NEXT QUARTERLY ANALYSIS WFC MKT INPUT "0" CHANGE).
2 QUARTERS NO PRODUCTION, SCH-D-JLED FOR DELETE NEXT QUARTER	PRODUCTION NUMBER HAS "S" QUARTERS WITH NO PRODUCTION, AND IS THEREFORE CODED "D" FOR DELETE ON DURING NEXT QUARTERLY ANALYSIS.	QUARTERLY	BOM IS PRINTED AND PRODUCTION NUMBER DELETED FROM SM BOM	Y	N	N	N	RESEARCH PRODUCTION NUMBER. IF REQUIRED FOR GO44, INPUT WKT TO CHANGE DATE ESTABLISHED.
2 QUARTERS NO PRODUCTION ANALYSIS AND BOM DESC DELETE	PRODUCTION NUMBER CODED FOR DELETE DURING LAST QUARTERLY TRANSACTION TO CHANGE DATE ETC. WAS INPUT.	QUARTERLY	BOM IS PRINTED AND PRODUCTION NUMBER DELETED FROM SM BOM	Y	N	N	N	INFO ONLY. NO ACTION REQUIRED. BOM IS ROUTED TO THE NUMBER PRODUCT-ION NUMBER PLANNER.

ANALYSIS ERROR MESSAGES

MESSAGE	MESSAGE CRITERIA	FREQUENCY	PROGRAM ACTION	PLANNER ACT	PLANNER ER	PSE ACT	PSE ER	CORRECTIVE ACTION
OUT OF BOUNDS	MESSAGE PRINTS WHEN STANDARD REPLACEMENT % OR ACTUAL REPLACEMENT % IS > 100.	QUARTERLY	PRINT DAILY.	Y	N	Y	Y	PLANNERS SHOULD RESEARCH COMPONENT NSN TO VERIFY PLANNED UNITS PER ASSEMBLY (UPA). PRODUCTION SUPPORT MUST INSURE THEY ARE ORDERING PROPERLY.
PRODUCTION NUMBER DELETED OR UNMATCHED TO GOAL	OCCURS WHEN THE "6" POSITION PRODUCTION NUMBER DOES NOT RESIDE ON THE CURRENT GOAL SYSTEM.	MONTHLY & QUARTERLY	PRINT A COPY OF THE ENTIRE BOM. DELETE THE PRODUCTION NUMBER AND COMPONENTS.	N	N	N	N	INFORMATION ONLY. NO ACTION REQUIRED BY PLANNER OR PSE. (NOTE: THE COPY OF THE BOM IS SENT TO THE PLANNER.
STANDARD ESTABLISHED VERIFY UPA	THROUGH USAGE, G005M HAS BEEN ABLE TO COMPUTE AN ACTUAL REPLACEMENT PERCENT FOR A NON-STANDARD COMPONENT.	QUARTERLY	MECHANICALLY MOVES ACTUAL REPLACEMENT PERCENT TO STANDARD. CHANGES THE UPA TO "1". UPDATES THE ANALYSIS CODES AND DATE OF LAST ACTION.	Y	N	Y	N	PLANNER SHOULD RESEARCH THE COMPONENT STOCK NUMBER TO VALIDATE / CHANGE THE UPA AS REQUIRED. IMO7 TRANSACTION WILL CHANGE THE UPA).

GLOSSARY OF TERMS

Accountable Cost Center	The cost center assigned responsibility
Center	(ACC) for costing and production on an end item workload. Example: MKPR9.
Accountable/Error	A four position field that denotes who is (ACC/ERR) responsible/accountable for the accuracy of the component line item on the BOM (i.e., E = planner accountable and S = scheduler/PSF accountable). An X to the right of the accountable column indicates that there is an error charged to that individual, on the percent of
Acquisition Advise Code	Code denoting how and under what restrictions an EI will be acquired.

Action Code (ACT)	A one position alpha code that identifies/recommends the type of BOM maintenance action to be performed. Codes are:
	    A = Add
	    C = Change
	    D = Delete
	    R = Required Data

ALC Indicator Code	A two position code that identifies (E/I ALC) the ALC. OC = Oklahoma City; SA = San Antonio; WR = Warner Robins; OO = Ogden; SM = Sacramento.
Allocation Per-cent (Alloc %)	The computed factor used as the number of times an MDS of times an MDS will be inducted during a negotiated workload for a weapon system. The total of all MDS percentage factors for a production number must total 100 per cent.
Analysis Blockage Code (AB)	A numeric code, from 1 to 7, that indicates how many MISTR periods the component item has been non-supportable in D035K in current quarter. A code of 2 or greater will suppress analysis on a component item. The variance column will be blank and remark "NO SUPPORT--PERIODS:" will be shown.
Analysis Quarters (AQ)	A one position field (4 or 8) indicating the quarters of history used in analyzing a BOM.
Available Assets	The total reparable end item posture included on work order quantities and reparable assets available in Depot Supply.
Awaiting Parts Location (AWPLOC)	The location assigned to the AWP end item. Note: AWP is assigned to EPS, G402 system.
Back Order Canceled Message	A back order oriented message.
Bill of Material (BOM; MA BOM)	A listing having both standard and non-Standard records. The standard records are used to project material requirement and standard material costs. The non-standard records are only for material identification (usage nonstandard and indirect material).
Clerk Code (DS MGR)	The FSC class manager assigned responsibility for the component item cited.
Code Sensitivity Indicator (CSI)	The one position designator for material which requires a high degree of protection and control. Reference AFM 67-1, Volume I, for these codes. This code will be assigned auto-matically.
Comments	Additional data produced on an output product.

Common Item (CI)   Component item which is used on more than one workload during a MISTR period. If common, a "C" will be entered, otherwise "Blank".

Condition Code (CC)   A one position alpha code designating the condition of material in a Supply account. These codes are found in AFMCR 66-53, attachment 11.

Control Number   First five digits of the production number assigned to planned workload.

Cost Code (CC)   The Maintenance cost code which classifies material as funded (expense codes A or L) or un-funded (investment codes D, E, M, X or Z).

Component Issued   The total number of component items issued to the production number and operation number up to eight quarters.

Component Item (C/I)   Material that is in the end item which is individually identified. A component item may be an end item itself when handled as such in work- load processing.

Component NSN   The National Stock Number assigned to the BOM component item.
(Component Number:
Component Stock
Number)

Component Noun   The name of a component item or stock list name.

Component STD Req   See Standard Requirement.

Components Required   Total quantity of component item NSN required to support workload.
(Comp Reqd)

Cost, Funded   Summary of funded (expense) material costs for a particular production number/end item identity (cost codes A and L).

Cost, Unfunded   Summary of unfunded (investment) material costs for a particular production number/end item identity (cost codes D, E, M, X, or Z).

Current Period   The current period actual percent replacement for a component item used in support of an end
Actual Percent   item during the current quarter production.

D/I Qty   See quantity Due In.

D/M Bill of Material   A listing having both standard and non-standard records. The standard records are used to
(BOM; MA-BOM)   project material requirements and standard material cost. The non-standard records are only for material identification (usage no standard and indirect material).

D/MM Bill of Material   A listing, produced by the Master Material Support Record (API/D2000) Data System,
(MM BOM)   of materials coded for support of a recoverable EI, with the applicable cataloging and pro-curement actions that were taken at a source coding conference.

D/O Qty   See Quantity Due Out.

Date Established   The calendar year and Julian date that the BOM was established.

Date Post   The date that the status of the material transaction was posted in the D035K record.

Date Shipped	The date the component item was shipped from its source of supply; or the estimated due in date.
Demand Suffix (DMD Suffix)	The demand suffix code used to designate an item as being applicable to initial installation, and non- recurring requirements, or a recurring maintenance requirement.
Depot Supply	The quantity of this component item allocated from Depot Supply to support a workload.
Differential Workload Code (DWC)	A one position code identifying the BOM as High (H) or Low (L) volume workload. High volume workload exceeds 99 end items produced per year.
Direct Material (D)	Material that will become a part of any end item/article or can be related to specific end items.
Division Assigned Div Assig Division MM	The code for the MM division assigned management responsibility for the NSN. The division to which the equipment specialist having the responsibly for an end item is assigned.
Do Not Substitute D/N Substitute	Denotes a substitute or interchangeable item cannot be accepted for the requested stock number (indicated by an asterisk) (utility code 4).
Document Number	The number assigned to identify a particular material transaction and to provide an audit trail. The number is composed of the following elements. Organization functional code, Julian date, and serial number.
Dollar Variance	The plus/minus difference between actual and standard material costs for a component item during the current quarter production.
DS MGR	See Clerk Code
Due In Qty	See Quantity Due In
Due Out Qty	See Quantity Due Out
E/I ALC	See ALC Code.
End Item (E/I)	Equipment or material of distinct identify that is handled as identifiable repair workload and assigned a production number at an ALC for the purpose of control within the management system.
End Item Description	The descriptive nomenclature of the end item identified.
(E/I Description, End Item Identity, (E/I Identity)	The NSN, MDS, or other numbers which will identify an end item.
End Item Production (E/I Prod)	The number of end items produced since the component item was first issued against the production number and operation number.
End Item Production Current (E/I Prod Current)	The quantity of end items produced the current quarter.
End Item Production History (E/I Prod Hist).	The total quantity of end items produced during the past eight quarters.

End Item Quantity (E/I Qty)	See Quantity E/I
End Item Warehouse Location (E/I Whse Location)	The supply warehouse location identifier for condition "G".
Engineer Code	See Responsible Engineer.
Equipment Specialist (ES)	The code for the equipment specialist assigned to the recoverable NSN.
ERRC (ER; ERC; ERR)	The designator signifying expendability, recoverability, repairability category for a component item.
Exchange Item	A serviceable investment item with an ERRC code of C, T or S issued in exchange for an unserviceable item.
Expense Cost	The estimated cost of the expense material used in repair of the end item. This material will be assigned to cost code "A" by the computer.
Expense Material	Material that is financed and managed under the Air Force Stock Fund and which is recorded as an expense to the Industrial Fund upon issue from Depot Supply.
FAD IND	The force activity designator indicator code assigned the end item.
FSCM	Federal Supply Code for Manufacturers.
Indirect Material (I)	Material that cannot be easily identified to a particular end item or system.
Introduction	The process of starting workloads incrementally into the shop during a MISTR period.
Interchangeability and Substitutability Codes I & S Codes	The code indicates whether a stock number item is family master, subgroup master, etc., of a particular interchangeability and substitutability (I & S) family. This coding is peculiar to the D035K system as follows:

B = Bachelor Item. Item not in an I&S group.

I = Interchangeable item.

L = One subgroup only in the I&S group primary item.

G = More than on subgroup in the I&S group and this item is the subgroup primary item.

M = More than one subgroup in the I&S group and this item is the master item.

Interchangeable Item	Items coded for automatic substitution as totally interchangeable with a master item.
Interrogation	Obtaining specific information contained within the computer system.
Investment Cost	The estimated cost of the investment material used in repair of the end item. The material will be assigned to cost code "E by the computer.
Investment Material	Recoverable assemblies, installed equipment items, modification kits and other materials procured with investment (central procurement) appropriations.

Issue	A transaction whereby a supply account shows movement of material to a requesting organization.

Issues (Component Item Issues):

Current (CUR)	The Quantity of component items issued in the current quarter.
History (HST)	The quantity of component items issued during the past eight quarters.
Issues Over Standard	The number of component items either planned or unplanned used to produce end items on a production number in excess of planned quantity.
	Note: Component items turned into Supply are shown as a negative issue and are computed as Issue under Standard. The actual replacement percent column will be blank.
Item Source Number	(Manufacturer's Part Number) The identifying number assigned to the component item by the maker of the item or by the contractor possessing proprietary rights to the item.
J Exemption	Classified items. (Exemption codes are found in AFLCM 65-1).
Job Designator	This is an alphabetical code that signifies the type and extent of maintenance authorized to be accomplished; it is reflected in the sixth position of the production number.
Job Order Number (JON; JN Suffix)	An extension of the production number of three positions (JN Suffix). Normally these three positions indicate the fiscal year, quarter or month, and ownership purpose code.
Least Preferred	An I&S NSN with the least preferred order of use code used to accomplish the repair of an end item. When established on the BOM by the engineer/planner more adequate depot supply support is provided.
Manager Designator	The three position item manager designator. The first position identifies the division to which the IM is assigned, the other two positions identify the IM.
Master Item	Items which are coded in base support records as the preferred item, but for which substitution of items coded interchangeable and associated with the master item will be made automatically.
Material Classification	The code which identifies material as direct (D) or indirect (I).
MDS--E/I Identity	The MDS or other numbers which will identify an MDS end item.
Mission Item Essentiality Code (MEIC)	Three position (numeric-alpha) code identifies the priority of an item based on the item's mission essentiality.
MMMR	See manager Designator
National Stock Number (NSN)	Contains stock number, NS (one time use) numbers, NC (awaiting cataloging action) numbers, K (kits) numbers, L (local purchase, local manufacture) numbers, and P (manufacture part) numbers.
Non Driven Request Number	The non driven work request number that identifies the LM workload (block 1 of AFMC Form 206).
Non Support Fiscal Year (NSFY)	One position additive alpha code assigned for each MISTR period that precedence 1 and 2 were not completely supportable, for the MISTR year. This code will be removed at the start of the next MISTR year.

Occurrence Factor (OCC; OCC FSC; (OCCRR FCT; OF)

Number of times an operation is planned or occurs in relation to the maximum number of times it could occur per end item being worked.

Operation Number (Oper Nr; OPR Number)

Five position field assigned to represent a block of work within a production number that can be accomplished by an individual Direct Labor Production Unit.

Order of Use Code

The order of use code consists of a three position alpha code constructed from the two position subgroup (SG) code and the one position parts preference code (PP) to indicate the sequence in which items may be automatically supplied, for example, AA + A = AA/ Up to three, three digit order of use codes may be applicable to a given described item.

Pacing Component Item NSN

The Stock number of a required C/I which has the least supportable posture in a local manufacture workload.

PDN MGR (Production Manager)

Code which identifies the MM specialist who has management responsibility for repair of the EI.

Percent Accurate

Percentage of PSF accountable component items on a BOM that are accurate.

Percent Support (Pct Sup)

Percentage of material which is supportable for a workload.

Period

Two numeric characters representing the MISTR production period.

Planned Workload

Indicates that appropriate material standards are developed and published for a workload.

Precedence of Repair Code (PRC)

The precedence of repair code assigned to the EI/PM.

Precedence Require-ments 1&2 (P Req 1-2)

The combined M and S GEN required production to support IM back orders and two week's issues, plus two weeks of maintenance generations.

Precedence Require-ments 3&4 (P Req 3-4)

The combined M and S GEN required production to support the balance of the 90-day negotiated workload.

Priority Code (PRI CODE)

Two position numeric MILSTRIP Issue Priority Designator(IPD) assigned to the component item requisition.

Procurement Source Code (PS, PSC)

One position code representing the procurement source, management, and financial assignment of the component item.

Production Analysis Quantity (PAQ)

That quantity of production for a BOM, that when reached triggers the quarterly usage analysis

Production History (PROD History; Production)

Number of EIs produced, up to eight quarters, of the total EI production since the component item was established.

Production Item

Item processed through a repair facility for repair, modification, manufacture, etc.

Production Management Specialist (PM SPEC)

Code for production manager assigned to the recoverable NSN.

Production Number   Six position number assigned to each workload which is used to track labor and material costs,
(Prod Number; PDN   includes control number and job designator.
NR; PD Number)

Production Quantity   Number of EIs to be produced.

Projected   Indicates that an appropriate requirement for material or EI production has been identified and
                           stated in quantitative terms.

Projection   Maintenance EI workload and the mechanized processing of the workload to determine material
                           requirements.

Quarters History   The number of quarters that the component has been on the BOM since first issued, or if no
(QTRS HIS; QH)   issues, since date established.

Quantity Available   Number of component items available to support the workload.
(QTY AVAIL)

Quantity Due In   Quantity of component items requisitioned on the cited document number due into depot
(D/I; Due In Qty)   supply.

Quantity Due Out   Quantity of component items on back order in the depot supply records and which upon receipt
(D/O; Due Out Qty)   by depot supply is automatically issued.

Quantity on Hand   Quantity of component items on hand.

Quantity Required   Number of component items requisitioned to accomplish the workload.
(QYT REQ)

Quantity Short   Quantity of the identified component item which is not available to support the precedence 1&2
                           repair requirements (both M and S GEN).

Reason for Change   One position alpha code used to indicate reason for making a change in the BOM. The code is
Code (RFC)used to distinguish and quantify changes which will affect the calculation of maintenance productivity reflected in
                           column 80 of input source document. (Ref Atch 2).

Repair Group   Workload category assigned to a program control number for accomplishment of depot
Category (RGC)   maintenance. RGCs are assigned as follows:

	RC	Description
	A	Negotiated Aircraft
	B	Nonnegotiated Aircraft
	C	Negotiated Missile
	D	Nonnegotiated Missile
	E	Negotiated Engines
	F	Nonnegotiated Engines
	G	Negotiated other Major Items
	H	Nonnegotiated other Major Items
	J	MISTR
	K	Negotiated Project Directive (non-MISTR)
	L	Nonnegotiated Exchangeables
	M	Area Support
	N	Base Support

P	Manufacture - AFSF
R	Non-Manufacture - non AFSF
S	Special and Service Engineering
W	DM Overhead (Includes Cost Class IV)

Replacement Percent (Repl %; Rpl %; Rpl Pct) STD — Percentage of times a component item is removed and replaced with serviceable items obtained through the local supply source (when compared to number of times component is removed as a candidate for repair). For utility code 2 components, it is the condemnation factor.

P-R — Percentage of average actual issues of an item compared to end item completions (factored by units per assembly).

ACT — Computed actual replacement percent for the past four or eight quarters.

Replacement Price — Replacement cost for a stock numbered item (repair cost, stock list price, or stock list price multiplied by the repair cost factor).

Request Quantity — See Production Quantity.

Requirement (30 day) — Total quantity required to support E/I workloads during the next 30 days.

Requirements by Precedence 1-2 (Rqmnts P 1-2) — Combined M and S GEN required production to support the IM back orders and two weeks issues, plus two weeks of maintenance generations.

Requirements by Precedence 3-4 (Rqmnts P 3-4) — The combined M and S GEN required production to support the balance of the 90-day negotiated workload.

Resource Control — The five position code assigned to (RCC) Resource Control Center responsible for accomplishing the workload.

Responsible Engineering Organization, Responsible Engineer

(Resp Engr) — The activity and planners code assigned engineering/planning responsibility.

Routing Identifier (Route ID) — The source of supply to which the transaction will be transmitted.

Scheduling Designator (Sch Des; SD) — The one character alpha code assigned to the scheduler responsible for providing support to the RCC.

Sensitivity Code — Material which requires a high degree of protection and control due to statutory requirements or regulations. AFM 67-1, volume I provides codes for sensitive material.

Ship Date — The date the component item was shipped from its source (sometimes the estimated due in date).

SIMS Code — The SIMS code assigned to end item workloads.

Source of Supply (SRC-SUP) or Source of Supply/ Item Manager (SS/IM)	A three position code that designates the source of supply (may represent the AF manager of the item or the potential source of supply activity to which requisitions are forwarded for supply action.
SS/IM	See source of Supply (SRC-SUP).
Standard Replacement Percent Std Repl %	See Replacement Percent.
Standard Requirement	The number of planned component items required to produce total end item (computed by multiplying TOTAL PDN RELATED TO ISSUES BY QUARTER X OCC FAC X UPA X STD REPL %).
Status (ST)	Two position code that denotes the status of the quantity requisitioned on the document number cited.
Stock Level	Computed 30-day level based on issue history of component item.
Substitutable (SUB)	The interchangeable and substitutable stock numbered item for the component item cited.
Substitute Indicator	Last seven positions of an NSN: primary access key to the NSN record within an I&S group.
Supply Balance	Quantity of material on hand in depot supply to support the material requirement.
Supply Item Manager the Specialist (SIMS)	SIMS is a six position designator made up of the first two alpha positions of an individual SIMS code, and the last four numbers in the telephone extension for that SIMS.
Supply Source	See Source of Supply (SRC-SUP).
Support Indicator (SI)	One position numeric (1-7) indicating lack of support from supply on component items for 1 to 7 MISTR periods during a quarter. After usage analysis, the code starts over.
Total	Total quantity of a particular component item in short supply for production of identified EIs.
Total Records	Total number of line items (component item NSNs) on the BOM.
Total Required	Total requirement for this component item to support precedence one, two, three, and four M and S generations.
Transaction Code (Trans Code)	Three position alphanumeric code used to tell the computer the functional area to which an input is being made and the identity of the transaction. This date is reflected on columns 1-3 of input source document. Codes are listed in Atch.
Urgency of Need (UN)	The UN designator which signifies the degree of urgency that caused the initiation of the requisition.
Unit of Issue	Supply unit of issue such as EA (each), PR (pair), or SE (set).
Unit Price	Stocklist price of a component item.
Units Per Assembly (UPA)	Number of identical parts in an end item as shown on the BOM.
Usage Plan Total	Number of planned issues of the component item. The total number of components issued since the component was established in the BOM.

Utility Code (UC;   Identifies particular type items as recoverable component items which are repaired under
UT; Utl)   their own production number (code 2), TO kits (code 3), and component items that cannot be
                         substituted (code 4).

Warehouse Location   Supply warehouse location identifier for condition G end items (S batch number).

Weapon System Manager   Code assigned to the weapon system manager.
(WSM)

OUTPUT PRODUCTS LIST

OUTPUT PRODUCTS LIST

FILE ED/PCN/RCS/DSN	FULL TITLE	MEDIA/CLASS	FREQUENCY/AS OF DATE/DUE DATE	CA DISPATCH	ON/OFF BASE RECIPIENTS
A-G005M-151-BB-M53	SUPPORTABILITY REPORT	BOTH/U	BW/SUN/MON	MM151P53	FM
A-G005M-152-BB-MMT	DEPOT SUPPLY NON-SUPPORTABILITY	BOTH/U	BW/SUN/MON	MM152PMT	FM
A-G005M-153-BB-MMZ	WHOLESALE EFFECT REPORT	PAPER/U	BW/SUN/MON	MM153PWZ	DD-ALC/DSSR(OO ONLY)
A-G005M-157-BB-MMP	EI MGR NON-SUPPORTABILITY REPORT	FICHE/U	BW/SUN/MON		MM/MAWS
A-G005M-158-BB-MMR	PROD MGR NON-SUPPORTABILITY RPT	FICHE/U	BW/SUN/MON		MM/MAWS
A-G005M-181-B3-M54	ENGINE COMPONENT SHORTAGES	BOTH/U	BW/SUN/MON	MM181P54	MM (OCSA ONLY)
A-G005M-203-B3-M56	DEPOT SUPPLY SHORTAGE LIST	BOTH/U	BW/SUN/MON	MM203P56	DSSR
A-G005M-211-BB-M55	MATERIAL SHORTAGE LIST	BOTH/U	BW/SUN/MON	MM211P55	FM
A-G005M-218-BB-M40	PRODUCTION MGR SHORTAGE LIST	FICHE/U	BW/SUN/MON		MM
A-G005M-300-BB-M59	COMMON ITEM LISTING	BOTH/U	BW/SUN/MON	MM300P59	DST/FM
A-G005M-034-BB-M60	MIC COMPONENT REQUIREMENT RPT	BOTH/U	BW/SUN/MON	MM034P60	FM
A-G005M-500-BB-MM1	MCCM ASSET WORKSHEET	PAPER/U	BW/SUN/MON	MM500PM1	SA-ALC/SWRDA (SA ONLY)
A-G005M-201-3C-M57	END ITEM PARTS SHORTAGE LIST	BOTH/U	BW/SUN/WED	MM201P57	MM
A-G005M-202-3C-M58	COMPONENT ITEM SHORTAGE LIST	BOTH/U	BW/SUN/WED	MM202P58	MM
A-G005M-215-3C-MVD	CRITICAL COMPONENT ITEM IDENTITY	PAPER/U	BW/SUN/WED	MM215PVD	MM

OUTPUT PRODUCTS LIST

FILE ED.PCN/RCS/DSN	FULL TITLE	MEDIA/CLASS	FREQUENCY/AS OF DATE/DUE DATE	CA DISPATCH	ON/OFF BASE RECIPIENTS
A-G005M-041-DE-MFR	G005M ERROR NOTIFICATION LIST	PAPER/U	D/D/D	MM001PFR	FM
A-G005M-041-DE-MFR	BOM TRANSACTION REGISTER	PAPER/U	D/D/D	MM061PFR	FM
A-G005M-071-DE-VEJ	MDS ALLOCATION TABLE	PAPER/U	D/D/D	MM071PEJ	FM
A-G005M-072-DE-VEN	BOM MASTER LIST	PAPER/U	D/D/D	NN072PEN	FM
A-G005M-074-DE-VEQ	ITEM SOURCE NO/STOCK NO CROSS	PAPER/U	D/D/D	MM074PEQ	FM
A-G005M-106-MA-M20	BOM REPRICE LIST	FICHE/U	M/EOM/2CD		ACF/NA
A-G005M-301-MA-M26	MATERIAL ESTIMATED COST REPORT	PAPER/U	M/EOM/2CD	MMD01P26	FM
A-G005M-099-MC-M74	UNMATCHED ISSUE REPORT	PAPER/U	M/EOM/WD	MM099P74	FM
A-G005M-510-MG-MJF	I & S SALES PRICE VARIANCE	FICHE/U	M/15CD/1WD		FM
A-G005M-001-MG-MJG	G005M ERROR NOTIFICATION LIST	FICHE/U	M/15CD/1WD		FM
A-G005M-061-MG-MJG	BILL OF MATERIAL TRANS REGISTE	FICHE/U	M/15CDAWD		FM
A-G005M-405-MG-MJC	EXPENSE SALES PRICE VARIANCE	PAPER/U	W/15CD/1WD	VM405P.C	FM
A-G005M-406-MG-MIE	SALES PRICE VARIANCE	FICHE/U	Q/EQY/1WD		FM
A-G005M-407-MG-MIG	SALES PRICE VARIANCE Y PROD NO	BOTH/U	Q/EQY/1WD	VM407PIG	FM
A-G005M-408-MG-MIG	SALES PRICE VARIANCE BY RCC	BOTH/U	Q/EQY/1WD	VM408PIG	FM
A-G005M-075-OT-VPZ	BOM MASTER	PAPER/U	Q/EOC/WD	VM075PPZ	FM
A-G005M-076-OT-VPM	BOM PART NUMBER	BOTH/U	Q/EOC/WD	VM076PPM	FM

OUTPUT PRODUCTS LIST

FILE ED/PCN/RCS/DSN	FULL TITLE	MEDIA / CLASS	FREQUENCY / AS OF DATE / DUE DATE	CA DISPATCH	ON / OFF BASE RECIPIENTS
A-G005M-093-QA-MB3	BCM EXCEPTION WORKSHEET	BOTH / U	M/AS/1WD	MM093PB3	FM
A-G005M-097-QA-MB3	MATERIAL ANALYSIS EXCEPTION	BOTH / U	M/AS/1WD	MM097PB3	FM
A-G005M-098-QA-M93	COMMON ITEM CROSS REFERENCE	PAPER / U	Q/EOQ/WD	MM098PB3	FM
A-G005M-074-QB-MB3	ITEM SOURCE NO / STOCK NO CROSS	FICHE / U	Q/EOQ/WD		FM
A-G005M-411-QA-MB3	QUARTERLY BOM EXCEPTION REPORT	PAPER / U	Q/AS/1WD	MM411PB3	FM
A-G005M-412-QA-MB3	QUARTERLY BOM EXCEPTION REPORT	PAPER / U	Q/EOQ/WD	MM412PB4	FM
A-G005M-413-QA-MB4	QUARTERLY BOM EXCEPTION REPORT PLANNER --- PART 3	PAPER / U	Q/EOQ/WD	MM413PB4	FM
A-G005M-414-QA-MB4	QUARTERLY BOM EXCEPTION REPORT PLANNER --- PART 4	PAPER / U	Q/EOQ/WD	MM414PB4	FM
A-G005M-105-WC-M13	BOM WORKSHEET	PAPER / U	Q/EOQ/WD	MM1C5P13	FM
A-G005M-020-90-MBJ	HIGH COST ITEMS BY TOTAL COST	PAPER / U	Q/EOQ/WD	MM020PBJ	FM
A-G005M-021-98-MBK	HIGH COST ITEMS BY STOCK NR	PAPER / U		MM021PBK	FM
A-G005M-022-98-MBL	HIGH COST ITEMS BY ENGINEER	PAPER / U	WK/SJN/TUE	MM022PBL	FM
A-G005M-023-98-MBE	HIGH COST ITEMS BY BCC	PAPER / U	Q/EOQ/WD	MM023PBE	FM
A-G005M-024-98-MRF	HIGH COST ITEMS BY STOCK NR	PAPER / U	Q/EOQ/WD	MM024PBF	FM
A-G005M-025-98-MBM	HIGH COST ITEMS BY TOTAL COST	PAPER / U	Q/EOQ/WD	MM024PBM	FM